

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

| For KCC    | Use:   |  |
|------------|--------|--|
| Effective  | Date:  |  |
| District # |        |  |
| SGA?       | Yes No |  |

# Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

## **NOTICE OF INTENT TO DRILL**

|  | month day   | vear   | Spot Description:  |
|--|---|--|--|
|  | monun day   | year   | Sec Twp S. R E   |
| DPERATOR: License#   |   |  | feet from N / S Line of Sec  |
|  |   |  | feet from E / W Line of Sec  |
| .ddress 1:   |   |  | Is SECTION: Regular Irregular?   |
|  |   |  | (Note: Locate well on the Section Plat on reverse side)  |
|  | State: Zip: _   |  | County:  |
| Contact Person:  |   |  | Lease Name: Well #:  |
| hone:  |   |  | Field Name:  |
| ONTRACTOR: License#  |   |  | Is this a Prorated / Spaced Field?   |
| ame:   |   |  | Target Formation(s):   |
|  |   |  | Nearest Lease or unit boundary line (in footage):  |
| Well Drilled For:  | Well Class: Typ   | pe Equipment:  | Ground Surface Elevation:feet N  |
| Oil Enh R  | Rec Infield   | Mud Rotary   |  |
| Gas Storag   | ~ <del> </del>  | Air Rotary   |  |
| Dispo  |   | Cable  |  |
| Seismic ;# c   |   |  | Depth to bottom of fresh water:  |
| Other:   |   |  | Depth to bottom of usable water:   |
| If OWWO: old well  | information as follows:   |  | Surface Pipe by Alternate: II III  |
|  |   |  | Length of Surface Pipe Planned to be set:  |
| -  |   |  | Length of Conductor Pipe (if any):   |
|  |   |  | Projected Total Depth:   |
| Original Completion Da   | ate: Original Tota  | al Depth:  |  |
| inactional Deviated on Ho  | wine a talallbara O   | □ Vaa □ Na   | Water Source for Drilling Operations:  |
| Directional, Deviated or Ho  | rizontal wellbore?  | Yes No   | Well Farm Pond Other:  |
|  |   |  | DWR Permit #:  |
|  |   |  | (Note: Apply for Permit with DWR )   |
|  |   |  | Will Cores be taken?   |
|  |   |  | If Yes, proposed zone:   |
|  |   |  |  |
|  |   | AF   | FIDAVIT  |
| he undersigned hereby a  | affirms that the drilling, comp   |  | FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq.  |
|  |   | pletion and eventual pl  |  |
| t is agreed that the follow  | ving minimum requirements v   | pletion and eventual pluwill be met:   |  |
| is agreed that the follow  1. Notify the appropria   |   | oletion and eventual plowill be met:  udding of well;  | ugging of this well will comply with K.S.A. 55 et. seq.  |
| t is agreed that the follow  1. Notify the appropria  2. A copy of the appro   | ving minimum requirements vate district office <b>prior</b> to spu<br>poved notice of intent to drill <b>s</b> .  | oletion and eventual plu<br>will be met:<br>adding of well;<br><b>hall be</b> posted on each   | ugging of this well will comply with K.S.A. 55 et. seq.  |
| <ol> <li>agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amounthrough all unconso</li> </ol>  | ving minimum requirements vate district office <b>prior</b> to spud oved notice of intent to drill sound of surface pipe as specificated materials plus a min   | oletion and eventual plu<br>will be met:<br>adding of well;<br>hall be posted on each<br>ied below shall be set<br>imum of 20 feet into th   | ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; It by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation.   |
| <ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amounthrough all unconso</li> <li>If the well is dry hole</li> </ol>  | ving minimum requirements wate district office <b>prior</b> to spud oved notice of intent to drill <b>s</b> unt of surface pipe as specifical plus a min le, an agreement between the   | oletion and eventual plantial be met:  Indiang of well;  Indiang o | ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  It ict office on plug length and placement is necessary prior to plugging;  |
| <ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amounthrough all unconso</li> <li>If the well is dry holis</li> <li>The appropriate dis</li> </ol>  | ving minimum requirements wate district office <b>prior</b> to spud oved notice of intent to drill <b>s</b> unt of surface pipe as specifical plus a min le, an agreement between the strict office will be notified be   | poletion and eventual plus will be met: Idding of well; Idding of well; Idding be posted on each idea below shall be set imum of 20 feet into the operator and the distore well is either pluggi   | ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;  |
| <ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amounthrough all unconso</li> <li>If the well is dry hole</li> <li>The appropriate dis</li> <li>If an ALTERNATE I</li> </ol>  | ving minimum requirements wate district office <b>prior</b> to spud oved notice of intent to drill <b>s</b> unt of surface pipe as specifical plus a min le, an agreement between the strict office will be notified be II COMPLETION, production   | poletion and eventual plus will be met: Idding of well; Idding of well; Idding be posted on each idea below shall be set imum of 20 feet into the experator and the distriction fore well is either plugging pipe shall be cemented.   | h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  |
| <ol> <li>s agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amounthrough all unconso</li> <li>If the well is dry holis</li> <li>The appropriate dis</li> <li>If an ALTERNATE I Or pursuant to App</li> </ol>   | ving minimum requirements wate district office <i>prior</i> to spud oved notice of intent to drill so unt of surface pipe as specifical plus a minule, an agreement between the strict office will be notified be a complete the complete of the co | poletion and eventual plus will be met: Idding of well; Idding of well is either plugging pipe shall be cemented surface casing order #  | ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;  |
| <ol> <li>s agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amounthrough all unconso</li> <li>If the well is dry holis</li> <li>The appropriate dis</li> <li>If an ALTERNATE I Or pursuant to App</li> </ol>   | ving minimum requirements wate district office <i>prior</i> to spud oved notice of intent to drill so unt of surface pipe as specifical plus a minule, an agreement between the strict office will be notified be a complete the complete of the co | poletion and eventual plus will be met: Idding of well; Idding of well is either plugging pipe shall be cemented surface casing order #  | ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing  |
| <ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amounthrough all unconso</li> <li>If the well is dry hole</li> <li>The appropriate dis</li> <li>If an ALTERNATE I Or pursuant to App</li> </ol>   | ving minimum requirements wate district office <i>prior</i> to spud oved notice of intent to drill so unt of surface pipe as specifical plus a minule, an agreement between the strict office will be notified be a complete the complete of the co | poletion and eventual plus will be met: Idding of well; Idding of well is either plugging pipe shall be cemented surface casing order #  | ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing  |
| <ol> <li>s agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the approsimation</li> <li>The minimum amount through all unconso</li> <li>If the well is dry hole</li> <li>The appropriate dis</li> <li>If an ALTERNATE I Or pursuant to Appmust be completed</li> </ol>   | ving minimum requirements wate district office <i>prior</i> to spud poved notice of intent to drill <b>s</b> unt of surface pipe as specificated materials plus a minule, an agreement between the strict office will be notified be all COMPLETION, production bendix "B" - Eastern Kansas so within 30 days of the spud of  | poletion and eventual plus will be met: Idding of well; Idding of well is either plugging pipe shall be cemented surface casing order #  | ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing  |
| <ol> <li>agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amounthrough all unconso</li> <li>If the well is dry hole</li> <li>The appropriate dis</li> <li>If an ALTERNATE I Or pursuant to Appmust be completed</li> </ol>   | ving minimum requirements wate district office <i>prior</i> to spud poved notice of intent to drill <b>s</b> unt of surface pipe as specificated materials plus a minule, an agreement between the strict office will be notified be all COMPLETION, production bendix "B" - Eastern Kansas so within 30 days of the spud of  | poletion and eventual plus will be met: Idding of well; Idding of well; Idding be posted on each idea below shall be set imum of 20 feet into the experator and the distriction of the set imum of the experator and the distriction well is either plugging pipe shall be cemented our face casing order #  | in drilling rig; It by circulating cement to the top; in all cases surface pipe <i>shall be set</i> It is enderlying formation. It ict office on plug length and placement is necessary <i>prior to plugging;</i> It ged or production casing is cemented in; It is defined below any usable water to surface within <i>120 DAYS</i> of spud date. In all cases, NOTIFY district office prior to any cementing.  |
| 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  | ving minimum requirements wate district office <i>prior</i> to spud poved notice of intent to drill <b>s</b> unt of surface pipe as specificated materials plus a minule, an agreement between the strict office will be notified be all COMPLETION, production bendix "B" - Eastern Kansas so within 30 days of the spud of  | poletion and eventual plus will be met: Idding of well; Idding of well; Idding be posted on each idea below shall be set imum of 20 feet into the experator and the distriction of the set imum of the experator and the distriction well is either plugging pipe shall be cemented our face casing order #  | In drilling rig; It by circulating cement to the top; in all cases surface pipe <i>shall be set</i> It is enough the underlying formation. It ict office on plug length and placement is necessary <i>prior to plugging;</i> It is ged or production casing is cemented in; It is defined any usable water to surface within <i>120 DAYS</i> of spud date. In all cases, NOTIFY district office prior to any cementing is plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  |
| 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  Ubmitted Electror  For KCC Use ONLY   | ving minimum requirements wate district office <i>prior</i> to spubved notice of intent to drill <i>s</i> unt of surface pipe as specificated materials plus a minule, an agreement between the strict office will be notified be all COMPLETION, production bendix "B" - Eastern Kansas so within 30 days of the spud of chically  | pletion and eventual planel be met: Idding of well; Idding of well be set into the operator and the distriction of the coperator and the distriction of the well is either plugging pipe shall be cemented attempted or the well shall be the control of t | In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification   |
| 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  Ibmitted Electror  For KCC Use ONLY  API # 15   | ving minimum requirements wate district office <i>prior</i> to spud poved notice of intent to drill sount of surface pipe as specificated materials plus a minule, an agreement between the strict office will be notified be all COMPLETION, production bendix "B" - Eastern Kansas so within 30 days of the spud of conically   | poletion and eventual planels be met:  Indding of well;  Indding of well;  Indil be posted on each led below shall be set imum of 20 feet into the experator and the distriction fore well is either plugging pipe shall be cemented attempted by the well shall be surface casing order # that are or the well shall be surface.  | In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It ict office on plug length and placement is necessary prior to plugging; It ged or production casing is cemented in; It is defined below any usable water to surface within 120 DAYS of spud date. In 33,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;   |
| is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  Ibmitted Electror  For KCC Use ONLY  API # 15  Conductor pipe required   | ving minimum requirements water district office <i>prior</i> to sput oved notice of intent to drill so unt of surface pipe as specifical olidated materials plus a min le, an agreement between the strict office will be notified be II COMPLETION, production bendix "B" - Eastern Kansas so I within 30 days of the spud of the  | pletion and eventual planting of well;  hall be posted on each led below shall be set imum of 20 feet into the experator and the distriction of the coperator and the distriction of the experiment of the experiment of the experiment of the well is either plugging pipe shall be cemented attempted or the well shall be the experiment of the well shall be feet.   | An drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  It ict office on plug length and placement is necessary prior to plugging; god or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;  |
| 1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  Ibmitted Electror  For KCC Use ONLY  API # 15  Conductor pipe required  | ving minimum requirements wate district office <i>prior</i> to spud poved notice of intent to drill sount of surface pipe as specificated materials plus a minule, an agreement between the strict office will be notified be all COMPLETION, production bendix "B" - Eastern Kansas so within 30 days of the spud of conically   | pletion and eventual planting of well;  hall be posted on each led below shall be set imum of 20 feet into the experator and the distriction of the coperator and the distriction of the experiment of the experiment of the experiment of the well is either plugging pipe shall be cemented attempted or the well shall be the experiment of the well shall be feet.   | In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It ict office on plug length and placement is necessary prior to plugging; It ged or production casing is cemented in; It is defined below any usable water to surface within 120 DAYS of spud date. In 33,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;   |
| is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amode through all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis must be completed  Ibmitted Electror  For KCC Use ONLY  API # 15  Conductor pipe required  Minimum surface pipe required                         | ving minimum requirements water district office <i>prior</i> to sput oved notice of intent to drill so unt of surface pipe as specifical olidated materials plus a min le, an agreement between the strict office will be notified be II COMPLETION, production bendix "B" - Eastern Kansas so I within 30 days of the spud of the  | poletion and eventual planel be met: Indding of well; Indall be posted on each led below shall be set imum of 20 feet into the experience of the poletic below shall be cemented below shall be cemented below shall be cemented below the well shall be completed below shall be completed below shall be completed below the well shall be completed by the well-by the  | In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It ict office on plug length and placement is necessary prior to plugging; It ged or production casing is cemented in; It ict office on plug length and placement is necessary prior to plugging; It is defined below any usable water to surface within 120 DAYS of spud date. In 33,891-C, which applies to the KCC District 3 area, alternate II cementing in plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;   |
| 1. Notify the appropria 2. A copy of the appropria 3. The minimum amon through all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed  Ibmitted Electror  For KCC Use ONLY  API # 15 -  Conductor pipe required -  Minimum surface pipe red  Approved by:  | ving minimum requirements wate district office <i>prior</i> to spud poed notice of intent to drill <i>s</i> unt of surface pipe as specificallidated materials plus a minule, an agreement between the strict office will be notified be the completion, production pendix "B" - Eastern Kansas is a within 30 days of the spud of the completion.  | poletion and eventual planel be met: Indding of well; Indall be posted on each led below shall be set imum of 20 feet into the experience of the poletic below shall be cemented below shall be cemented below shall be cemented below the well shall be completed below shall be completed below shall be completed below the well shall be completed by the well-by the  | In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It ict office on plug length and placement is necessary prior to plugging; It ged or production casing is cemented in; It ict office on plug length and placement is necessary prior to plugging; It is defined below any usable water to surface within 120 DAYS of spud date. In 33,891-C, which applies to the KCC District 3 area, alternate II cementing in plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;  |
| 1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis 7. The appropriate dis 8. If an ALTERNATE I Or pursuant to Approved by:  Conductor pipe required I Minimum surface pipe required Approved by:  This authorization expires | ving minimum requirements wate district office <i>prior</i> to spud poed notice of intent to drill <i>s</i> unt of surface pipe as specificallidated materials plus a minule, an agreement between the strict office will be notified be the completion, production pendix "B" - Eastern Kansas is a within 30 days of the spud of the completion.  | pletion and eventual planial be met: Idding of well; Idding of well of | An drilling rig;  The drilling rig;  The victual comply with K.S.A. 55 et. seq.  In drilling rig;  The victual complete to the top; in all cases surface pipe shall be set e underlying formation.  The victual complete to the top; in all cases surface pipe shall be set e underlying formation.  The victual complete to the victual case of the victu |

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: \_

Side Two



| For KCC Use ONLY |  |
|------------------|--|
| API # 15         |  |

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator:                             | Location of Well: County:  |
|---------------------------------------|--|
| Lease:                                | feet from N / S Line of Section  |
| Well Number:                          | feet from E / W Line of Section  |
| Field:                                | Sec Twp S. R   |
| Number of Acres attributable to well: | Is Section: Regular or Irregular   |
|                                       | If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW |

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

### 1285 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name:   |  |                           | License Number:  |
|--|--|---------------------------|--|
| Operator Address:  |  |                           |  |
| Contact Person:  |  |                           | Phone Number:  |
| Lease Name & Well No.:   |  |                           | Pit Location (QQQQ):   |
| Type of Pit:  Emergency Pit  Burn Pit  Settling Pit  Workover Pit  Haul-Off Pit  (If WP Supply API No. or Year Drilled)              | Pit is:  Proposed  If Existing, date continued in the continue of the continue | Existing nstructed:(bbls) | SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty  |
| Is the pit located in a Sensitive Ground Water A   | rea? Yes   | No                        | Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)                            |
| Is the bottom below ground level?  | Artificial Liner?  | No                        | How is the pit lined if a plastic liner is not used?   |
| Pit dimensions (all but working pits):   | Length (fee  | et)                       | Width (feet) N/A: Steel Pits   |
| Depth fro  | om ground level to dee   | epest point:              | (feet) No Pit  |
| Distance to nearest water well within one-mile of  | of nit   | Denth to shallo           | west fresh waterfeet.  |
| Distance to nearest water well within one-fille t  | л рп.  | Source of infor           | nation:  |
| feet Depth of water well   | feet   | measured                  | well owner electric log KDWR   |
| Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily: |  | Type of materia           | ver and Haul-Off Pits ONLY:  I utilized in drilling/workover:  king pits to be utilized:  procedure: |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No   |  | ·                         | e closed within 365 days of spud date.   |
| Submitted Electronically   |  |                           |  |
|  | KCC  | OFFICE USE O              | NLY Liner Steel Pit RFAC RFAS  |
| Date Received: Permit Num  | ber:   | Permi                     | t Date: Lease Inspection: Yes No   |



1223978

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| OPERATOR: License #   | Well Location:  |  |  |
|---|---|--|--|
| Name:   |   |  |  |
| Address 1:  | County:   |  |  |
| Address 2:  | Lease Name: Well #:   |  |  |
| City: State: Zip:+  | g p   |  |  |
| Contact Person:   | the lease below:  |  |  |
| Phone: ( ) Fax: ( )   | -   |  |  |
| Email Address:  | -   |  |  |
| Surface Owner Information:  |   |  |  |
| Name:   |   |  |  |
| Address 1:  | owner information can be found in the records of the register of deeds for the  |  |  |
| Address 2:  |   |  |  |
| City: State: Zip:+  | -   |  |  |
|   | ank batteries, pipelines, and electrical lines. The locations shown on the plat<br>I on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.   |  |  |
| owner(s) of the land upon which the subject well is or will be  | e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this , and email address.            |  |  |
|   | Lacknowledge that hecourse I have not provided this information, the  |  |  |
|   | owner(s). To mitigate the additional cost of the KCC performing this ss of the surface owner by filling out the top section of this form and  |  |  |
| KCC will be required to send this information to the surface task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the  | owner(s). To mitigate the additional cost of the KCC performing this so of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form.  If the fee is not received with this form, the KSONA-1 |  |  |
| KCC will be required to send this information to the surface task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the If choosing the second option, submit payment of the \$30.00 handling fee. | owner(s). To mitigate the additional cost of the KCC performing this so of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form.  If the fee is not received with this form, the KSONA-1 |  |  |

| For KCC Use ONLY |  |
|------------------|--|
| API # 15         |  |

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator:  | Location of Well: County:  |
|--|--|
| Lease:   | feet from N / S Line of Section  |
| Well Number:   | feet from E / W Line of Section  |
| Field:   | SecTwpS. R E W   |
| Number of Acres attributable to well:  | Is Section: Regular or Irregular   |
| QTR/QTR/QTR/QTR of acreage:  | If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW   |
| Show location of the well. Show footage to the nearest lease roads, tank batteries, pipelines and electrical lines, as rec | LAT  lease or unit boundary line. Show the predicted locations of quired by the Kansas Surface Owner Notice Act (House Bill 2032). Reparate plat if desired. |
|  | LEGEND  O Well Location  Tank Battery Location  Pipeline Location  Electric Line Location  Lease Road Location   |
|  | EXAMPLE  1980' FSL  SEWARD CO. 3390' FEL   |

## In plotting the proposed location of the well, you must show:

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

September 25, 2014

Drue Herl Black Tea Oil, LLC 1011 Centennial Blvd. Ste B Hays, KS 67601

Re: Drilling Pit Application Fairleigh B 1 SE/4 Sec.12-15S-33W Logan County, Kansas

### Dear Drue Herl:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit within 72 hours of completion of drilling operations.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (785) 625-0550.