

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC Use:	
Effective Date:	
District #	
SGA? Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1224429

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

	month day	vear	Spot Description:
	monur day	year	Sec Twp S. R E
PERATOR: License#			feet from N / S Line of Sec
			feet from E / W Line of Sec
ddress 1:			Is SECTION: Regular Irregular?
			(Note: Locate well on the Section Plat on reverse side)
	State: Zip:		County:
Contact Person:			Lease Name: Well #:
hone:			Field Name:
ONTRACTOR: License#			Is this a Prorated / Spaced Field?
ame:			Target Formation(s):
			Nearest Lease or unit boundary line (in footage):
Well Drilled For:	Well Class: Typ	pe Equipment:	Ground Surface Elevation:feet M
Oil Enh R	Rec Infield	Mud Rotary	Water well within one-quarter mile:
Gas Storag	ge Pool Ext.	Air Rotary	
Dispos		Cable	
Seismic ;# o			Depth to bottom of tresh water:
Other:			Depth to bottom of usable water:
If OWWO: old well	information as follows:		Surface Pipe by Alternate: II
			Length of Surface Pipe Planned to be set:
-			Length of Conductor Pipe (if any):
			Projected Total Depth:
Original Completion Da	ate: Original Tota	al Depth:	Formation at Total Depth:
inactional Devictor or He	rimontalallhara?	□ Vaa □ Na	Water Source for Drilling Operations:
Directional, Deviated or Hou	nzontai welibore?	Yes No	Well Farm Pond Other:
			DWR Permit #:
			(Note: Apply for Permit with DWR)
			Will Cores be taken? Yes
			If Yes, proposed zone:
		ΛE	FIDAVIT
		AF	
he undersigned hereby a	affirms that the drilling, comp		ugging of this well will comply with K.S.A. 55 et. seq.
-	affirms that the drilling, comp	eletion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the follow	ving minimum requirements w	eletion and eventual plu vill be met:	ugging of this well will comply with K.S.A. 55 et. seq.
is agreed that the follow 1. Notify the appropria		oletion and eventual plo vill be met: dding of well;	
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amou	ring minimum requirements wate district office <i>prior</i> to spud oved notice of intent to drill <i>sl</i> unt of surface pipe as specific	oletion and eventual play vill be met: dding of well; hall be posted on each ed below shall be set	n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set
 agreed that the follow Notify the appropria A copy of the appro The minimum amounthrough all unconso 	ving minimum requirements wate district office <i>prior</i> to spud oved notice of intent to drill <i>sl</i> unt of surface pipe as specifical polidated materials plus a mini	oletion and eventual plu vill be met: dding of well; hall be posted on each ed below shall be set imum of 20 feet into th	n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.
 agreed that the follow Notify the appropria A copy of the appro The minimum amouthrough all unconso If the well is dry hol 	ving minimum requirements wate district office <i>prior</i> to spud oved notice of intent to drill <i>sl</i> unt of surface pipe as specific blidated materials plus a minitle, an agreement between the	oletion and eventual play vill be met: dding of well; hall be posted on each ed below shall be set imum of 20 feet into the e operator and the dis	n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging;
 is agreed that the follow Notify the appropria A copy of the appro The minimum amouthrough all unconso If the well is dry hol The appropriate dis 	ving minimum requirements wate district office prior to spud oved notice of intent to drill sl unt of surface pipe as specificablidated materials plus a minide, an agreement between the strict office will be notified bef	oletion and eventual playill be met: dding of well; hall be posted on each ed below shall be set imum of 20 feet into the e operator and the dis fore well is either plugg	n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
 agreed that the follow Notify the appropria A copy of the appro The minimum amouthrough all unconso If the well is dry hol The appropriate dis If an ALTERNATE I 	ving minimum requirements water district office <i>prior</i> to spure oved notice of intent to drill <i>sl</i> unt of surface pipe as specificablidated materials plus a minitle, an agreement between the strict office will be notified beful COMPLETION, production	oletion and eventual plus vill be met: dding of well; hall be posted on each ed below shall be set imum of 20 feet into the operator and the distore well is either pluggipipe shall be cemented.	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Trict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.
 is agreed that the follow Notify the appropria A copy of the appro The minimum amouthrough all unconso If the well is dry hol The appropriate dis If an ALTERNATE I Or pursuant to App 	ving minimum requirements water district office <i>prior</i> to spure oved notice of intent to drill <i>sl</i> unt of surface pipe as specificablidated materials plus a minicle, an agreement between the strict office will be notified beful COMPLETION, production pendix "B" - Eastern Kansas s	oletion and eventual playill be met: dding of well; hall be posted on each ed below shall be set imum of 20 feet into the e operator and the dis fore well is either plugg pipe shall be cemente surface casing order #	n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
 s agreed that the follow Notify the appropria A copy of the appro The minimum amouthrough all unconso If the well is dry hol The appropriate dis If an ALTERNATE I Or pursuant to App 	ving minimum requirements water district office <i>prior</i> to spure oved notice of intent to drill <i>sl</i> unt of surface pipe as specificablidated materials plus a minitle, an agreement between the strict office will be notified beful COMPLETION, production pendix "B" - Eastern Kansas s	oletion and eventual playill be met: dding of well; hall be posted on each ed below shall be set imum of 20 feet into the e operator and the dis fore well is either plugg pipe shall be cemente surface casing order #	by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation. Trict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 is agreed that the follow Notify the appropria A copy of the appro The minimum amouthrough all unconso If the well is dry hol The appropriate dis If an ALTERNATE I Or pursuant to App 	ving minimum requirements water district office <i>prior</i> to spure oved notice of intent to drill <i>sl</i> unt of surface pipe as specificablidated materials plus a minitle, an agreement between the strict office will be notified beful COMPLETION, production pendix "B" - Eastern Kansas s	oletion and eventual playill be met: dding of well; hall be posted on each ed below shall be set imum of 20 feet into the e operator and the dis fore well is either plugg pipe shall be cemente surface casing order #	by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation. Trict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 agreed that the follow Notify the appropria A copy of the appro The minimum amouthrough all unconso If the well is dry hol The appropriate dis If an ALTERNATE I Or pursuant to Appmust be completed 	ving minimum requirements wate district office <i>prior</i> to spud powed notice of intent to drill <i>sl</i> unt of surface pipe as specific polidated materials plus a miniple, an agreement between the strict office will be notified beful COMPLETION, production prendix "B" - Eastern Kansas so within 30 days of the spud desired.	oletion and eventual playill be met: dding of well; hall be posted on each ed below shall be set imum of 20 feet into the e operator and the dis fore well is either plugg pipe shall be cemente surface casing order #	by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation. Trict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 agreed that the follow Notify the appropria A copy of the appro The minimum amouthrough all unconso If the well is dry hol The appropriate dis If an ALTERNATE I Or pursuant to Appmust be completed 	ving minimum requirements wate district office <i>prior</i> to spud powed notice of intent to drill <i>sl</i> unt of surface pipe as specific polidated materials plus a miniple, an agreement between the strict office will be notified beful COMPLETION, production prendix "B" - Eastern Kansas so within 30 days of the spud desired.	oletion and eventual playill be met: dding of well; hall be posted on each ed below shall be set imum of 20 feet into the e operator and the dis fore well is either plugg pipe shall be cemente surface casing order #	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Trict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed	ving minimum requirements wate district office <i>prior</i> to spud powed notice of intent to drill <i>sl</i> unt of surface pipe as specific polidated materials plus a miniple, an agreement between the strict office will be notified beful COMPLETION, production prendix "B" - Eastern Kansas so within 30 days of the spud desired.	oletion and eventual playill be met: dding of well; hall be posted on each ed below shall be set imum of 20 feet into the e operator and the dis fore well is either plugg pipe shall be cemente surface casing order #	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed Ubmitted Electror For KCC Use ONLY	ving minimum requirements wate district office <i>prior</i> to spud poved notice of intent to drill <i>sl</i> unt of surface pipe as specific plidated materials plus a miniple, an agreement between the strict office will be notified beful COMPLETION, production pendix "B" - Eastern Kansas so within 30 days of the spud denically	oletion and eventual place of the place of t	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed Ibmitted Electror For KCC Use ONLY API # 15 -	ving minimum requirements wate district office <i>prior</i> to spud poed notice of intent to drill <i>sl</i> unt of surface pipe as specific plidated materials plus a miniple, an agreement between the strict office will be notified beful COMPLETION, production bendix "B" - Eastern Kansas so within 30 days of the spud displacements.	oletion and eventual playill be met: dding of well; hall be posted on each ed below shall be set imum of 20 feet into th e operator and the dis fore well is either plug, pipe shall be cemente surface casing order # late or the well shall be	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date. It is a surface prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed Ibmitted Electror For KCC Use ONLY API # 15 Conductor pipe required	ving minimum requirements water district office <i>prior</i> to spure oved notice of intent to drill <i>sl</i> unt of surface pipe as specific blidated materials plus a minite, an agreement between the strict office will be notified beful COMPLETION, production rendix "B" - Eastern Kansas standard within 30 days of the spud denically	oletion and eventual playill be met: dding of well; hall be posted on each ed below shall be set imum of 20 feet into the e operator and the dis fore well is either pluge pipe shall be cemente surface casing order # late or the well shall be	n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed Ibmitted Electror For KCC Use ONLY API # 15 Conductor pipe required	ving minimum requirements wate district office <i>prior</i> to spud poed notice of intent to drill <i>sl</i> unt of surface pipe as specific plidated materials plus a miniple, an agreement between the strict office will be notified beful COMPLETION, production bendix "B" - Eastern Kansas so within 30 days of the spud displacements.	oletion and eventual playill be met: dding of well; hall be posted on each ed below shall be set imum of 20 feet into the e operator and the dis fore well is either pluge pipe shall be cemente surface casing order # late or the well shall be	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date. It is a surface prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed Submitted Electror For KCC Use ONLY API # 15 Conductor pipe required	ving minimum requirements water district office <i>prior</i> to spure oved notice of intent to drill <i>sl</i> unt of surface pipe as specific blidated materials plus a minite, an agreement between the strict office will be notified beful COMPLETION, production rendix "B" - Eastern Kansas standard within 30 days of the spud denically	oletion and eventual place of the per ALT. I	re drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed Ibmitted Electror For KCC Use ONLY API # 15 Conductor pipe required _ Minimum surface pipe req Approved by:	ving minimum requirements wate district office <i>prior</i> to spud poved notice of intent to drill <i>sl</i> unt of surface pipe as specific plidated materials plus a minible, an agreement between the strict office will be notified before Technique to the surface of the sendix "B" - Eastern Kansas so within 30 days of the spud described by the surface of the spud described by the surface of the surface	oletion and eventual place of the per ALT. I	representation of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging formation.
1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE IOr pursuant to Appropriate be completed IDMITTED Electror For KCC Use ONLY API # 15 Conductor pipe required _ Minimum surface pipe req Approved by: This authorization expires	ving minimum requirements wate district office <i>prior</i> to spud poved notice of intent to drill <i>sl</i> unt of surface pipe as specific plidated materials plus a minible, an agreement between the strict office will be notified before Technique to the surface of the sendix "B" - Eastern Kansas so within 30 days of the spud described by the surface of the spud described by the surface of the surface	oletion and eventual playill be met: dding of well; hall be posted on each ed below shall be set imum of 20 feet into the e operator and the dis fore well is either pluge, pipe shall be cemente surface casing order # late or the well shall be feet et per ALT. I II	reply district office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; deform below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _

Side Two



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR/QTR/QTR of acreage:	
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
PL Show location of the well. Show footage to the nearest le	AT ase or unit boundary line. Show the predicted locations of
lease roads, tank batteries, pipelines and electrical lines, as requ	uired by the Kansas Surface Owner Notice Act (House Bill 2032).
You may attach a se _l	parate plat if desired.
	LEGEND
	O Well Location
	Tank Battery Location
	Pipeline Location
	Electric Line Location
	Lease Road Location
	⊙— 345 ft.
	EXAMPLE :
23	

NOTE: In all cases locate the spot of the proposed drilling locaton.

2955 ft.

SEWARD CO. 3390' FEL

1980' FSL

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:	
Operator Address:			
Contact Person:		Phone Number:	
Lease Name & Well No.:		Pit Location (QQQQ):	
Type of Pit: Emergency Pit Burn Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed If Existing, date collination Pit capacity:	Existing	SecTwp R East WestFeet from Bast / West Line of SectionFeet from East / West Line of Section
		(bbls)	County
Is the pit located in a Sensitive Ground Water A	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits
Depth fro	om ground level to dee	epest point:	(feet) No Pit
If the pit is lined give a brief description of the li material, thickness and installation procedure.	illei		edures for periodic maintenance and determining ncluding any special monitoring.
Distance to nearest water well within one-mile of pit:		Depth to shallo Source of infor	west fresh water feet. mation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:
Producing Formation:		Type of materia	al utilized in drilling/workover:
Number of producing wells on lease:		Number of world	king pits to be utilized:
Barrels of fluid produced daily:		Abandonment	procedure:
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.	
Submitted Electronically			
	KCC	OFFICE USE O	
Date Received: Permit Num	ber:	Permi	Liner Steel Pit RFAC RFAS it Date: Lease Inspection: Yes No



1224429

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed:	Cathodic Protection Borehole Intent)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City: State: Zip:+			
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
☐ I certify that, pursuant to the Kansas Surface Owner Notice Adowner(s) of the land upon which the subject well is or will be lo	ct (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.		
KCC will be required to send this information to the surface ow	cknowledge that, because I have not provided this information, the ener(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 1 will be returned.		
Submitted Electronically			
ſ			

N. Insection Oil LINE WATERPLANT l'an Pio ROAd

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

September 24, 2014

Leland Jackson Jackson, Leland dba Lone Jack Oil Co. 509 E WALNUT ST BLUE MOUND, KS 66010-9428

Re: Drilling Pit Application Welch I-1 NE/4 Sec.23-24S-21E Bourbon County, Kansas

Dear Leland Jackson:

According to the drilling pit application referenced above, no earthen pits will be used at this location. Steel pits will be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1 (April 2004), Application for Surface Pit, through KOLAR. This location will have to be inspected prior to approval of the haul-off pit application.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

HAUL-OFF PIT APPLICATION FILING REQUIREMENTS

82-3-607. (a)	DISPOSAL OF DIKE AND PIT CONTENTS. Each operator shall perform one of the following when disposing of dike or			
pit				
(4)	contents:			
(1)	Remove the liquid contents to a disposal well or other oil and gas operation approved by the commission or to road maintenance or construction locations approved by the department;			
(2)	dispose of reserve pit waste down the annular space of a well completed			
	according to the alternate I requirements of K.A.R. 82-3-106, if the waste to			
	be disposed of was generated during the drilling and completion of the well;			
or (3)	dispose of the remaining solid contents in any manner required by the			
(3)	dispose of the remaining solid contents in any manner required by the commission. The requirements may include any of the following:			
	(A) Burial in place, in accordance with the grading and restoration			
	requirements in K.A.R. 82-3-602 (f);			
	(B) removal and placement of the contents in an on-site disposal area			
	approved by the commission;			
	(C) removal and placement of the contents in an off-site disposal area			
on				
	acreage owned by the same landowner or to another producing			
lease	or unit approted by the same approtor if prior written permission			
from	or unit operated by the same operator, if prior written permission			
пош	the landowner has been obtained; or			

		(D)	removal of the contents to a permitted off-site disposal area
approved			
			by the department.
(b)		Each v	iolation of this regulation shall be punishable by the following:
	(1)	A \$1,00	00 penalty for the first violation;
	(2)	a \$2,50	00 penalty for the second violation; and
	(3)	a \$5,00	00 penalty and an operator license review for the third violation.

File Haul-Off Pit Application in KOLAR. Review the information below and attach all required documents to the pit application when submitting through KOLAR. This form will automatically generate and fill in from questions asked in KOLAR.

Haul-off pit will be located in an on-site disposal area:YesNo
Haul-off pit is located in an off-site disposal area on acreage owned by the same landowner: YesNo If yes, written permission from the land owner must be obtained. Attach written permission to haul-off pit application.
Haul-off pit is located in an off-site disposal area on another producing lease or unit operated by the same operator:YesNo If yes, written permission from the land owner must be obtained. Attach permission and a copy of the lease assignment that covers the acreage where the haul-off pit is to be located, to the haul-off pit application.