

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC Use:	
Effective Date:	
District #	
SGA? Yes No	

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1224799

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

# NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day	year Sec Twp S. R
OPERATOR: License#	feet from N / S Line of Section
Name:	fact from   E /   W Line of Continu
Address 1:	Is SECTION: Regular Irregular?
Address 2:	
City: State: Zip:	
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	
Name:	
	Target Formation(s):
Well Drilled For: Well Class: Type Equip	
Oil Enh Rec Infield Mud F	Ground Surface Elevation:feet MSL Rotary
Gas Storage Pool Ext. Air Ro	Water well within one-quarter mile:  Yes No
Disposal Wildcat Cable	
Seismic ;# of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OMMANO and well information as follows:	Surface Pipe by Alternate: III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	D : ( IT ( ID )
Original Completion Date: Original Total Depth	: Formation at Total Depth:
_	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Yes No Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR )
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	AFFIDAVIT
The undersigned hereby affirms that the drilling completion a	
The undersigned hereby affirms that the drilling, completion a	and eventual plugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be m	net:
Notify the appropriate district office <i>prior</i> to spudding of	of well;
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding o</li> <li>A copy of the approved notice of intent to drill <i>shall be</i></li> </ol>	of well; posted on each drilling rig;
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding o</li> <li>A copy of the approved notice of intent to drill <i>shall be</i></li> <li>The minimum amount of surface pipe as specified belo</li> </ol>	of well; posted on each drilling rig; ow shall be set by circulating cement to the top; in all cases surface pipe shall be set
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding o</li> <li>A copy of the approved notice of intent to drill <i>shall be</i></li> <li>The minimum amount of surface pipe as specified belo through all unconsolidated materials plus a minimum o</li> </ol>	of well; posted on each drilling rig; we shall be set by circulating cement to the top; in all cases surface pipe shall be set f 20 feet into the underlying formation.
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i></li> <li>The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operations.</li> </ol>	of well; posted on each drilling rig; we shall be set by circulating cement to the top; in all cases surface pipe shall be set f 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging;
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i></li> <li>The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operation of the appropriate district office will be notified before we</li> </ol>	of well; posted on each drilling rig; w shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in;
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i></li> <li>The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operation of 5. The appropriate district office will be notified before we</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be appropriated in the complex of the complex o</li></ol>	of well; posted on each drilling rig; we shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. attor and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date.
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i></li> <li>The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operation of 5. The appropriate district office will be notified before we</li> <li>If an ALTERNATE II COMPLETION, production pipe short pursuant to Appendix "B" - Eastern Kansas surface</li> </ol>	of well; posted on each drilling rig; w shall be set by circulating cement to the top; in all cases surface pipe shall be set if 20 feet into the underlying formation.  ator and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date.  casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i></li> <li>The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operation of 5. The appropriate district office will be notified before we</li> <li>If an ALTERNATE II COMPLETION, production pipe shour or pursuant to Appendix "B" - Eastern Kansas surface</li> </ol>	of well; posted on each drilling rig; we shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. attor and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date.
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i></li> <li>The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operation of 5. The appropriate district office will be notified before we</li> <li>If an ALTERNATE II COMPLETION, production pipe short pursuant to Appendix "B" - Eastern Kansas surface</li> </ol>	of well; posted on each drilling rig; w shall be set by circulating cement to the top; in all cases surface pipe shall be set if 20 feet into the underlying formation.  ator and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date.  casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i></li> <li>The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operation of 5. The appropriate district office will be notified before we</li> <li>If an ALTERNATE II COMPLETION, production pipe short of pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or to the complete of the spud date or to the spud date o</li></ol>	of well; posted on each drilling rig; w shall be set by circulating cement to the top; in all cases surface pipe shall be set if 20 feet into the underlying formation.  ator and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date.  casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i></li> <li>The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operation of 5. The appropriate district office will be notified before we</li> <li>If an ALTERNATE II COMPLETION, production pipe short of pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or to the complete of the spud date or to the spud date o</li></ol>	of well; posted on each drilling rig; w shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. After and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. Casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operation of 5. The appropriate district office will be notified before weight an ALTERNATE II COMPLETION, production pipe short of pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the submitted Electronically.	of well; posted on each drilling rig; w shall be set by circulating cement to the top; in all cases surface pipe shall be set f 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operation 5. The appropriate district office will be notified before weight 6. If an ALTERNATE II COMPLETION, production pipe short or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the complete of the comple	posted on each drilling rig; w shall be set by circulating cement to the top; in all cases surface pipe shall be set f 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operation of 5. The appropriate district office will be notified before weight an ALTERNATE II COMPLETION, production pipe short of pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the complete of the complete	posted on each drilling rig; w shall be set by circulating cement to the top; in all cases surface pipe shall be set f 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operation 5. The appropriate district office will be notified before weighted 6. If an ALTERNATE II COMPLETION, production pipe short or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the complete of the comp	posted on each drilling rig; w shall be set by circulating cement to the top; in all cases surface pipe shall be set f 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operation of 5. The appropriate district office will be notified before weight an ALTERNATE II COMPLETION, production pipe short pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the submitted Electronically  For KCC Use ONLY  API # 15	posted on each drilling rig; w shall be set by circulating cement to the top; in all cases surface pipe shall be set f 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the opera 5. The appropriate district office will be notified before we 6. If an ALTERNATE II COMPLETION, production pipe short or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the submitted Electronically  For KCC Use ONLY  API # 15	posted on each drilling rig; w shall be set by circulating cement to the top; in all cases surface pipe shall be set f 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operation of 5. The appropriate district office will be notified before we of 6. If an ALTERNATE II COMPLETION, production pipe short of pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or to a complete of the spud date or to the spud date of the spud date	posted on each drilling rig; w shall be set by circulating cement to the top; in all cases surface pipe shall be set f 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the opera 5. The appropriate district office will be notified before we 6. If an ALTERNATE II COMPLETION, production pipe short of pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the submitted Electronically  For KCC Use ONLY  API # 15	posted on each drilling rig; posted on each drilling cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. Actor and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operation of 5. The appropriate district office will be notified before we of 6. If an ALTERNATE II COMPLETION, production pipe short of pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	posted on each drilling rig; w shall be set by circulating cement to the top; in all cases surface pipe shall be set f 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; Ill is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the opera 5. The appropriate district office will be notified before we 6. If an ALTERNATE II COMPLETION, production pipe short of pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the submitted Electronically  For KCC Use ONLY  API # 15	posted on each drilling rig; posted on each drilling cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. Patter and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. Casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);



For KCC Use ONLY	
API # 15	

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### 4510 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:	Operator Name:		License Number:
Operator Address:			
Contact Person:		Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit:  Emergency Pit  Burn Pit  Settling Pit  Workover Pit  Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit is:  Proposed  If Existing, date continued in the continue	Existing nstructed:(bbls)	SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits
Depth fro	om ground level to dee	epest point:	(feet) No Pit
Distance to nearest water well within one-mile of	of nit	Denth to shallo	west fresh waterfeet.
Distance to nearest water well within one-fille t	л рп.	Source of infor	nation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Producing Formation: Type of m  Number of producing wells on lease: Number of		Type of materia	ver and Haul-Off Pits ONLY:  I utilized in drilling/workover:  king pits to be utilized:  procedure:
		·	e closed within 365 days of spud date.
Submitted Electronically			
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS			
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No



1224799

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT


This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	Well Location:	
Name:		
Address 1:	County:	
Address 2:	Lease Name: Well #:	
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:	
Contact Person:	ine reace below.	
Phone: ( ) Fax: ( )  Email Address:		
Surface Owner Information:		
Name:	When filing a Form T-1 involving multiple surface owners, attach an addition sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the surface owner.	
Address 1:		
Address 2:	county, and in the real estate property tax records of the county treasurer.	
City:		
	nk batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.	
I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax,		
KCC will be required to send this information to the surface of	acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this as of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.	
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CF	g fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.	
Submitted Electronically		
I		

Data use subject to license.
© DeLorme. Topo North America™ 9.
www.delorme.com



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

## NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

September 29, 2014

Phil Frick Altavista Energy, Inc. 4595 K-33 Highway PO BOX 128 WELLSVILLE, KS 66092

Re: Drilling Pit Application Owen Al-55 NW/4 Sec.08-18S-22E Miami County, Kansas

#### Dear Phil Frick:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.