

Confidentiality Requested:

Yes No

## Kansas Corporation Commission Oil & Gas Conservation Division

1223694

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R
Address 2:	Feet from
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxxx) (e.gxxx.xxxxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
☐ New Well ☐ Re-Entry ☐ Workover	Field Name:
□ Oil □ WSW □ SHOW   □ Gas □ D&A □ ENHR □ SIGW   □ OG □ GSW □ Temp. Abd.   □ CM (Coal Bed Methane) □ Cathodic □ Other (Core, Expl., etc.):    If Workover/Re-entry: Old Well Info as follows:	Producing Formation: Kelly Bushing: Total Vertical Depth: Plug Back Total Depth: Feet Multiple Stage Cementing Collar Used? Yes No  If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:  Deepening Re-perf. Conv. to ENHR Conv. to SWD  Plug Back Conv. to GSW Conv. to Producer  Commingled Permit #:  Dual Completion Permit #:  SWD Permit #:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)  Chloride content: ppm Fluid volume: bbls  Dewatering method used:  Location of fluid disposal if hauled offsite:
☐ ENHR         Permit #:           ☐ GSW         Permit #:	Operator Name:
GSW Permit #:	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	Quarter         Sec.         Twp.         S. R.         East         West           County:         Permit #:

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:



Operator Name:			Lease Name: _			Well #:	
Sec Twp	S. R	East West	County:				
open and closed, flow	ring and shut-in pressu	ormations penetrated. Cures, whether shut-in prediction of the pre	essure reached stat	ic level, hydrosta	tic pressures, bot		
		otain Geophysical Data a or newer AND an image		ogs must be ema	illed to kcc-well-lo	gs@kcc.ks.go	v. Digital electronic log
Drill Stem Tests Taken (Attach Additional S		Yes No			on (Top), Depth ar		Sample
Samples Sent to Geol	logical Survey	Yes No	Nam	ie		Тор	Datum
Cores Taken Electric Log Run		Yes No					
List All E. Logs Run:							
		CASING	RECORD N	ew Used			
		Report all strings set-			ion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	. CEMENTING / SQI	JEEZE RECORD	<u> </u>	1	
Purpose:  Perforate  Protect Casing	Depth Top Bottom	Type of Cement	# Sacks Used		Type and P	ercent Additives	
Plug Back TD Plug Off Zone							
	ulic fracturing treatment or	n this well? aulic fracturing treatment ex	roed 350 000 gallons	Yes		p questions 2 ar	nd 3)
		submitted to the chemical of	=	Yes	= ' '	out Page Three	of the ACO-1)
Shots Per Foot		N RECORD - Bridge Plug ootage of Each Interval Per			cture, Shot, Cement		d Depth
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:			
TODING RECORD.	OILG.	Jet At.	i aunei Al.		Yes No		
Date of First, Resumed	Production, SWD or ENF	HR. Producing Meth	nod:	Gas Lift C	Other (Explain)		
Estimated Production Per 24 Hours	Oil B	bbls. Gas	Mcf Wat	er B	bls. C	as-Oil Ratio	Gravity
DISPOSITION Vented Sold	ON OF GAS:	N Open Hole	METHOD OF COMPL		mmingled	PRODUCTIO	DN INTERVAL:
	bmit ACO-18.)	Other (Specify)	(Submit		mit ACO-4)		

Form	ACO1 - Well Completion
Operator	RJM Company
Well Name	Karrie 1
Doc ID	1223694

## Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement	Type and Percent Additives
Surface	12.25	8.625	23	303	Common	3%cc 2%gel 1/2 # floseal

# QUALITY OILWELL CEMENTING, INC. Federal Tax I.D.# 20-2886107

Phone 785-483-2025 Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

						<del></del>	
Date 8 - 29 - 14 18	Twp. Range	Ba	C TON	KState	On Locatio		AM
. 1/ 9		Location	on Ellinu	sood Ks -	Westside i	D Golf Cows	<u>se</u>
Lease Karrie	Well No.		Owner 2 V				<u>.</u>
Contractor Southwind	#2		You are here	lwell Cementing, Inc by requested to rent	cementing equip	ment and furnish	•
Type Job Surface		· •.	cementer an	d helper to assist ow	ner or contractor	to do work as liste	∌d. <u>.</u>
Hole Size 13 1/4 11	T.D. 3041		Charge R	5m Co	mpany		
Csg. 85/8"	Depth 304'		Street		1 2		<u>.                                    </u>
Tbg. Size	Depth		City		State		
Tool 5	Depth			s done to satisfaction a	and supervision of		
Cement Left in Csg. 201	Shoe Joint 20	· ·		ount Ordered	5 Com	3% Cc 23	<u>(Gel</u>
Meas Line		15	アオド	-5eal		* **	
EQUIPM			Common 2	75	<del></del>		
Pumptrk   No.   Cementer Ob   Helper   Di	illy		Poz. Mix				
Bulktrk 3 No. Driver Rup	W		Gel. 5	<u> </u>			
Bulktrk O. U. No. Driver	Rick		Calcium / C	)			
JOB SERVICES	& REMARKS		Hulls	·		·	
Remarks: Cement die	d Circulate	2	Salt				
Rat Hole			Flowseal	37#			<del></del>
Mouse Hole			Kol-Seal				
Centralizers used 2	75 5x Com	mon	Mud CLR 48				
Baskets 3%CL 2%Gel	SHFb-seal		CFL-117 or (	CD110 CAF 38			
D/V or Port Collar			Sand		1		
Samuel Marie Control of the Control	40.00	· 4	Handling-2	<i>91</i>			
		<u> </u>	Mileage				
Cut 150	of Sane	<u> </u>		FLOAT EQUIPE	<u>fent</u>		
			Guide Shoe				
			Centralizer				
			Baskets	<del></del>			<del></del>
		<u> </u>	AFU Inserts				<u> </u>
		<u> </u>	Float Shoe	<i>#</i>			
			Latch Down	**************************************			
	· · · · · · · · · · · · · · · · · · ·		• .	4 %			
			Pumptrk Ch	arge Surface	8		
·			Mileage /	/			
7		:				Tax	
1.1.1// .						count	<u> </u>
Signature William	Tada				Total Cl	narge	
-							

DEFINITIONS: In these terms and conditions, "Quality" shall mean Quality Oilwell Cementing, Inc., and "Customer" shall refer to the party identified by that term on the front of this contract. As applicable, "Job" relates to the services described on the front side of this contract, "merchandise" refers to the material described on the front of this contract and to any other materials, products, or supplies used, sold, or furnished under the requirements of this contract.

- TERMS: Unless satisfactory credit has been established, "CUSTOMER" must tender full cash payment to "QUALITY" before the job is undertaken or merchandise is delivered. If satisfactory credit has been established, the terms of payment for the job and/or merchandise, including bulk cement, are net cash, payable in 30 days from the completion of the job and/or delivery of the merchandise. For all past due invoices, "CUSTOMER" agrees to pay interest on amounts invoiced at a rate of 18 percent per annum until paid. Notwithstanding the foregoing in no event shall this Contract provide for interest exceeding the maximum rate of interest that "CUSTOMER" may agree to pay under applicable law. If any such interest should be provided for, it shall be and hereby is deemed to be a mistake, and this contract shall be automatically reformed to lower the rate of interest to the maximum legal contract rate, any amounts previously paid as excess interest shall be deducted from the amounts owing from the "CUSTOMER" or at the option of "QUALITY," refunded directly to "CUSTOMER." For purposes of this paragraph, QUALITY and CUSTOMER agree that KANSAS law shall apply. Any discounts granted with this contract are null and void if the charges are not paid when due.

- ATTORNEY FEES: In any legal action or proceeding between the parties to enforce any of the terms of this Service Contract, or in any way pertaining to the term of this Contract, the prevailing party shall be entitled to recover all expenses, including, but not limit to, a reasonable sum as and attorney's fees.

- PRICES AND TAXES: All merchandise listed in "QUALITY'S" current price shall schedule are F.O.B. QUALITY'S local station and are subject to change without notice. All prices are exclusive of any federal, state, local, or special taxes for the sale or use of the merchandise or services listed. The amount of taxes required to be paid by QUALITY shall be added to the quoted prices charged to CUSTOMER.
- TOWING CHARGES: QUALITY will make a reasonable attempt to get to and from each job site using its own equipment. Should QUALITY be unable to do so because of poor or inadequate road conditions, and should it become necessary to employ a tractor or other pulling equipment to get to or from the job site, the tractor or pulling equipment will be supplied by CUSTOMER or, if furnished by QUALITY, will be charged to and paid by CUSTOMER.

- PREPARATION CHARGES: If a job and/or merchandise is ordered and CUSTOMER cancels the order after preparation of a chemical solution or other material, CUSTOMER will pay QUALITY for the expenses incurred by QUALITY as a result of the cancellation.

- DEADHAUL, CHARGES: Unless otherwise specified on the front of this Contract, a deadhaul charges as set forth in QUALITY'S current price book will be charged each way for each service unit which is ordered by CUSTOMER but not used.

- SERVICE CONDITIONS AND LIABILITIES: 1. QUALITY carries public liability and property damage insurance, but since there are so many uncertain and unknown conditions beyond QUALITY'S control, QUALITY shall not be liable for injuries to property or persons or for loss or damage arising from the performance of the job or delivery of the merchandise. Customer shall be responsible for and indemnify, defend, and hold harmless QUALITY, its officers, agents and employees, from and against any and all claims or suits for:
- (A) Damage to property or for bodily injury, sickness, disease, or death, brought by any person, including CUSTOMER and/or the well owner; and:
- (B) Oil spills, pollution, surface or sub-surface damage, injury to the well, reservoir loss, or damage arising from a well blowout arising out of or in connection with QUALITY'S performance of the job or furnishing of merchandise in accordance with this contract, unless such loss or damage is caused by the willful misconduct or gross negligence of QUALITY or its employees.
- 2. With respect to any of QUALITY'S tools, equipment, or instruments which are lost in the well-or damaged when performing or attempting to perform the job or, in the case of marine operations, are lost or damaged at any time after delivery to the landing for CUSTOMER and before return to QUALITY at the landing, CUSTOMER shall either recover the lost item without cost to QUALITY or reimburse QUALITY the current replacement cost of the item unless the loss or damage results from the sole negligence of QUALITY or its employ-
- 3. QUALITY does not assume any liability or responsibility for damages or conditions resulting from chemical action in cements caused by contamination of water or other fluids.

WARRANTIES: 1. QUALITY warrants all merchandise manufactured or furnished by it to be free from defects in material and workmanship under normal use and service when installed, and used, and/or serviced in the manner provided and intended. QUALITY'S obligation under this warranty is expressly limited to repair replacement, or allowance for credit, at its option, for any merchandise which is determined by QUALITY to be defective. THIS IS THE SOLE WARRANTY OF QUALITY AND NO OTHER WARRANTY IS APPLICABLE, EITHER EXPRESS OR OTHERWISE IMPLIED, IN FACT OR IN LAW, INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE, CUSTOMER'S sole and only remedy with regard to any defective merchandise shall be the repair or replacement thereof or allowance for credit as herein provided, and QUALITY shall not be liable for any consequential, special, incidental, or punitive damages resulting from or caused by defective materials, products or supplies.

- 2. More specifically:
- (A) Nothing in this contract shall be constructed as a warranty by QUALITY of the success or the effectiveness of the result of any work done or merchandise used, sold, or furnished under this contract.
- (B) Nothing in this contract shall be construed as a warranty of the accuracy or correctness of any facts, information, or data furnished by QUALITY or any interpretation of test, meter readings, chart information, analysis or research, or recommendations made by QUALITY, unless the inaccuracy or incorrectness is caused by the willful misconduct or gross negligence of QUALITY or its employees in the preparation or furnishing of such facts, information or data. (C) Work done by QUALITY shall be under the direct supervision and control of the CUSTOMER or his agent and QUALITY will accomplish the job as an independent contractor and not as an employee or agent of the CUSTOMER.

# LWELL CEMENTING, INC. Federal Tax I.D.# 20-2886107 Office PO Poy 20 **QUALITY OILWEL**

Phone 785-483-2025 Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

Date 7 - 14 Sec. 18	Twp.	Range	in	County	State		On Location		Finish ,'45 AW
<u> </u>				on Elling	and V	- West	side 21		Eltato
Lance Karria	ſ,	Weil No.	Localic		300/2 1/2)	VOCO	SIMC ()	Ø 13	<u> </u>
Contractor Southwind		vveii ino.	-	Owner To Quality O	ilwell Cementir	ng, Inc.			•
$\Omega$ 1 - $\iota$	1	* *		You are here	eby requested to	to rent cem	enting equipment or contractor to contractor	nt and fo lo work	urnish as listed
Type Job Yluay Hole Size	<del>  </del>	34001		Charge Q	TVA	<u> </u>	<del></del>		
111120	T.D.	6361		То	CYYL	Comp	14/19		· · · · · ·
Csg. 73 U.Y.	Depth	6 26		Street					
Tbg. Size	Depth			City			ate		
Tool	Depth-						DI40 40	6Gel	14#Flo-8
Cement Left in Csg.	Shoe J	11-		Cement Amo	ount Ordered	170 6	3)190 -	Paer	19450.x
Meas Line EQUIPN	Displac	e H20			111		·	<del> </del>	·
		I		Common//	9				<del></del>
Pumptrk / 6 Helper   )	1/19			Poz. Mix	6		· · · · · · · · · · · · · · · · · · ·	+	
Bulktrk S Driver Len C	lie_			Gel.	) 			<del>                                     </del>	<del></del>
Bulktrik Pill Driver Kill	<u> </u>			Calcium				-	
JOB SERVICES	& REMA	RKS		Hulls	<u>.                                    </u>			-	<del></del>
Remarks:				Salt					
Rat Hole				Flowseal	50A	:			
Mouse Hole				Kol-Seal					
Centralizers 636'	- 5	δSΧ		Mud CLR 48	3				
Baskets 3531	- 85	ς 5 <u>χ</u>		CFL-117 or	CD110 CAF 38	3	٠.		·
D/V or Port Collar 4/0/-	105	« W/p/no	\	Sand		00			
				Handling /	97				·
Kathole	. to	1305x		Mileage					
Mary	ته ما	ol Is sx			FLOAT EC	QUIPMENT			
<i></i>	R. Ju			Guide Shoe					
<u></u>		_		Centralizer					
Cement dia	l	Corcula	Jo	Baskets					
		- 1888		AFU Inserts		*** ***			<del></del>
	*			Float Shoe					
			7	Latch Down					
	<del></del>			Later Down	Day h	1 2	\		<del></del>
· <del>/////////////////////////////////</del>	163000				Z/19/1/8	le Pl		1	
				Pumptrk Ch		α	<b>V</b>	+-	
	***********	<u> </u>	******	1	U D	1		+	
	-			Mileage /	/ /	_	Tax	,	
1)7/		1					Discoun		<del></del>
x 1/1Hear	1	San	<i></i>	1			Total Charge		
Signature William	<u> </u>						iolai oliaigi	´	<del></del>

DEFINITIONS: In these terms and conditions, "Quality" shall mean Quality Oilwell Cementing, Inc., and "Customer" shall refer to the party identified by that term on the front of this contract. As applicable, "Job" relates to the services described on the front side of this contract, "merchandise" refers to the material described on the front of this contract and to any other materials, products, or supplies used, sold, or furnished under the requirements of this contract.

- TERMS: Unless satisfactory credit has been established, "CUSTOMER" must tender full cash payment to "QUALITY" before the job is undertaken or merchandise is delivered. If satisfactory credit has been established, the terms of payment for the job and/or merchandise, including bulk cement, are net cash, payable in 30 days from the completion of the job and/or delivery of the merchandise. For all past due invoices, "CUSTOMER" agrees to pay interest on amounts invoiced at a rate of 18 percent per annum until paid. Notwith-standing the foregoing in no event shall this Contract provide for interest exceeding the maximum rate of interest that "CUSTOMER" may agree to pay under applicable law. If any such interest should be provided for, it shall be and hereby is deemed to be a mistake, and this contract shall be automatically reformed to lower the rate of interest to the maximum legal contract rate, any amounts previously paid as excess interest shall be deducted from the amounts owing from the "CUSTOMER" or at the option of "QUALITY," refunded directly to "CUSTOMER." For purposes of this paragraph, QUALITY and CUSTOMER agree that KANSAS law shall apply. Any discounts granted with this contract are null and void if the charges are not paid when due.
- ATTORNEY FEES: In any legal action or proceeding between the parties to enforce any of the terms of this Service Contract, or in any way pertaining to the term of this Contract, the prevailing party shall be entitled to recover all expenses, including, but not limit to, a reasonable sum as and attorney's fees.
- PRICES AND TAXES: All merchandise listed in "QUALITY'S" current price shall schedule are F.O.B. QUALITY'S local station and are subject to change without notice. All prices are exclusive of any federal, state, local, or special taxes for the sale or use of the merchandise or services listed. The amount of taxes required to be paid by QUALITY shall be added to the quoted prices charged to CUSTOMER.
- TOWING CHARGES: QUALITY will make a reasonable attempt to get to and from each job site using its own equipment. Should QUALITY be unable to do so because of poor or inadequate road conditions, and should it become necessary to employ a tractor or other pulling equipment to get to or from the job site, the tractor or pulling equipment will be supplied by CUSTOMER or, if furnished by QUALITY, will be charged to and paid by CUSTOMER.
- PREPARATION CHARGES: If a job and/or merchandise is ordered and CUSTOMER cancels the order after preparation of a chemical solution or other material, CUSTOMER will pay QUALITY for the expenses incurred by QUALITY as a result of the cancellation.
- DEADHAUL, CHARGES: Unless otherwise specified on the front of this Contract, a deadhaul charges as set forth in QUALITY'S current price book will be charged each way for each service unit which is ordered by CUSTOMER but not used.
- ~ SERVICE CONDITIONS AND LIABILITIES: 1. QUALITY carries public liability and property damage insurance, but since there are so many uncertain and unknown conditions beyond QUALITY'S control, QUALITY shall not be liable for injuries to property or persons of for loss or damage arising from the performance of the job or delivery of the merchandise. Customer shall be responsible for and indemnify, defend, and hold harmless QUALITY, its officers, agents and employees, from and against any and all claims or suits for:
- (A) Damage to property or for bodily injury, sickness, disease, or death, brought by any person, including CUSTOMER and/or the well owner; and:
- (B) Oil spills, pollution, surface or sub-surface damage, injury to the well, reservoir loss, or damage arising from a well blowout arising out of or in connection with QUALITY'S performance of the job or furnishing of merchandise in accordance with this contract, unless such loss or damage is caused by the willful misconduct or gross negligence of QUALITY or its employees.
- 2. With respect to any of QUALITY'S tools, equipment, or instruments which are lost in the well or damaged when performing or attempting to perform the job or, in the case of marine operations, are lost or damaged at any time after delivery to the landing for CUSTOMER and before return to QUALITY at the landing, CUSTOMER shall either recover the lost item without cost to QUALITY or reimburse QUALITY the current replacement cost of the item unless the loss or damage results from the sole negligence of QUALITY or its employ-
- 3. QUALITY does not assume any liability or responsibility for damages or conditions resulting from chemical action in cements caused by contamination of water or other fluids.

WARRANTIES: 1. QUALITY warrants all merchandise manufactured or furnished by it to be free from defects in material and workmanship under normal use and service when installed, and used, and/or serviced in the manner provided and intended. QUALITY'S obligation under this warranty is expressly limited to repair replacement, or allowance for credit, at its option, for any merchandise which is determined by QUALITY to be defective. THIS IS THE SOLE WARRANTY OF QUALITY AND NO OTHER WARRANTY IS APPLICABLE, EITHER EXPRESS OR OTHERWISE IMPLIED, IN FACT OR IN LAW, INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE, CUSTOMER'S sole and only remedy with regard to any defective merchandise shall be the repair or replacement thereof or allowance for credit as herein provided, and QUALITY shall not be liable for any consequential, special, incidental, or punitive damages resulting from or caused by defective materials, products or supplies.

2. More specifically:

the transfer of the contract o

- (A) Nothing in this contract shall be constructed as a warranty by QUALITY of the success or the effectiveness of the result of any work done or merchandise used, sold, or furnished under this contract.
- (B) Nothing in this contract shall be construed as a warranty of the accuracy or correctness of any facts, information, or data furnished by QUALITY or any interpretation of test, meter readings, chart information, analysis or research, or recommendations made by QUALITY, unless the inaccuracy or incorrectness is caused by the willful misconduct or gross negligence of QUALITY or its employees in the preparation or furnishing of such facts, information or data. (C) Work done by QUALITY shall be under the direct supervision and control of the CUSTOMER or his agent and QUALITY will accomplish the job as an independent contractor and not as an employee or agent of the CUSTOMER.

# LWELL CEMENTING, INC. Federal Tax I.D.# 20-2886107 Office PO Por Co. **QUALITY OILWEL**

Phone 785-483-2025

Home Office P.O. Box 32 Russell, KS 67665

Cell 785-324-1041	
Pate 8 - 29 - 14 18 19 11 20	County State On Location Sinish
Locati	FILL 1 1/2 1/20/21/2 20 11 C 100
Lease Karie Well No.	Owner 3 KN F It Mo
Contractor Southwind #2	To Quality Oilwell Cementing, Inc. You are hereby requested to rent cementing equipment and furnish
Type Job Surface	cementer and helper to assist owner or contractor to do work as listed.
Hole Size 10 1/4" T.D. 3041	Charge R5m Company
Csg. 85/8" Depth 304'	Street
Tbg. Size Depth	City State .
Tool Depth	The above was done to satisfaction and supervision of owner agent or contractor.
Cement Left in Csg. 20' Shoe Joint 20'	Cement Amount Ordered 275 Com 38cc 2% Ge
Meas Line Displace 8 BLS	1/2 H F10-5eal
EQUIPMENT	Common 275
Pumptrk   No.   Cementer   Do     Helper   No.   Cementer   Do     No.   Pumptrk   No.   Cementer   Do     No.   Cementer   Do     No.   No.   Cementer   Do     No.   Cemente	Poz. Mix
Bulktrk 13 No. Driver Rugo	Gel. 5
Bulktrk O. U. No. Driver Driver	Calcium / O
JOB SERVICES & REMARKS	Hulls
Remarks: Cement did Circulate	Salt
Rat Hole	Flowseal / 37#
Mouse Hole	Kol-Seal
Centralizers used 275 5x Common	Mud CLR 48
Baskets 3%CL 2%Gel SHFb-seal	CFL-117 or CD110 CAF 38
D/V or Port Collar	Sand
	Handling—27/
	Mileage
Cut 150 of Sand	FLOAT EQUIPMENT
	Guide Shoe
	Centralizer
	Baskets
	AFU Inserts
	Float Shoe
	Latch Down
	Pumptrk Charge Surface
· · · · · · · · · · · · · · · · · · ·	Mileage /4
7	Tax
	Discount
Signature William Janager	Total Charge

DEFINITIONS: In these terms and conditions, "Quality" shall mean Quality, Oilwell Cementing, Inc., and "Customer" shall refer to the party identified by that term on the front of this contract. As applicable, "Job" relates to the services described on the front side of this contract, "merchandise" refers to the material described on the front of this contract and to any other materials, products, or supplies used, sold, or furnished under the requirements of this contract.

- TERMS: Unless satisfactory credit has been established, "CUSTOMER" must tender full cash payment to "QUALITY" before the job is undertaken or merchandise is delivered. If satisfactory credit has been established, the ferms of payment for the job and/or merchandise, including bulk cement, are net cash, payable in 30 days from the completion of the job and/or delivery of the merchandise. For all past due invoices, "CUSTOMER" agrees to pay interest on amounts invoiced at a rate of 18 percent per annum until paid. Notwithstanding the foregoing in no event shall this Contract provide for interest exceeding the maximum rate of interest that "CUSTOMER" may agree to pay under applicable law. If any such interest should be provided for, it shall be and hereby is deemed to be a mistake, and this contract shall be automatically reformed to lower the rate of interest to the maximum legal contract rate, any amounts previously paid as excess interest shall be deducted from the amounts owing from the "CUSTOMER" or at the option of "QUALITY," refunded directly to "CUSTOMER." For purposes of this paragraph, QUALITY and CUSTOMER agree that KANSAS law shall apply. Any discounts granted with this contract are null and void if the charges are not paid when due.
- ATTORNEY FEES: In any legal action or proceeding between the parties to enforce any of the terms of this Service Contract, or in any way pertaining to the term of this Contract, the prevailing party shall be entitled to recover all expenses, including, but not limit to, a reasonable sum as and attorney's fees.
- PRICES AND TAXES: All merchandise listed in "QUALITY'S" current price shall schedule are F.O.B. QUALITY'S local station and are subject to change without notice. All prices are exclusive of any federal, state, local, or special taxes for the sale or use of the merchandise or services listed. The amount of taxes required to be paid by QUALITY shall be added to the quoted prices charged to CUSTOMER.
- TOWING CHARGES: QUALITY will make a reasonable attempt to get to and from each job site using its own equipment. Should QUALITY be unable to do so because of poor or inadequate road conditions, and should it become necessary to employ a tractor or other pulling equipment to get to or from the job site, the tractor or pulling equipment will be supplied by CUSTOMER or, if furnished by QUALITY, will be charged to and paid by CUSTOMER.

PREPARATION CHARGES: If a job and/or merchandise is ordered and CUSTOMER cancels the order after preparation of a chemical solution or other material, CUSTOMER will pay QUALITY for the expenses incurred by QUALITY as a result of the cancellation.

- DEADHAUL, CHARGES: Unless otherwise specified on the front of this Contract, a deadhaul charges as set forth in QUALITY'S current price book will be charged each way for each service unit which is ordered by CUSTOMER but not used.

- SERVICE CONDITIONS AND LIABILITIES: 1. QUALITY carries public liability and property damage insurance, but since there are so many uncertain and unknown conditions beyond QUALITY'S control, QUALITY shall not be liable for injuries to property or persons or for loss or damage arising from the performance of the job or delivery of the merchandise. Customer shall be responsible for and indemnify, defend, and hold harmless QUALITY, its officers, agents and employees, from and against any and all claims or suits for:
- (A) Damage to property or for bodily injury, sickness, disease, or death, brought by any person, including CUSTOMER and/or the well owner; and:
- (B) Oil spills, pollution, surface or sub-surface damage, injury to the well, reservoir loss, or damage arising from a well blowout arising out of or in connection with QUALITY'S performance of the job or furnishing of merchandise in accordance with this contract, unless such loss or damage is caused by the willful misconduct or gross negligence of QUALITY or its employees.
- 2. With respect to any of QUALITY'S tools, equipment, or instruments which are lost in the well or damaged when performing or attempting to perform the job or, in the case of marine operations, are lost or damaged at any time after delivery to the landing for CUSTOMER and before return to QUALITY at the landing, CUSTOMER shall either recover the lost item without cost to QUALITY or reimburse QUALITY the current replacement cost of the item unless the loss or damage results from the sole negligence of QUALITY or its employ-
- 3. QUALITY does not assume any liability or responsibility for damages or conditions resulting from chemical action in cements caused by contamination of water or other fluids.

WARRANTIES: 1. QUALITY warrants all merchandise manufactured or furnished by it to be free from defects in material and workmanship under normal use and service when installed, and used, and/or serviced in the manner provided and intended. QUALITY'S obligation under this warranty is expressly limited to repair replacement, or allowance for credit, at its option, for any merchandise which is determined by QUALITY to be defective. THIS IS THE SOLE WARRANTY OF QUALITY AND NO OTHER WARRANTY IS APPLICABLE, EITHER EXPRESS OR OTHERWISE IMPLIED, IN FACT OR IN LAW, INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE, CUSTOMER'S sole and only remedy with regard to any defective merchandise shall be the repair or replacement thereof or allowance for credit as herein provided, and QUALITY shall not be liable for any consequential, special, incidental, or punitive damages resulting from or caused by defective materials, products or supplies.

2. More specifically:

- (A) Nothing in this contract shall be constructed as a warranty by QUALITY of the success or the effectiveness of the result of any work done or merchandise used, sold, or furnished under this contract.
- (B) Nothing in this contract shall be construed as a warranty of the accuracy or correctness of any facts, information, or data furnished by QUALITY or any interpretation of test, meter readings, chart information, analysis or research, or recommendations made by QUALITY, unless the inaccuracy or incorrectness is caused by the willful misconduct or gross negligence of QUALITY or its employees in the preparation or furnishing of such facts, information or data. (C) Work done by QUALITY shall be under the direct supervision and control of the CUSTOMER or his agent and QUALITY will accomplish the job as an independent contractor and not as an employee or agent of the CUSTOMER.

# QUALITY OILWELL CEMENTING, INC. Federal Tax I.D.# 20-2886107

Phone 785-483-2025 Call 705-224-1041

Home Office P.O. Box 32 Russell, KS 67665

Cell 765-324-1041				<u> </u>			
Date 9 - 4 - 14   Sec.	Twp. Ran	· 10	County	State <	On Location	12	Finish ¦45 AW
Date 1110	1: 1 1 1			100d Ks - W	est side 2		Eltato
Lease Karrie	Well No.		Owner	,000 h ()			
Contractor Southwind		•	To Quality Oi	Iwell Cementing, In	C.	nont and fu	ımich
Type Job Plus		<del></del>	cementer and	by requested to rend d helper to assist ov	t cementing equipment or contractor to	o do work	as listed.
Hole Size	T.D. 34	001	Charge 2	a) MZ	MRRAY		
Csg. 45" D.P.	Depth 63		Street				
Tbg. Size	Depth		City		State		
Tool	Depth -		The above wa	s done to satisfaction	and supervision of ov	vner agent c	
Cement Left in Csg.	Shoe Joint		Cement Amo	ount Ordered 190	60140 4	7%Gel	Yy#Flo-&
Meas Line		<u>O</u>					
EQUIPA			Common//	4			
Pumptrk / 6 Helper )	3)14		Poz. Mix 7	6	•		
Bulktrk 3 No. Driver Driver	nie		Gel. 7	· · · · · · · · · · · · · · · · · · ·			
Bulktrik Div No. Driver Co. Driver No.	<u> </u>	·	Calcium				
JOB SERVICES	& REMARKS		Hulls				<del></del>
Remarks:			Salt				
Rat Hole			Flowseal	OFF			·:
Mouse Hole			Kol-Seal				
Centralizers 636'	- 505X		Mud CLR 48		· · · · · · · · · · · · · · · · · · ·		<del></del>
Baskets 353 <sup>1</sup>	- 85 5X		CFL-117 or (	CD110 CAF 38			
DN or Port Collar 401-	10sx w/	plug	Sand				
			8 Handling	97-22-			
Kathole	w/30	5x	Mileage				
Mouseke	le wills	5χ		FLOAT EQUIP	17,771,17,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1		
			Guide Shoe		<u> </u>		<del></del>
	<u> </u>		Centralizer		· ·		
Cement di	d Co	rulate	Baskets				<del></del>
	general State of the State of t		AFU Inserts				
			Float Shoe				
	· · · · · · · · · · · · · · · · · · ·		Latch Down	3.3 6.2 600			
				Dry hole	plug		
					<i>J</i> V		
	<b>1</b>		Pumptrk Cha	arge Olu q			
<u> 24. a. 4</u>			Mileage /	4 1 ~			·
		7		•		Tax	
1/1/1/1	1				Disco		<del></del>
Signature Mulana	ande	us!	<u> </u>		Total Cha	rge	<del></del>

DEFINITIONS: In these terms and conditions, "Quality" shall mean Quality Oilwell Cementing, Inc., and "Customer" shall refer to the party identified by that term on the front of this contract. As applicable, "Job" relates to the services described on the front side of this contract, "merchandise" refers to the material described on the front of this contract and to any other materials, products, or supplies used, sold, or furnished under the requirements of this contract.

- TERMS: Unless satisfactory credit has been established, "CUSTOMER" must tender full cash payment to "QUALITY" before the job is undertaken or merchandise is delivered. If satisfactory credit has been established, the terms of payment for the job and/or merchandise, including bulk cement, are net cash, payable in 30 days from the completion of the job and/or delivery of the merchandise. For all past due invoices, "CUSTOMER" agrees to pay interest on amounts invoiced at a rate of 18 percent per annum until paid. Notwithstanding the foregoing in no event shall this Contract provide for interest exceeding the maximum rate of interest that "CUSTOMER" may agree to pay under applicable law. If any such interest should be provided for, it shall be and hereby is deemed to be a mistake, and this contract shall be automatically reformed to lower the rate of interest to the maximum legal contract rate, any amounts previously paid as excess interest shall be deducted from the amounts owing from the "CUSTOMER" or at the option of "QUALITY," refunded directly to "CUSTOMER." For purposes of this paragraph, QUALITY and CUSTOMER agree that KANSAS law shall apply. Any discounts granted with this contract are null and void if the charges are not paid when due.
- -ATTORNEY FEES: In any legal action or proceeding between the parties to enforce any of the terms of this Service Contract, or in any way pertaining to the term of this Contract, the prevailing party shall be entitled to recover all expenses, including, but not limit to, a reasonable sum as and attorney's fees.
- PRICES AND TAXES: All merchandise listed in "QUALITY'S" current price shall schedule are F.O.B. QUALITY'S local station and are subject to change without notice. All prices are exclusive of any federal, state, local, or special taxes for the sale or use of the merchandise or services listed. The amount of taxes required to be paid by QUALITY shall be added to the quoted prices charged to CUS-TOMER.
- TOWING CHARGES: QUALITY will make a reasonable attempt to get to and from each job site using its own equipment. Should QUALITY be unable to do so because of poor or inadequate road conditions, and should it become necessary to employ a tractor or other pulling equipment to get to or from the job site, the tractor on pulling equipment will be supplied by CUSTOMER or, if furnished by QUAL-ITY, will be charged to and paid by CUSTOMER.
- PREPARATION CHARGES: If a job and/or merchandise is ordered and CUSTOMER cancels the order after preparation of a chemical solution or other material, CUSTOMER will pay QUALITY for the expenses incurred by QUALITY as a result of the cancellation.
- DEADHAUL, CHARGES: Unless otherwise specified on the front of this Contract, a deadhaul charges as set forth in QUALITY'S current price book will be charged each way for each service unit which is ordered by CUSTOMER but not used.
- TSERVICE CONDITIONS AND LIABILITIES: 1. QUALITY carries public liability and property damage insurance, but since there are so many uncertain and unknown conditions beyond QUALITY'S control; QUALITY shall not be liable for injuries to property or persons or for loss or damage arising from the performance of the job or delivery of the merchandise. Customer shall be responsible for and indemnify, defend, and hold harmless QUALITY, its officers, agents and employees, from and against any and all claims or suits for: 化生态 化二氯化物异氮酚
- (A) Damage to property or for bodily injury, sickness, disease, or death, brought by any person, including CUSTOMER and/or the well owner; and:

法债款的 化二氯甲烷 医硫酸钾 机铁 电自用 化二氯化二氯化二氯化氯甲基甲基

- (B) Oil spills, pollution, surface or sub-surface damage, injury to the well, reservoir loss, or damage arising from a well blowout arising out of or in connection with QUALITY'S performance of the job or furnishing of merchandise in accordance with this contract, unless such loss or damage is caused by the willful misconduct or gross negligence of QUALITY or its employees. -
- 2. With respect to any of QUALITY'S tools, equipment, or instruments which are lost in the well or damaged when performing or attempting to perform the job or, in the case of marine operations, are lost or damaged at any time after delivery to the landing for CUS-TOMER and before return to QUALITY at the landing, CUSTOMER shall either recover the lost item without cost to QUALITY or reimburse QUALITY the current replacement cost of the item unless the loss or damage results from the sole negligence of QUALITY or its employ-
- 3. QUALITY does not assume any liability or responsibility for damages or conditions resulting from chemical action in cements caused by contamination of water or other fluids.
- WARRANTIES: 1. QUALITY warrants all merchandise manufactured or furnished by it to be free from defects in material and workmanship under normal use and service when installed, and used, and/or serviced in the manner provided and intended. QUALITY'S obligation under this warranty is expressly limited to repair replacement, or allowance for credit, at its option, for any merchandise which is determined by QUALITY to be defective. THIS IS THE SOLE WARRANTY OF QUALITY AND NO OTHER WARRANTY IS APPLICABLE, EITHER EXPRESS OR OTHERWISE IMPLIED, IN FACT OR IN LAW, INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE, CUSTOMER'S sole and only remedy with regard to any defective merchandise shall be the repair or replacement thereof or allowance for credit as herein provided, and QUALITY shall not be liable for any consequential, special, incidental, or punitive damages resulting from or caused by defective materials, products or supplies.
  - 2. More specifically:
- (A) Nothing in this contract shall be constructed as a warranty by QUALITY of the success or the effectiveness of the result of any work done or merchandise used, sold, or furnished under this contract.
- (B) Nothing in this contract shall be construed as a warranty of the accuracy or correctness of any facts, information, or data furnished by QUALITY or any interpretation of test, meter readings, chart information, analysis or research, or recommendations made by QUALI-TY, unless the inaccuracy or incorrectness is caused by the willful misconduct or gross negligence of QUALITY or its employees in the preparation or furnishing of such facts, information or data. (C) Work done by QUALITY shall be under the direct supervision and control of the CUSTOMER or his agent and QUALITY will accomplish the job as an independent contractor and not as an employee or agent of the CUSTOMER.



# P.O. Box 157

HOISINGTON, KANSAS 67544 (800) 542-7313

**DRILL-STEM TEST TICKET** 

FILE: Karrie 1 Dst 1

TIME ON: 17:47 Sep 1

TIME OFF: 00:39 Sep 2

Company_RJM Company	Lease & Well No. Karrie 1	
Contractor Southwind Drilling Rig 2	Charge to_RJM Company	
Elevation1792 surFormationLan "A	B" Effective PayF	t. Ticket No. RR076
Date 09/01/2014 Sec. 18 Twp. 19 S F	Range11 W County	Barton State KANSAS
Test Approved By Client Musgrove	Diamond Representative	RICKY RAY
Formation Test No. 1 Interval Tested from 3	082 ft. to 3130 ft. Total De	epth3130_ft.
Packer Depth 3077 ft. Size 6 3/4 in.	Packer depthft	. Size 6 3/4 in.
Packer Depth 3082 ft. Size6 3/4 in.	Packer depthft	. Size 6 3/4 in.
Depth of Selective Zone Set		
Top Recorder Depth (Inside)ft.	Recorder Number 0062 Ca	p5000 P.S.I.
Bottom Recorder Depth (Outside)ft.	Recorder Number 5954 C	арP.S.I.
Below Straddle Recorder Depthft.	Recorder Number Ca	p P.S.I.
Mud Type CHEMICAL Viscosity 30	Drill Collar Length 0 ft.	I.D. <u>2 1/4</u> in.
Weight         8.9         Water Loss         29         cc	. Weight Pipe Length0 ft.	I.D. 2 7/8 in
Chlorides 5000 P.P.M.	Drill Pipe Length 3059 ft.	I.D 3 1/2 in
Jars: Make STERLING Serial Number na	Test Tool Length 23 ft.	Tool Size 3 1/2-IF in
Did Well Flow? NA Reversed Out NA	Anchor Length48A (16P)_ft.	Size4 1/2-FH in
Main Hole Size 7 7/8 Tool Joint Size 4 1/2 xh in.	Surface Choke Size1 in.	Bottom Choke Size 5/8 in
Blow: 1st Open: 1/2 Blow Built to 3 1/4 inches	in 45 mins NOBB	
Blow: 1st Open: 1/2 Blow Built to 3 1/4 inches 2nd Open: WSB Built to 1/2 in 45 min		<u> </u>
		"
2nd Open: WSB Built to 1/2 in 45 min		
2nd Open: WSB Built to 1/2 in 45 min  Recovered 21 ft. of GIP	NOBB 99% M	
2nd Open: WSB         Built to 1/2 in 45 min           Recovered         21 ft. of GIP           Recovered         41 ft. of SLO w/ HM         1% O           Recovered         ft. of	99% M	
2nd Open: WSB         Built to 1/2 in 45 min           Recovered         21 ft. of GIP           Recovered         41 ft. of SLO w/ HM         1% O           Recovered         ft. of	99% M	ce Job
2nd Open: WSB         Built to 1/2 in 45 min           Recovered         21 ft. of GIP           Recovered         41 ft. of SLO w/ HM         1% O           Recovered         ft. of	99% M	
2nd Open: WSB         Built to 1/2 in 45 min           Recovered         21 ft. of GIP           Recovered         41 ft. of SLO w/ HM         1% O           Recovered         ft. of           Recovered         ft. of           Recovered         ft. of           Recovered         ft. of	99% M Pric	ce Job
2nd Open: WSB         Built to 1/2 in 45 min           Recovered         21 ft. of GIP           Recovered         41 ft. of SLO w/ HM         1% O           Recovered         ft. of           Recovered         ft. of           Recovered         ft. of           Recovered         ft. of	99% M Pric	ce Job ner Charges urance
2nd Open: WSB  Recovered 21 ft. of GIP  Recovered 41 ft. of SLO w/ HM 1% O  Recovered ft. of AM	99% M Pric Oth % M Ins	ce Job ner Charges urance
2nd Open: WSB         Built to 1/2 in 45 min           Recovered         21 ft. of GIP           Recovered         41 ft. of SLO w/ HM         1% O           Recovered         ft. of           Recovered         ft. of           Recovered         ft. of           Recovered         ft. of	99% M  Pric Ott  % M  Ins	ce Job ner Charges urance
Provided the second of the sec	99% M  Pric Ott  % M  Insi  Tot  ottom 10:48 PM A.M. P.M. Maximu	ce Job ner Charges urance
2nd Open: WSB         Built to 1/2 in 45 min           Recovered         21 ft. of GIP           Recovered         41 ft. of SLO w/ HM         1% O           Recovered         ft. of           Recovered         ft. of           Recovered         ft. of           Remarks: Tool Sample:         4 % G         6% O         2% W         88           Time Set Packer(s)         7:33 PM         A.M. P.M.         Time Started Off B	99% M  Pric Ott  % M  Insi  Tot  ottom 10:48 PM A.M. P.M. Maximu	ce Job ner Charges urance al m Temperature103
2nd Open: WSB         Built to 1/2 in 45 min           Recovered         21 ft. of GIP           Recovered         41 ft. of SLO w/ HM         1% O           Recovered         ft. of           Recovered         ft. of           Recovered         ft. of           Remarks: Tool Sample:         4 % G         6% O         2% W         88           Time Set Packer(s)         7:33 PM         A.M. P.M. Time Started Off E           Initial Hydrostatic Pressure         Minutes         45           Initial Flow Period         Minutes         45           Initial Closed In Period         Minutes         45	99% M  Pric Ott % M  Ins  Tot ottom 10:48 PM P.M. Maximu 1437 P.S.I.	ce Job ner Charges urance al m Temperature103
2nd Open: WSB         Built to 1/2 in 45 min           Recovered         21 ft. of GIP           Recovered         41 ft. of SLO w/ HM         1% O           Recovered         ft. of           Recovered         ft. of           Recovered         ft. of           Remarks: Tool Sample:         4 % G         6% O         2% W         88           Time Set Packer(s)         7:33 PM         A.M. P.M. Time Started Off E           Initial Hydrostatic Pressure         Minutes         45	99% M  Price Ottom 10:48 PM A.M. P.M. Maximu  1437 P.S.I. (B) 19 P.S.I. to (C)  (D) 121 P.S.I. (E) 28 P.S.I. to (F)	ce Job ner Charges urance al m Temperature103
2nd Open: WSB         Built to 1/2 in 45 min           Recovered         21 ft. of GIP           Recovered         41 ft. of SLO w/ HM         1% O           Recovered         ft. of           Recovered         ft. of           Recovered         ft. of           Remarks: Tool Sample:         4 % G         6% O         2% W         88           Time Set Packer(s)         7:33 PM         A.M. P.M. Time Started Off E           Initial Hydrostatic Pressure         Minutes         45           Initial Closed In Period         Minutes         45	99% M  Pric Ott  % M  Ins:  Tot  ottom 10:48 PM A.M. P.M. Maximu  1437 P.S.I.  (B) 19 P.S.I. to (C)  (D) 121 P.S.I.	ce Job ner Charges urance al m Temperature103

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.

C:\Users\Testing11\Documents\Ricky's Test\2014\karrie 1 (N Ellenwood)\Dst1.fkt 02-Sep-14 Ver



# **Wellsite Report**

# Diamond Testing LLC P.O. Box 157 HoisingtonKS 67544

# **Ricky Ray - Tester** (620) 617-7261

## **General Information**


**RJM Company Company Name** Contact **Chris Hoffman Well Operator RJM Company Well Name** Karrie 1 **Surface Location** Sec: 18-19s-11w (Barton County) Field **Cheyenne View Southeast** Well Type Vertical **Pool** Infield Test Purpose (AEUB) **Initial Test** Qualified By **Client Musgrove Gauge Name** 0062

### Test Information

Job Number **Test Type Drill Stem Test** Well Fluid Type **Formation** Dst 1 Lan "A-B" (3082-3130) **Start Test Date Start Test Time Final Test Date** 

01 Oil 2014/09/01 YYYY/MM/DD 17:47:00 HH:mm:ss 2014/09/02 YYYY/MM/DD 00:39:00 HH:mm:ss

**RR076** 



## **Test Results**

**Final Test Time** 

Recovery:

21' **GIP** 

41' SLO w/ HM 1% O 99 % M

**Tool Sample:** 4%G 6% O 2% W 88% M



## DIAMOND TESTING P.O. Box 157

HOISINGTON, KANSAS 67544

FILE: Karrie 1 Dst 2

TIME ON: 07:55

TIME OFF: 14:03 (800) 542-7313 **DRILL-STEM TEST TICKET** 

Company RJM Company	Lease & Well No. Karrie 1
Contractor Southwind Drilling Rig 2	Charge to RJM Company
Elevation 1792 sur Formation Lan "C-F	Effective PayFt. Ticket NoRR077
Date 09/02/2014 Sec. 18 Twp. 19 S Ra	nge11 W CountyStateKANSAS
Test Approved By Client Musgrove	Diamond Representative RICKY RAY
Formation Test No. 2 Interval Tested from 31	30 ft. to 3170 ft. Total Depth 3170 ft.
Packer Depth 3125 ft. Size 6 3/4 in.	Packer depthft. Size6 3/4in.
Packer Depth 3130 ft. Size 6 3/4 in.	Packer depthft. Size6 3/4 in.
Depth of Selective Zone Set	
Top Recorder Depth (Inside) 3120 ft.	Recorder Number         0062         Cap.         5000         P.S.I.
Bottom Recorder Depth (Outside)ft.	Recorder Number 5954 Cap. 5000 P.S.I.
Below Straddle Recorder Depthft.	Recorder Number Cap P.S.I.
Mud Type CHEMICAL Viscosity 40	Drill Collar Length         0 ft.         I.D.         2 1/4         in.
Weight         9.2         Water Loss         15.2         cc.	Weight Pipe Length ft. I.D 2 7/8 in
Chlorides 6000 P.P.M.	Drill Pipe Length 3107 ft. I.D 3 1/2 in
Jars: Make STERLING Serial Number na	Test Tool Lengthin
Did Well Flow? NA Reversed Out NA	Anchor Length ft. Size 4 1/2-FH in
	Surface Choke Size 1 in. Bottom Choke Size 5/8 in
Blow: 1st Open: WSB Built to 1/2 in 30 mins	NOBB
2nd Open: No Blow	NOBB
Recovered 3 ft. of M 100% M	
Recovered ft. of	
Recoveredft. of	
Recoveredft. of	
Recoveredft. of	Price Job
Recoveredft. of	Other Charges
Remarks: Tool Sample: 2 % O 98% M	Insurance
O.FO. AM. A.M.	Total A.M.
Time Set Packer(s) 9:52 AM P.M. Time Started Off Box	
Initial Hydrostatic Pressure	(A) 1447 P.S.I.
Initial Flow Period	(B) 8 P.S.I. to (C) 9 P.S.I.
Initial Closed In Period	(D)31_ P.S.I.
	10
Final Flow Period	(E)10 P.S.I. to (F)10 P.S.I.
Final Flow Period         Minutes         30           Final Closed In Period         Minutes         45	(E) 10 P.S.I. to (F) 10 P.S.I.  (G) 34 P.S.I.  1440 P.S.I.

C:\Users\Testing11\Desktop\Dst2 02-Sep-14 Ver



# **Wellsite Report**

# Diamond Testing LLC P.O. Box 157 HoisingtonKS 67544

# Ricky Ray - Tester (620) 617-7261


## **General Information**

**Company Name RJM Company** Contact **Chris Hoffman Well Operator RJM Company** Well Name Karrie 1 **Surface Location** Sec: 18-19s-11w (Barton County) Field **Cheyenne View Southeast** Well Type Vertical Pool infield Test Purpose (AEUB) **Initial Test** Qualified By **Client Musgrove Gauge Name** 

### Test Information

Job Number RR077
Test Type Drill Stem Test
Well Fluid Type
Formation Dst 2 Lan "C-F" (3130-3170)

Start Test Date Start Test Time Final Test Date Final Test Time 2014/09/02 YYYY/MM/DD 07:55:00 HH:mm:ss 2014/09/02 YYYY/MM/DD 14:03:00 HH:mm:ss



### **Test Results**

Recovery:

3' M 100% M

Tool Sample: 2% O 98% M



#### DIAMOND TESTING P.O. Box 157

# HOISINGTON, KANSAS 67544

(800) 542-7313

**DRILL-STEM TEST TICKET** 

TIME ON: 20:15 Sep 2

TIME OFF: 02:35 Sep 3

FILE: Karrie	1 Dst 3
Company RJM Company	Lease & Well No. Karrie 1
Contractor Southwind Drilling Rig 2	Charge to_RJM Company
Elevation1792 surFormationLan	G" Effective PayFt. Ticket NoRR078
Date 09/02/2014 Sec. 18 Twp. 19 S	Range11 W CountyBartonStateKANSAS
Test Approved By Client Musgrove	Diamond Representative RICKY RAY
Formation Test No. 3 Interval Tested from 3	170 ft. to 3207 ft. Total Depth 3207 ft.
Packer Depth 3160 ft. Size 6 3/4 in.	Packer depthft. Size6 3/4 in.
Packer Depth 3170 ft. Size 6 3/4 in.	Packer depthft. Size6 3/4in.
Depth of Selective Zone Set	
Top Recorder Depth (Inside) 3160 ft.	Recorder Number
Bottom Recorder Depth (Outside)ft.	Recorder Number 5954 Cap. 5000 P.S.I.
Below Straddle Recorder Depthft.	Recorder Number Cap P.S.I.
Mud Type CHEMICAL Viscosity 40	Drill Collar Length         0 ft.         I.D.         2 1/4 in.
Weight 9.2 Water Loss 15.2 c	c. Weight Pipe Length 0 ft. I.D 2 7/8 in
Chlorides 6000 P.P.M.	Drill Pipe Length 3147 ft. I.D 3 1/2 in
Jars: Make STERLING Serial Number na	Test Tool Length 23 ft. Tool Size 3 1/2-IF in
Did Well Flow? NA Reversed Out NA	Anchor Length 37 P ft. Size 4 1/2-FH in
Main Hole Size 7 7/8 Tool Joint Size 4 1/2 xh in.	Surface Choke Size 1 in. Bottom Choke Size 5/8 in
Blow: 1st Open: 1/4 Blow Built to 4 1/4" i	n 30 mins NOBB
2nd Open: WSB Built to 4 1/2" in	45 mins NOBB
Recovered 17 ft. of GIP	
Recovered 107 ft. of MW 80% W 20% M	
Recoveredft. of	
Recoveredft. of	RW: .16 @ 74 Deg
Recoveredft. of	Chlorides: 57,000 PPM Price Job
Recoveredft. of	PH: 7 Other Charges
Remarks: Tool Sample: 1% O 77% W 22% M	Insurance
E	
	Total
Time Set Packer(s) 9:43 PM Sep 2 A.M. Time Started Off E	ottom_ 12:43 AM Sep 3 P.M. Maximum Temperature107
Initial Hydrostatic Pressure	(A) 1478 P.S.I.
20	N N = = = 10 = = 1 = 10 = 10 = 10 = 10 =
Initial Flow PeriodMinutes30	(B) 9 P.S.I. to (C) 26 P.S.I.
Initial Closed In Period	(D)448 P.S.I.
Initial Flow Period	(D) 448 P.S.I. (E) 28 P.S.I. to (F) 48 P.S.I.
Initial Closed In Period	(D)448 P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.

C:\Users\Testing11\Documents\Ricky's Test\2014\karrie 1 (N Ellenwood)\Dst3.fkt 03-Sep-14 Ver



# **Wellsite Report**

# Diamond Testing LLC P.O. Box 157 HoisingtonKS 67544

# Ricky Ray - Tester (620) 617-7261

## **General Information**

**RJM Company Company Name** Contact **Chris Hoffman RJM Company Well Operator Well Name** Karrie 1 **Surface Location** Sec: 18-19s-11w (Barton County) Field **Cheyenne View Southeast** Well Type Vertical Pool Infield Test Purpose (AEUB) **Initial Test** Qualified By **Client Musgrove Gauge Name** 0062

### **Test Information**

 Job Number
 RR078

 Test Type
 Drill Stem Test

 Well Fluid Type
 01 Oil

 Formation
 Dst 3
 Lan "G" (3170-3207)

 Start Test Date
 2014/09/02 Y


 Start Test Time
 20:15:00 H

 Start Test Date
 2014/09/02 YYYY/MM/DD

 Start Test Time
 20:15:00 HH:mm:ss

 Final Test Date
 2014/09/03 YYYY/MM/DD

 Final Test Time
 02:35:00 HH:mm:ss



### **Test Results**

Recovery:

17' GIP 107' MW

107' MW 80% W 20% M

Tool Sample: 1% O 77% W 22% M

RW: .16 @ 74 Deg Chlorides: 57,000 PPM

PH: 7