## **INVOICE**



DATE	INVOICE #	
5/21/2014	4797	

**BILL TO** 

SANDRIDGE ENERGY, INC. ATTN: PURCHASING MANAGER 123 ROBERT S. KERR AVENUE OKLAHOMA CITY, OK 73102 **REMIT TO** 

EDGE SERVICES, INC. PO BOX 609 WOODWARD, OK 73802

COUNTY	STARTING D	WORK ORDER	RIG NUMBER	LEASE NAME	Terms
SUMNER, KS	5/16/2014	3646	LARIAT 20	NULICK 3404 2-29H	Due on rec

## Description

DRILLED 60' OF 30" CONDUCTOR HOLE

DRILLED 6' OF 76" HOLE

FURNISHED AND SET 6' X 6' TINHORN CELLAR

FURNISHED 60' OF 20" CONDUCTOR PIPE

FURNISHED MUD, WATER, AND TRUCKING

FURNISHED WELDER AND MATERIALS

FURNISHED 6 YARDS OF 10 SACK GROUT FOR CONDUCTOR HOLE

FURNISHED 4 YARDS OF 10 SACK GROUT FOR MOUSE HOLE

FURNISHED GROUT PUMP

DRILL MOUSE HOLE

FURNISHED 80' OF 16" CONDUCTOR PIPE

TOTAL BID \$17,000.00

**Sales Tax (6.65%)** 

\$151.75

**TOTAL** 

\$17,151.75



SandRidge Energy Nulik #3404 2-29 H Sumner County, KS.

## 1.0 Executive Summary

Allied Oil & Gas Services would like to thank you for the award of the provision of cementing products and services on the well Nulik #3404 2-29 H Surface Casing.

A pre-job meeting was held to discuss job details, review the safety hazards, potential environmental impact and established emergency procedures.

Allied started the job testing lines to 2000 psi. After a successful test we began the job by pumping 10 bbls of preflush spacer. We then mixed and pumped the following cements:

50 Bbls (150 sacks) of 12.7 ppg Lead slurry: 65:35 Class A:Poz Blend - 1.87 Yield 6.0% Gel 2.0%cc 1/4# Floseal

32Bbls (150 sacks) of 15.6 ppg Tail slurry: Class A - 1.20 Yield 2.0%cc 1/4# Floseal

The top plug was then released and displaced with 39 Bbls of fresh water. The plug bumped and pressured up to 1200 psi. Pressure was released and floats held.

All real time data is shown on the graph in the attachment section.

Allied Oil & Gas Services remains committed to provide operational excellence and superior product performance. All comments and suggestions are greatly appreciated and help us to continue to provide this level of service.

Again we want to thank you for the opportunity to perform these and your future cementing & acidizing service needs.



SandRidge Energy Nulik #3404 2-29H Sumner County, KS.

## 1.0 Executive Summary

Allied Oil & Gas Services would like to thank you, for the award of the provision of cementing products and services on the well Nulik #3404 2-29H Casing.

A pre-job meeting was held to discuss job details, review the safety hazards, potential environmental impact and established emergency procedures.

Allied started the job testing lines to 3000 psi. After a successful test we began the job by pumping 30 bbls of preflush spacer. We then mixed and pumped the following cements:

60 Bbls (240 sacks) of 13.6 ppg Lead slurry: 50:50 Class A:Poz Blend - 1.4 Yield 2.0% Gel 0.4% FL-160 0.1% SA-51

21Bbls (100 sacks) of 15.6 ppg Tail slurry: Class A - 1.18 Yield 0.8% FL-160 0.2% CD-31

The top plug was then released and displaced with 199.75 of fresh water. The plug bumped and pressured up to 800 psi. Pressure was released and floats held.

All real time data is shown on the graph in the attachment section.

Allied Oil & Gas Services remains committed to provide operational excellence and superior product performance. All comments and suggestions are greatly appreciated and help us to continue to provide this level of service.

Again we want to thank you for the opportunity to perform these and your future cementing & acidizing service needs.