

please check the box below and return to the address below.

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC U	se:	
Effective Da	te:	
District #		
SGA?	Yes No	

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

# NOTICE OF INTENT TO DRILL

	month day	year	Spot Description:
	топт аау	year	
OPERATOR: License#			feet from N / S Line of Se
Name:			feet from E / W Line of Set
Address 1:			Is SECTION: Regular Irregular?
			(Note: Locate well on the Section Plat on reverse side)
City:	State: Zip	:+	County:
Contact Person:			Lease Name: Well #:
Phone:			Field Name:
CONTRACTOR: License#			Is this a Prorated / Spaced Field?
Name:			
<u> </u>			Target Formation(s):
Well Drilled For:	Well Class:	Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh R	Rec Infield	Mud Rotary	Ground Surface Elevation:feet I
Gas Storag	ge Pool Ext.	Air Rotary	Water well within one-quarter mile:
Dispos	sal Wildcat	Cable	Public water supply well within one mile:
Seismic ;# o	of Holes Other		Depth to bottom of fresh water:
Other:			Depth to bottom of usable water:
			Surface Pipe by Alternate: III
If OWWO: old well	information as follows:		Length of Surface Pipe Planned to be set:
Operator:			Length of Conductor Pipe (if any):
•			Projected Total Depth:
Original Completion Da	ite: Original	Total Depth:	Formation at Total Depth:
			Water Source for Drilling Operations:
Directional, Deviated or Hor	rizontal wellbore?	Yes No	Well Farm Pond Other:
If Yes, true vertical depth:			DVV Feitill #
Bottom Hole Location:			(Note: Apply for Ferring with DWK
KCC DKT #:			Will Cores be taken?
			If Yes, proposed zone:
		ΛE'	FIDAVIT
The undersigned hereby	affirms that the drilling oc		ugging of this well will comply with K.S.A. 55 et. seq.
			agging of this well will comply with N.S.A. 35 et. seq.
-		ts will be met:	
It is agreed that the follow	0 1		
It is agreed that the follow  1. Notify the appropria	ate district office <i>prior</i> to s		
It is agreed that the follow  1. Notify the appropria  2. A copy of the appro	ate district office <i>prior</i> to soved notice of intent to dril	Il shall be posted on each	3 · 3·
It is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amou	ate district office <b>prior</b> to soved notice of intent to drilunt of surface pipe as spe	Il <b>shall be</b> posted on each	t by circulating cement to the top; in all cases surface pipe shall be set
It is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amounthrough all unconsci	ate district office <b>prior</b> to soved notice of intent to dril unt of surface pipe as spe blidated materials plus a n	Il shall be posted on each ecified below shall be set minimum of 20 feet into the	t by circulating cement to the top; in all cases surface pipe <b>shall be set</b> be underlying formation.
It is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amounthrough all unconso  4. If the well is dry hol	ate district office <b>prior</b> to so oved notice of intent to dril unt of surface pipe as spe oblidated materials plus a note, an agreement between	Il shall be posted on each ecified below shall be set minimum of 20 feet into the operator and the dis	t by circulating cement to the top; in all cases surface pipe shall be set
It is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis	ate district office <i>prior</i> to so oved notice of intent to dril unt of surface pipe as spe blidated materials plus a nate, an agreement between strict office will be notified	Il shall be posted on each cified below shall be set minimum of 20 feet into the operator and the discrete before well is either plugg	t by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation.  Strict office on plug length and placement is necessary <b>prior to plugging</b> ;
1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	ate district office <i>prior</i> to so eved notice of intent to drilunt of surface pipe as specificated materials plus a nile, an agreement between strict office will be notified I COMPLETION, production endix "B" - Eastern Kansa	Il shall be posted on each crified below shall be set minimum of 20 feet into the operator and the discontinuous before well is either pluggion pipe shall be cemented as surface casing order #	t by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation.  It is office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; and from below any usable water to surface within <b>120 DAYS</b> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	ate district office <i>prior</i> to so eved notice of intent to drilunt of surface pipe as specificated materials plus a nile, an agreement between strict office will be notified I COMPLETION, production endix "B" - Eastern Kansa	Il shall be posted on each crified below shall be set minimum of 20 feet into the operator and the discontinuous before well is either pluggion pipe shall be cemented as surface casing order #	t by circulating cement to the top; in all cases surface pipe <b>shall be set</b> be underlying formation.  It is underlying formation.  It is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; ed from below any usable water to surface within <b>120 DAYS</b> of spud date.
1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	ate district office <i>prior</i> to so eved notice of intent to drilunt of surface pipe as specificated materials plus a nile, an agreement between strict office will be notified I COMPLETION, production endix "B" - Eastern Kansa	Il shall be posted on each crified below shall be set minimum of 20 feet into the operator and the discontinuous before well is either pluggion pipe shall be cemented as surface casing order #	t by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation.  It is office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; and from below any usable water to surface within <b>120 DAYS</b> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed	ate district office <i>prior</i> to soved notice of intent to driunt of surface pipe as speolidated materials plus a nale, an agreement betweer strict office will be notified I COMPLETION, production endix "B" - Eastern Kansawithin 30 days of the spu	Il shall be posted on each crified below shall be set minimum of 20 feet into the operator and the discontinuous before well is either pluggion pipe shall be cemented as surface casing order #	t by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation.  It is office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; and from below any usable water to surface within <b>120 DAYS</b> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
t is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amouthrough all unconso  4. If the well is dry hol  5. The appropriate dis  6. If an ALTERNATE I  Or pursuant to Appmust be completed	ate district office <i>prior</i> to soved notice of intent to driunt of surface pipe as speolidated materials plus a nale, an agreement betweer strict office will be notified I COMPLETION, production endix "B" - Eastern Kansawithin 30 days of the spu	Il shall be posted on each crified below shall be set minimum of 20 feet into the operator and the discontinuous before well is either pluggion pipe shall be cemented as surface casing order #	t by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation.  It is office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; and from below any usable water to surface within <b>120 DAYS</b> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
t is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amouthrough all unconso  4. If the well is dry hol  5. The appropriate dis  6. If an ALTERNATE I  Or pursuant to Appmust be completed	ate district office <i>prior</i> to soved notice of intent to driunt of surface pipe as speolidated materials plus a nale, an agreement betweer strict office will be notified I COMPLETION, production endix "B" - Eastern Kansawithin 30 days of the spu	Il shall be posted on each crified below shall be set minimum of 20 feet into the operator and the discontinuous before well is either pluggion pipe shall be cemented as surface casing order #	t by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation.  It is office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; and from below any usable water to surface within <b>120 DAYS</b> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
t is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amouthrough all unconso  4. If the well is dry hol  5. The appropriate dis  6. If an ALTERNATE I  Or pursuant to Appmust be completed	ate district office <i>prior</i> to soved notice of intent to driunt of surface pipe as speolidated materials plus a nale, an agreement betweer strict office will be notified I COMPLETION, production endix "B" - Eastern Kansawithin 30 days of the spu	Il shall be posted on each crified below shall be set minimum of 20 feet into the operator and the discontinuous before well is either pluggion pipe shall be cemented as surface casing order #	t by circulating cement to the top; in all cases surface pipe <i>shall be set</i> the underlying formation.  Itrict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; and from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
t is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed	ate district office <i>prior</i> to soved notice of intent to driunt of surface pipe as speolidated materials plus a nale, an agreement betweer strict office will be notified I COMPLETION, production endix "B" - Eastern Kansawithin 30 days of the spu	Il shall be posted on each crified below shall be set minimum of 20 feet into the operator and the disciple before well is either pluggion pipe shall be cemented as surface casing order #1 and date or the well shall be	the priculating cement to the top; in all cases surface pipe shall be set the underlying formation.  It into the control of th
t is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  ubmitted Electror  For KCC Use ONLY  API # 15 -	ate district office <i>prior</i> to soved notice of intent to driunt of surface pipe as speblidated materials plus a nate, an agreement betweer strict office will be notified I COMPLETION, production endix "B" - Eastern Kansawithin 30 days of the spunically	Il shall be posted on each edified below shall be set minimum of 20 feet into the name that the operator and the distribution before well is either pluggion pipe shall be cemented as surface casing order # and date or the well shall be	t by circulating cement to the top; in all cases surface pipe <i>shall be set</i> the underlying formation.  Itrict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; and from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
t is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  ubmitted Electror  For KCC Use ONLY  API # 15  Conductor pipe required	ate district office <i>prior</i> to so eved notice of intent to driunt of surface pipe as specificated materials plus a nate, an agreement betweer strict office will be notified I COMPLETION, production endix "B" - Eastern Kansa within 30 days of the spunically	Il shall be posted on each crified below shall be set minimum of 20 feet into the operator and the distribution before well is either pluggion pipe shall be cemented as surface casing order # and date or the well shall be the operator of the op	the priculating cement to the top; in all cases surface pipe shall be set the underlying formation.  Intrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
t is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  ubmitted Electror  For KCC Use ONLY  API # 15  Conductor pipe required	ate district office <i>prior</i> to soved notice of intent to driunt of surface pipe as speblidated materials plus a nate, an agreement betweer strict office will be notified I COMPLETION, production endix "B" - Eastern Kansawithin 30 days of the spunically	Il shall be posted on each crified below shall be set minimum of 20 feet into the operator and the distribution before well is either pluggion pipe shall be cemented as surface casing order # and date or the well shall be the operator of the op	the circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Intrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE IOr pursuant to Appmust be completed  ubmitted Electror  For KCC Use ONLY  API # 15  Conductor pipe required  Minimum surface pipe req	ate district office <i>prior</i> to so eved notice of intent to driunt of surface pipe as specificated materials plus a nate, an agreement betweer strict office will be notified I COMPLETION, production endix "B" - Eastern Kansa within 30 days of the spunically	Il shall be posted on each crified below shall be set minimum of 20 feet into the the operator and the distribution before well is either pluggion pipe shall be cemente as surface casing order # and date or the well shall be determined by the feet of the posterior of the feet of the posterior of the property of the p	the priculating cement to the top; in all cases surface pipe shall be set the underlying formation.  Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
It is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  ubmitted Electror  For KCC Use ONLY  API # 15 -  Conductor pipe required -  Minimum surface pipe required -	ate district office <i>prior</i> to soved notice of intent to drill unt of surface pipe as specificated materials plus a nule, an agreement between strict office will be notified I COMPLETION, production of the surface of the sputch of the sputc	Il shall be posted on each crified below shall be set minimum of 20 feet into the the operator and the distribution before well is either pluggion pipe shall be cemente as surface casing order # and date or the well shall be determined by the feet of the posterior of the feet of the posterior of the property of the p	the priculating cement to the top; in all cases surface pipe shall be set the underlying formation.  Intrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: \_



feet from

feet from

SEWARD CO. 3390' FEL

S Line of SectionW Line of Section

For KCC Use ONLY	
API # 15	

Operator: \_\_ Lease: \_\_\_\_

Well Number: \_\_\_\_\_

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Location of Well: County: \_\_

Field:				Sec	Twp	S. R				
	umber of Acres attributable to well:				Is Section: Regular or Irregular					
				If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW						
	Show locati	on of the well. Show footage	PLA		dary line Show th	ne predicted locations of				
		patteries, pipelines and elect		red by the Kans	sas Surface Owne	er Notice Act (House Bill 2032).				
						LEGEND				
			' '	'	, 	<ul><li>Well Location</li><li>Tank Battery Location</li><li>Pipeline Location</li></ul>				
						Electric Line Location  Lease Road Location				
75 ft		• • • • • • • • • • • • • • • • • • •			EXAMI	PĽE : : : : : : : : : : : : : : : : : : :				
		22								
						1980' FS				
	:		:	:						

### 2805 ft.

NOTE: In all cases locate the spot of the proposed drilling locaton.

## In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

27220 Form CDP-1

May 2010

Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:							
Operator Address:									
Contact Person:		Phone Number:							
Lease Name & Well No.:		Pit Location (QQQQ):							
Type of Pit:	Pit is:								
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R						
Settling Pit Drilling Pit	If Existing, date co	nstructed:	Feet from North / South Line of Section						
Workover Pit   Haul-Off Pit   (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section						
		(bbls)	County						
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)						
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?						
Yes No	Yes N	No							
Pit dimensions (all but working pits):	Length (fe	et)	Width (feet) N/A: Steel Pits						
	om ground level to dee								
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner	Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.							
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet.						
feet Depth of water well	feet	measured well owner electric log KDWR							
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:							
Producing Formation:		Type of material utilized in drilling/workover:							
Number of producing wells on lease:		Number of working pits to be utilized:							
Barrels of fluid produced daily:		Abandonment procedure:							
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.							
Submitted Electronically									
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS									
Date Received: Permit Num	her:	Darmi	t Date: Lease Inspection: Yes No						



## Kansas Corporation Commission Oil & Gas Conservation Division

1227220

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-	•1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	_ Well Location:
Name:	
Address 1:	
Address 2:	Lease Name: Well #:
City: State: Zip:+	_ If filing a Form T-1 for multiple wells on a lease, enter the legal description or
Contact Person:	the lease helow:
Phone: ( ) Fax: ( )	_
Email Address:	-
Surface Owner Information:	
Name:	_ When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property toy records of the county traceurer
City:	_
the KCC with a plat showing the predicted locations of lease roads, to	thodic Protection Borehole Intent), you must supply the surface owners and ank batteries, pipelines, and electrical lines. The locations shown on the plat d on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
<ul> <li>□ I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax</li> <li>□ I have not provided this information to the surface owner(s). KCC will be required to send this information to the surface</li> </ul>	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ess of the surface owner by filling out the top section of this form and
If choosing the second option, submit payment of the \$30.00 handli form and the associated Form C-1, Form CB-1, Form T-1, or Form C	ing fee with this form. If the fee is not received with this form, the KSONA-1 CP-1 will be returned.
Submitted Electronically	
I	

For KCC Use ONLY	
API # 15	

Operator: Legend Oil and Gas Ltd.

Lease: Massoth Ells

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

2,805

2.475

Location of Well: County: Woodson

SEWARD CO. 3390' FEL.

feet from N / X S Line of Section

Well Number: 11							2,475		feet from	_ =	= -	of Section
Fleid: Humboldt-Chanute			_ Se	22	Twp. 25	S. R. 17		K E	W			
Number of Acres attri QTR/QTR/QTR/QTR			- 8W	- SE	- NW	- If S	ection is	Regular or Irregular, local er used:	te well from r	nearest co		dary.
				d electrical	the neare Ilnes, as		the Kans	dary line. Show sas Surface Ow ired.				
									O Well	END Location Battery L line Locat		
			o					EXA		tric Line L se Road L		
												1980' FSL

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (CD-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.