

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:
Effective	Date:
District #	
SGA?	Yes No

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

# **NOTICE OF INTENT TO DRILL**

	month day	vear	Spot Description:
	monun day	year	
DPERATOR: License#			feet from N / S Line of Sec
lame:			feet from E / W Line of Sec
.ddress 1:			Is SECTION: Regular Irregular?
			(Note: Locate well on the Section Plat on reverse side)
	State: Zip: _		County:
Contact Person:			Lease Name: Well #:
hone:			Field Name:
ONTRACTOR: License#			Is this a Prorated / Spaced Field?
ame:			Target Formation(s):
			Nearest Lease or unit boundary line (in footage):
Well Drilled For:	Well Class: Ty	pe Equipment:	Ground Surface Elevation:feet N
Oil Enh R	Rec Infield	Mud Rotary	
Gas Storag	~	Air Rotary	
Dispo		Cable	
Seismic ;# c			Depth to bottom of fresh water:
Other:			Depth to bottom of usable water:
If OWWO: old well	information as follows:		Surface Pipe by Alternate: II III
			Length of Surface Pipe Planned to be set:
-			
			Projected Total Depth:
Original Completion Da	ate: Original Tot	al Depth:	
inactional Deviated on Ho	ri-antal wallbara 2	□ Voo □ No	Water Source for Drilling Operations:
Directional, Deviated or Ho	rizontai welibore?	Yes No	Well Farm Pond Other:
			DWR Permit #:
			(Note: Apply for Permit with DWR )
			vviii cores de taken:
			If Yes, proposed zone:
		AF	FIDAVIT
he undersigned hereby a	affirms that the drilling, com		FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq.
		pletion and eventual pl	
t is agreed that the follow	ving minimum requirements	pletion and eventual pl will be met:	
is agreed that the follow  1. Notify the appropria		pletion and eventual pl will be met: udding of well;	ugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the follow  1. Notify the appropria  2. A copy of the appro	ving minimum requirements ate district office <i>prior</i> to spurple of the drill structure of	pletion and eventual pl will be met: udding of well; shall be posted on eac	ugging of this well will comply with K.S.A. 55 et. seq.
<ol> <li>agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amounthrough all unconso</li> </ol>	ving minimum requirements ate district office <i>prior</i> to spund on the drill solution of surface pipe as specificated materials plus a mir	pletion and eventual pl will be met: udding of well; shall be posted on each fied below shall be sen nimum of 20 feet into the	bugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation.
<ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amounthrough all unconso</li> <li>If the well is dry hole</li> </ol>	ving minimum requirements at a district office <b>prior</b> to spowed notice of intent to drill so unt of surface pipe as specificated materials plus a mirle, an agreement between the	pletion and eventual pl will be met: udding of well; shall be posted on each fied below shall be sen himum of 20 feet into the ne operator and the dis	ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging;
<ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amounthrough all unconso</li> <li>If the well is dry holis</li> <li>The appropriate dis</li> </ol>	ving minimum requirements at a district office <i>prior</i> to spowed notice of intent to drill so unt of surface pipe as specificated materials plus a mirale, an agreement between the strict office will be notified be	pletion and eventual pl will be met: udding of well; shall be posted on each fied below shall be sen himum of 20 feet into the ne operator and the dis efore well is either plug	ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
<ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amounthrough all unconso</li> <li>If the well is dry hole</li> <li>The appropriate dis</li> <li>If an ALTERNATE I</li> </ol>	ving minimum requirements at a district office <i>prior</i> to spowed notice of intent to drill so unt of surface pipe as specificated materials plus a mirale, an agreement between the strict office will be notified be II COMPLETION, production	pletion and eventual pl will be met: udding of well; shall be posted on each fied below shall be sen nimum of 20 feet into the ne operator and the dis efore well is either plug in pipe shall be cemente	h drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> be underlying formation. trict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; and from below any usable water to surface within <i>120 DAYS</i> of spud date.
<ol> <li>s agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amounthrough all unconso</li> <li>If the well is dry holis</li> <li>The appropriate dis</li> <li>If an ALTERNATE I Or pursuant to App</li> </ol>	ving minimum requirements at a district office <i>prior</i> to spowed notice of intent to drill so unt of surface pipe as specificated materials plus a mirale, an agreement between the strict office will be notified be a COMPLETION, production bendix "B" - Eastern Kansas	pletion and eventual pl will be met: udding of well; shall be posted on each fied below shall be sen nimum of 20 feet into the ne operator and the dis efore well is either plug n pipe shall be cemente surface casing order #	ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
<ol> <li>s agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amounthrough all unconso</li> <li>If the well is dry holis</li> <li>The appropriate dis</li> <li>If an ALTERNATE I Or pursuant to App</li> </ol>	ving minimum requirements at a district office <i>prior</i> to spowed notice of intent to drill so unt of surface pipe as specificated materials plus a mirale, an agreement between the strict office will be notified be a COMPLETION, production bendix "B" - Eastern Kansas	pletion and eventual pl will be met: udding of well; shall be posted on each fied below shall be sen nimum of 20 feet into the ne operator and the dis efore well is either plug n pipe shall be cemente surface casing order #	ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amounthrough all unconso</li> <li>If the well is dry hole</li> <li>The appropriate dis</li> <li>If an ALTERNATE I Or pursuant to App</li> </ol>	ving minimum requirements at a district office <i>prior</i> to spowed notice of intent to drill so unt of surface pipe as specificated materials plus a mirale, an agreement between the strict office will be notified be a COMPLETION, production bendix "B" - Eastern Kansas	pletion and eventual pl will be met: udding of well; shall be posted on each fied below shall be sen nimum of 20 feet into the ne operator and the dis efore well is either plug n pipe shall be cemente surface casing order #	ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amounthrough all unconso</li> <li>If the well is dry hole</li> <li>The appropriate dis</li> <li>If an ALTERNATE I Or pursuant to Appmust be completed</li> </ol>	ving minimum requirements at a district office <i>prior</i> to spowed notice of intent to drill so unt of surface pipe as specificated materials plus a mirele, an agreement between the strict office will be notified be all COMPLETION, production bendix "B" - Eastern Kansas I within 30 days of the spud of the s	pletion and eventual pl will be met: udding of well; shall be posted on each fied below shall be sen nimum of 20 feet into the ne operator and the dis efore well is either plug n pipe shall be cemente surface casing order #	ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amounthrough all unconso</li> <li>If the well is dry hole</li> <li>The appropriate dis</li> <li>If an ALTERNATE I Or pursuant to Appmust be completed</li> </ol>	ving minimum requirements at a district office <i>prior</i> to spowed notice of intent to drill so unt of surface pipe as specificated materials plus a mirele, an agreement between the strict office will be notified be all COMPLETION, production bendix "B" - Eastern Kansas I within 30 days of the spud of the s	pletion and eventual pl will be met: udding of well; shall be posted on each fied below shall be sen nimum of 20 feet into the ne operator and the dis efore well is either plug n pipe shall be cemente surface casing order #	th drilling rig; the victual problem of this well will comply with K.S.A. 55 et. seq.  The drilling rig; the victual problem of the top; in all cases surface pipe shall be set the underlying formation.  The victual problem of the top; in all cases surface pipe shall be set the underlying formation.  The victual problem of the victual problem
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed	ving minimum requirements at a district office <i>prior</i> to spowed notice of intent to drill so unt of surface pipe as specificated materials plus a mirele, an agreement between the strict office will be notified be all COMPLETION, production bendix "B" - Eastern Kansas I within 30 days of the spud of the s	pletion and eventual pl will be met: udding of well; shall be posted on each fied below shall be sen nimum of 20 feet into the ne operator and the dis efore well is either plug n pipe shall be cemente surface casing order #	th drilling rig; the circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  Ubmitted Electror  For KCC Use ONLY	ving minimum requirements at a district office <i>prior</i> to spowed notice of intent to drill so unt of surface pipe as specificated materials plus a mirele, an agreement between the strict office will be notified be all COMPLETION, production bendix "B" - Eastern Kansas I within 30 days of the spudicinically	pletion and eventual pl will be met: udding of well; shall be posted on each fied below shall be sen himum of 20 feet into the ne operator and the dist efore well is either plug in pipe shall be cemente surface casing order # date or the well shall be	th drilling rig; the circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to: File Certification of Compliance with the Kansas Surface Owner Notification
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  Ibmitted Electror  For KCC Use ONLY  API # 15	ving minimum requirements at a district office <i>prior</i> to spowed notice of intent to drill so unt of surface pipe as specificated materials plus a mirele, an agreement between the strict office will be notified be all COMPLETION, production bendix "B" - Eastern Kansas I within 30 days of the spudicial colly	pletion and eventual pl will be met: udding of well; shall be posted on eac fied below shall be sen nimum of 20 feet into the ne operator and the dis efore well is either plug n pipe shall be cemente surface casing order # date or the well shall b	th drilling rig; the circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  Ibmitted Electror  For KCC Use ONLY  API # 15  Conductor pipe required	ving minimum requirements at a district office <i>prior</i> to spowed notice of intent to drill so unt of surface pipe as specificated materials plus a mirale, an agreement between the strict office will be notified be to COMPLETION, production bendix "B" - Eastern Kansas I within 30 days of the spud of the sp	pletion and eventual pl will be met: udding of well; shall be posted on each fied below shall be sen nimum of 20 feet into the ne operator and the dist efore well is either plug n pipe shall be cemente surface casing order # date or the well shall be	h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set le underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  Ibmitted Electror  For KCC Use ONLY  API # 15  Conductor pipe required	ving minimum requirements at a district office <i>prior</i> to spowed notice of intent to drill so unt of surface pipe as specificated materials plus a mirele, an agreement between the strict office will be notified be all COMPLETION, production bendix "B" - Eastern Kansas I within 30 days of the spudicial colly	pletion and eventual pl will be met: udding of well; shall be posted on each fied below shall be sen nimum of 20 feet into the ne operator and the dist efore well is either plug n pipe shall be cemente surface casing order # date or the well shall be	th drilling rig; the circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amode through all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis must be completed  Ibmitted Electror  For KCC Use ONLY  API # 15  Conductor pipe required  Minimum surface pipe required	ving minimum requirements at a district office <i>prior</i> to spowed notice of intent to drill so unt of surface pipe as specificated materials plus a mirale, an agreement between the strict office will be notified be to COMPLETION, production bendix "B" - Eastern Kansas I within 30 days of the spud of the sp	pletion and eventual plewill be met:  udding of well;  shall be posted on each fied below shall be sentimum of 20 feet into the operator and the diselfore well is either plugh pipe shall be cemente surface casing order #date or the well shall be determined.	h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set le underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing le plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropria 2. A copy of the appropria 3. The minimum amon through all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed  Ibmitted Electror  For KCC Use ONLY  API # 15 -  Conductor pipe required -  Minimum surface pipe red  Approved by:	ving minimum requirements at a district office <i>prior</i> to sput of surface pipe as specificated materials plus a mirlle, an agreement between the strict office will be notified be the completion, production bendix "B" - Eastern Kansas I within 30 days of the spud of the completion of the spud of the completion of the spud of the	pletion and eventual plewill be met:  udding of well;  shall be posted on each fied below shall be sentimum of 20 feet into the operator and the diselfore well is either plugh pipe shall be cemente surface casing order #date or the well shall be determined.	h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set le underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing le plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  UDMITTED Electror  For KCC Use ONLY  API # 15  Conductor pipe required  Minimum surface pipe required  Approved by:  This authorization expires	ving minimum requirements at a district office <i>prior</i> to sput of surface pipe as specificated materials plus a mirlle, an agreement between the strict office will be notified be the completion, production bendix "B" - Eastern Kansas I within 30 days of the spud of the completion of the spud of the completion of the spud of the	pletion and eventual plewill be met:  udding of well;  shall be posted on each fied below shall be sen himum of 20 feet into the ne operator and the diselfore well is either plug n pipe shall be cemente surface casing order # date or the well shall be  feet  et per ALT. I I II	h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set le underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing le plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: \_

Side Two



For KCC Use ONLY	
API # 15	_

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:							_ Loc	cation of Well:	: County:				
•							_		fe	et from	N /	S Line	of Section
Well Numl	ber:						_		fe	et from	E /	W Line	of Section
Field:							Se	c	Twp	S. R		_ E _	W
	f Acres attr						– Is \$	Section:	Regular or	Irregular			
								Section is Irre	egular, locate we		rest cor		dary.
		ads, tank b			d electrica	l lines, as	required b		y line. Show the p Surface Owner N d.				
			:			:	:			LEGE	ND		
124 ft.	- <del>-</del> 0		:			:				Well Lo Tank Ba Pipeline Electric Lease I	attery Lo e Locations Line Lo	on ocation	
		; ;	:	1	 1 	:	:		EXAMPLI :: ::				
			•		••••	:	•						
		:					:			0-7		··········	1980' FSL
		:	:	:		: : :	:	:	SEWARD CO.	3390' FEL	:		

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1227965

Form CDP-1
May 2010
Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:					
Operator Address:							
Contact Person:		Phone Number:					
Lease Name & Well No.:		Pit Location (QQQQ):					
Type of Pit:	Pit is:						
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R				
Settling Pit Drilling Pit	If Existing, date co	nstructed:	Feet from North / South Line of Section				
Workover Pit Haul-Off Pit	Pit capacity:		Feet from East / West Line of Section				
(If WP Supply API No. or Year Drilled)		(bbls)	County				
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l				
To the processing in a content of country training			(For Emergency Pits and Settling Pits only)				
Is the bottom below ground level?  Yes No	Artificial Liner?  Yes  N	No	How is the pit lined if a plastic liner is not used?				
			NAC data (force)				
Pit dimensions (all but working pits):	Length (feet)	,	Width (feet) N/A: Steel Pits No Pit				
If the pit is lined give a brief description of the li			dures for periodic maintenance and determining				
material, thickness and installation procedure.		liner integrity, including any special monitoring.					
Distance to nearest water well within one-mile	of pit:	Depth to shallowest fresh water feet. Source of information:					
feet Depth of water well	feet	measured well owner electric log KDWR					
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:					
Producing Formation:		Type of material utilized in drilling/workover:					
Number of producing wells on lease:		Number of working pits to be utilized:					
Barrels of fluid produced daily:		Abandonment procedure:					
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.					
Submitted Electronically							
	KCC	OFFICE USE O	NLY				
			Liner Steel Pit RFAC RFAS				
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No				



#### Kansas Corporation Commission Oil & Gas Conservation Division

1227965

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.


Select the corresponding form being filed:C-1 (Intent)CB-	1 (Cathodic Protection Borehole Intent)					
OPERATOR: License #	_ Well Location:					
Name:	SecTwpS. R East West					
Address 1:						
Address 2:	Lease Name: Well #:					
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of					
Contact Person:	the lease below:					
Phone: ( ) Fax: ( )	_					
Email Address:	-					
Surface Owner Information:						
Name:						
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.					
Address 2:						
City: State: Zip:+	-					
are preliminary non-binding estimates. The locations may be entered  Select one of the following:   I certify that, pursuant to the Kansas Surface Owner Notice	ank batteries, pipelines, and electrical lines. The locations shown on the plated on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  E. Act (House Bill 2032), I have provided the following to the surface the located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form					
	m being filed is a Form C-1 or Form CB-1, the plat(s) required by this					
KCC will be required to send this information to the surface	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ess of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form.					
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form C	ng fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.					
Submitted Electronically						
I						



# **Pro-Stake LLC**

Oil Field & Construction Site Staking

P.O. Box 2324 Garden City, Kansas 67846



001810 PLAT NO.

11

Sec.

18s

Twp.

Office/Fax: (620) 276-6159 Cell: (620) 272-1499 burt@pro-stakellc.kscoxmail.com

**10w** 

**Hoelscher Unit #1-11** 

LEASE NAME
1' FNL - 124' FWL
LOCATION SPOT

**Bushton Project** 

SCALE: 1" = 1000'

DATE STAKED: Oct. 13<sup>th</sup>, 2014

MEASURED BY: Ben R.

DRAWN BY: Norby S.

AUTHORIZED BY: Cecil O. & John E.

American Warrior, Inc.

COUNTY

Rice County, KS


This drawing does not constitute a monumented survey or a land survey plat.

This drawing is for construction purposes only.

GR. ELEVATION: 1772.8'

**Directions:** From the South side of Bushton, KS at the intersection of Hwy 171 / Bushton Rd. and Ave. B – Now go 0.5 mile West on Ave. B to the NW corner of section 11-18s-10w – Now go 0.3 mile South on 5<sup>th</sup> Rd. to ingress East into – Now go approx. 140' SE through wheat, into staked location.

Final ingress must be verified with land owner or Operator.



# R. Evan Noll (Petroleum Landman)

P.O. Box 1351 Hays, KS 67601

Office - 785.628.8774 Cell - 785.623.0698 Fax - 785.628.8478

October 20, 2014

Donald D. Hoelscher 530 Ave. B Bushton, KS 67427

RE:

Hoelscher Unit #1-11 Well 1441' NL & 124' WL Section 11-18S-10W Rice County, Kansas

Dear Property Owner:

Prior to drilling a well, the KCC requires that we notify the landowner. The operator for the captioned well is:

American Warrior, Inc.

P.O. Box 399

Garden City, KS 67846

Contact Man: Kevin Wiles - (620) 271-4407 - kwiles@awioil.com

I'm enclosing a copy of the intent to drill filed with the KCC, a plat showing the well location, lease road, pipeline, electric line & tank battery locations for each well. The locations are non-binding and preliminary, shown simply to satisfy State requirement. The actual location will be determined by the dirt contractor, Langfeld Dirt Service, Inc. in Ellinwood (620) 564-2795. If you want to be involved with the locations, contact Langfeld Dirt Service, reference the captioned well name and coordinate with them.

Sincerely,

R. Evan Noll

Contract Landman with American Warrior, Inc.



### Pro-Stake LLC

Oil Field & Construction Site Staking

P.O. Box 2324

Garden City, Kansas 67846 Office/Fax: (620) 276-6159

INVOICE NO.



001810 PLAT NO.

Cell: (620) 272-1499 burt@pro-stakellc.kscoxmail.com

American Warrior, Inc. Hoelscher Unit #1-11 OPERATOR LEASE NAME Rice County, KS 1441' FNL - 124' FWI 18s 10wLOCATION SPOT **Bushton Project** 1" = 1000" N

Oct. 13th, 2014 DATE STAKED: Ben R. MEASURED BY: Norby S. DRAWN BY: Cecil O. & John E. AUTHORIZED BY:

This drawing does not constitute a monumented survey or a land survey plat.

This drawing is for construction purposes only.

GR. ELEVATION: 1772.8'

Directions: From the South side of Bushton, KS at the intersection of Hwy 171 / Bushton Rd. and Ave. B - Now go 0.5 mile West on Ave. B to the NW corner of section 11-18s-10w - Now go 0.3 mile South on 5th Rd. to ingress East into - Now go approx. 140' SE through wheat, into staked location.

Final ingress must be verified with land owner or Operator.

