

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KC	C Use:			
Effective	Date:			
District #	#			
SGA?	Yes	No		

SGA?

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

month day year	Spot Description:
PERATOR: License#	feet from N / S Line of Section
ame:	
ddress 1:	
ddress 2:	
ty:	County.
ontact Person:hone:	Lease Name: Well #:
ione.	Field Name:
ONTRACTOR: License#	Is this a Prorated / Spaced Field? Yes No
ame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ;# of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWN/Or old wall information as follows:	Surface Pipe by Alternate: III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
f Yes, true vertical depth:	Tam Fold Substitution
ottom Hole Location:	DWK Pellill #.
CC DKT #:	(Note: Apply for Fernit With DVV (
	vviii Cores de takerr?
	If Yes, proposed zone:
	AFFIDAVIT
he undersigned hereby affirms that the drilling, completion and eventu	al plugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the following minimum requirements will be met:	
1. Notify the appropriate district office <i>prior</i> to spudding of well;	
2. A copy of the approved notice of intent to drill shall be posted or	each drilling rig;
	e set by circulating cement to the top; in all cases surface pipe shall be set
through all unconsolidated materials plus a minimum of 20 feet in	, ,
through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the	e district office on plug length and placement is necessary prior to plugging;
through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either	e district office on plug length and placement is necessary <i>prior to plugging;</i> plugged or production casing is cemented in;
through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cere	e district office on plug length and placement is necessary <i>prior to plugging;</i> plugged or production casing is cemented in; nented from below any usable water to surface within <i>120 DAYS</i> of spud date.
through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cer Or pursuant to Appendix "B" - Eastern Kansas surface casing or the content of t	e district office on plug length and placement is necessary <i>prior to plugging;</i> plugged or production casing is cemented in;
through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cer Or pursuant to Appendix "B" - Eastern Kansas surface casing or the content of t	e district office on plug length and placement is necessary <i>prior to plugging;</i> plugged or production casing is cemented in; nented from below any usable water to surface within <i>120 DAYS</i> of spud date. der #133,891-C, which applies to the KCC District 3 area, alternate II cementing
through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cer Or pursuant to Appendix "B" - Eastern Kansas surface casing or the content of t	e district office on plug length and placement is necessary <i>prior to plugging;</i> plugged or production casing is cemented in; nented from below any usable water to surface within <i>120 DAYS</i> of spud date. der #133,891-C, which applies to the KCC District 3 area, alternate II cementing
through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cern or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be completed.	e district office on plug length and placement is necessary <i>prior to plugging;</i> plugged or production casing is cemented in; nented from below any usable water to surface within <i>120 DAYS</i> of spud date. der #133,891-C, which applies to the KCC District 3 area, alternate II cementing
through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cern or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be completed.	the district office on plug length and placement is necessary <i>prior to plugging</i> ; plugged or production casing is cemented in; nented from below any usable water to surface within <i>120 DAYS</i> of spud date. der #133,891-C, which applies to the KCC District 3 area, alternate II cementing hall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cern or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be completed.	the district office on plug length and placement is necessary <i>prior to plugging;</i> plugged or production casing is cemented in; nented from below any usable water to surface within <i>120 DAYS</i> of spud date. In the der #133,891-C, which applies to the KCC District 3 area, alternate II cementing hall be plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:
through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cer Or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well sh Ubmitted Electronically For KCC Use ONLY	re district office on plug length and placement is necessary <i>prior to plugging;</i> plugged or production casing is cemented in; nented from below any usable water to surface within <i>120 DAYS</i> of spud date. der #133,891-C, which applies to the KCC District 3 area, alternate II cementing hall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. **Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cer Or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well sh Ubmitted Electronically For KCC Use ONLY API # 15 -	the district office on plug length and placement is necessary <i>prior to plugging;</i> plugged or production casing is cemented in; nented from below any usable water to surface within <i>120 DAYS</i> of spud date. In the der #133,891-C, which applies to the KCC District 3 area, alternate II cementing hall be plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:
through all unconsolidated materials plus a minimum of 20 feet ir 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cer Or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well sh Ubmitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	re district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; mented from below any usable water to surface within 120 DAYS of spud date. der #133,891-C, which applies to the KCC District 3 area, alternate II cementing hall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cer Or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well sh ubmitted Electronically For KCC Use ONLY API # 15 -	re district office on plug length and placement is necessary prior to plugging; replugged or production casing is cemented in; renented from below any usable water to surface within 120 DAYS of spud date. Ider #133,891-C, which applies to the KCC District 3 area, alternate II cementing reall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
through all unconsolidated materials plus a minimum of 20 feet ir 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cer Or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well sh ubmitted Electronically For KCC Use ONLY API # 15	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
through all unconsolidated materials plus a minimum of 20 feet ir 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cer Or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well sh UDMITTED Electronically For KCC Use ONLY API # 15	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
through all unconsolidated materials plus a minimum of 20 feet ir 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cere Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed. Library Conductor pipe required	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);

_ Agent: .

Side Two



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
ease:	feet from N / S Line of Section
Vell Number:	feet from E / W Line of Section
Field:	Sec Twp S. R 🔲 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
	LAT
	lease or unit boundary line. Show the predicted locations of
	quired by the Kansas Surface Owner Notice Act (House Bill 2032).
1954	eparate plat if desired. 4 ft.
	:
	LEGEND
	O Well Location
	Tank Battery Location
	Pipeline Location
	Electric Line Location Lease Road Location
	Lease Road Location 1604 ft.
	EXAMPLE : :
	EXAMPLE :
16	
	······································
	· · · · · · · · · · · · · · · · · · ·
	1980' FSL
	SEWARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

228069

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A			SecTwpRBast WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty Chloride concentration:mg/l		
Is the bottom below ground level? Yes No Artificial Liner? Yes No		No	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fee		Width (feet)		
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		dures for periodic maintenance and determining any special monitoring.		
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:		
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	al utilized in drilling/workover:		
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment	procedure:		
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must b	be closed within 365 days of spud date.		
Submitted Electronically					
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS		
Date Received: Permit Num	ber:	Permi	it Date: Lease Inspection: Yes No		



Kansas Corporation Commission Oil & Gas Conservation Division

1228069

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

OPERATOR: License #	Well Location:		
Name:			
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: () Fax: ()	-		
Email Address:	-		
Surface Owner Information:			
Name:	owner information can be found in the records of the register of deeds for the		
Address 1:			
Address 2:			
City: State: Zip:+	-		
	ank batteries, pipelines, and electrical lines. The locations shown on the plat I on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
owner(s) of the land upon which the subject well is or will be	e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this , and email address.		
KCC will be required to send this information to the surface	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ss of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form.		
KCC will be required to send this information to the surface task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the	owner(s). To mitigate the additional cost of the KCC performing this so of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form. If the fee is not received with this form, the KSONA-1		
KCC will be required to send this information to the surface task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the If choosing the second option, submit payment of the \$30.00 handling fee.	owner(s). To mitigate the additional cost of the KCC performing this so of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form. If the fee is not received with this form, the KSONA-1		




Pro-Stake LLC

Oil Field & Construction Site Staking

P.O. Box 2324 Garden City, Kansas 67846 Office/Fax: (620) 276-6159

Cell: (620) 272-1499



002731

burt@pro-stakellc.kscoxmail.com

American Warrior, Inc.

COUNTY

Haskell County, KS

16 Sec.

27s

Twp.

31w

LEASE NAME

1954' FNL - 1604' FEI LOCATION SPOT

Withers #1-16

Frank Project

1" =1000 SCALE: Oct. 8th, 2014 DATE STAKED: Kent C. MEASURED BY: Austin D. DRAWN BY: Cecil O. & John E. AUTHORIZED BY:


This drawing does not constitute a monumented survey or a land survey plat.

This drawing is for construction purposes only.

GR. ELEVATION: <u>2824.6</u>°

Directions: From approx. 3.8 miles East of Copeland, KS at the intersection Hwy 144 & Hwy 56 - Now go 4.8 miles West on Hwy 144 – Now go 9 miles N on Co. Rd. Yy – Now go 3 miles West to the SE corner of section 16-27s-31w - Now go 0.5 mile North on Co. Rd. Vv to ingress West into – Now go 0.3 miles West on trail to ingress stake North into - Now go approx. 730' through irr. corn stubble, into staked location.

Final ingress must be verified with land owner or Operator.



R. Evan Noll (Petroleum Landman)

P.O. Box 1351 Hays, KS 67601

Office - 785.628.8774 Cell - 785.623.0698 Fax - 785.628.8478

October 20, 2014

Lawrence Withers 2298 Road 90 Copeland, KS 67837

RE:

Withers #1-16 Well 1954' NL & 1604' EL Section 16-27S-31W Haskell County, Kansas

Dear Property Owner:

Prior to issuing a permit to drill, the Kansas Corporation Commission requires the property owner be notified. The operator for the captioned well is:

American Warrior, Inc. P.O. Box 399

Garden City, KS 67846

Contact Man: Kevin Wiles – (620) 271-4407 – kwiles@awioil.com

I'm enclosing a copy of the intent to drill filed with the KCC, a plat showing well, lease road, pipeline & electric line & tank battery locations for the captioned well. This is all non-binding and preliminary, being shown simply to satisfy State requirement. The actual locations will be determined by the dirt contractor, Dan Hauser with W & L Dirt (620) 793-2817. If you want to be involved in the locations, contact Dan, reference the captioned well name and coordinate with him.

Sincerely.

R. Evan Noll

Contract Landman with American Warrior, Inc.



Pro-Stake LLC

Oil Field & Construction Site Staking

P.O. Box 2324

Garden City, Kansas 67846 Office/Fax: (620) 276-6159 Cell: (620) 272-1499

12199

002731 PLAT NO.

burt@pro-stakellc.kscoxmail.com American Warrior, Inc. Withers #1-16 OPERATOR LEASE NAME Haskell County, KS 16 1954' FNL - 1604' FEL 31w COUNTY LOCATION SPOT Frank Project

N


1"=1000 SCALE: Oct. 8th, 2014 DATE STAKED:. Kent C. MEASURED BY: Austin D. DRAWN BY: Cecil O. & John E. AUTHORIZED BY:.

This drawing does not constitute a monumented survey or a land survey plat.

GR. ELEVATION: 2824.6'

Directions: From approx. 3.8 miles East of Copeland, KS at the intersection Hwy 144 & Hwy 56 - Now go 4.8 miles West on Hwy 144 - Now go 9 miles N on Co. Rd. Yy - Now go 3 miles West to the SE corner of section 16-27s-31w - Now go 0.5 mile North on Co. Rd. Vv to ingress West into - Now go 0.3 miles West on trail to ingress stake North into - Now go approx. 730' through irr. corn stubble, into staked location.

Final ingress must be verified with land owner or Operator.



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

October 21, 2014

5929 American Warrior, Inc. 3118 CUMMINGS RD PO BOX 399 GARDEN CITY, KS 67846

Re: Drilling Pit Application Withers 1-16 NE/4 Sec.16-27S-31W Haskell County, Kansas

Dear 5929:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 96 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.