

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1228166

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #			API No. 15		
Name:			Spot Description:		
Address 1:			Sec.	TwpS. R	East _ West
Address 2:			F6	eet from North /	South Line of Section
City:	State: Z	ip:+	Fe	eet from East /	West Line of Section
Contact Person:			Footages Calculated from	Nearest Outside Section C	Corner:
Phone: ()			□ NE □ NW	V □SE □SW	
CONTRACTOR: License #			GPS Location: Lat:	, Long:	
Name:				(e.g. xx.xxxxx)	(e.gxxx.xxxxx)
Wellsite Geologist:			Datum: NAD27	NAD83 WGS84	
Purchaser:			County:		
Designate Type of Completion:			Lease Name:	W	ell #:
	e-Entry	Workover	Field Name:		
	_		Producing Formation:		
☐ Oil ☐ WSW ☐ D&A	☐ SWD	∐ SIOW ∏ SIGW	Elevation: Ground:	Kelly Bushing:	
	GSW	Temp. Abd.	Total Vertical Depth:	Plug Back Total D	epth:
CM (Coal Bed Methane)	dow	Temp. Abd.	Amount of Surface Pipe Se	et and Cemented at:	Feet
☐ Cathodic ☐ Other (Co	ore. Expl., etc.):		Multiple Stage Cementing	Collar Used? Yes	No
If Workover/Re-entry: Old Well I			If yes, show depth set:		
Operator:			If Alternate II completion, c	cement circulated from:	
Well Name:			feet depth to:	w/	sx cmt.
Original Comp. Date:					
Deepening Re-perf	J	ENHR Conv. to SWD	Drilling Fluid Managemer	nt Plan	
Plug Back	Conv. to G		(Data must be collected from to		
Commingled	Permit #		Chloride content:	ppm Fluid volume	: bbls
Dual Completion			Dewatering method used:_		
SWD			Location of fluid disposal if	hauled offsite:	
ENHR	Permit #:				
GSW	Permit #:		Operator Name:		
			Lease Name:		
Spud Date or Date R	eached TD	Completion Date or	Quarter Sec	TwpS. R	East West
Recompletion Date		Recompletion Date	County:	Permit #:	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II Approved by: Date:

Page Two



Operator Name:			L	ease Name: _			Well #:	
Sec Twp	S. R	East We	est C	County:				
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ring and shut-in pres	sures, whether sh	ut-in pressur	e reached stati	c level, hydrosta	tic pressures, bott		rval tested, time tool erature, fluid recovery,
Final Radioactivity Lo files must be submitted					ogs must be ema	iled to kcc-well-lo	gs@kcc.ks.go	v. Digital electronic log
Drill Stem Tests Taker (Attach Additional		Yes	No	L	_	on (Top), Depth an		Sample
Samples Sent to Geo	logical Survey	Yes	No	Nam	e		Тор	Datum
Cores Taken Electric Log Run		Yes Yes	No No					
List All E. Logs Run:								
		(CASING REC	ORD Ne	ew Used			
		· ·		ıctor, surface, inte	ermediate, producti	1		I
Purpose of String	Size Hole Drilled	Size Casin Set (In O.D		Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADD	ITIONAL CEN	MENTING / SQL	JEEZE RECORD			
Purpose:	Depth Top Bottom	Type of Cem	ent #	Sacks Used		Type and P	ercent Additives	
Perforate Protect Casing	100 20111111							
Plug Back TD Plug Off Zone								
1 lag on zono								
Did you perform a hydrau	ulic fracturing treatment	on this well?			Yes	No (If No, ski	o questions 2 ar	nd 3)
Does the volume of the to		•				_ ` ` '	p question 3)	
Was the hydraulic fractur	ing treatment information	on submitted to the c	hemical disclo	sure registry?	Yes	No (If No, fill	out Page Three	of the ACO-1)
Shots Per Foot		ION RECORD - Bri Footage of Each Int				cture, Shot, Cement		d Depth
	, ,				,		,	·
TUBING RECORD:	Size:	Set At:	Pa	acker At:	Liner Run:			
						Yes No		
Date of First, Resumed	Production, SWD or Ef		cing Method: owing	Pumping	Gas Lift C	other (Explain)		
Estimated Production Per 24 Hours	Oil	Bbls. G	as Mcf	Wate	er Bi	ols. G	as-Oil Ratio	Gravity
DIODOCITI	ON OF CAS:		N 4 - T - 1		TION:		PROPUSTIC	ON INTERVAL.
Vented Solo	ON OF GAS: Used on Lease	Open Ho		IOD OF COMPLE \Box		nmingled	PRODUCTION	ON INTERVAL:
	bmit ACO-18.)	Other (S	necify)	(Submit		mit ACO-4)		



TICKET NUMBER 47142

LOCATION O + + a v 9

FOREMAN Alar Mader

FIELD TICKET & TREATMENT REPORT

2,5	CUSTOMER#	WELL	NAME & I	NUMBER	SECTION	TOWNSHIP	RANGE	COUNT
5-9.14	9999	Spenc	~~	3.P	SW 20	18	21	FR
STOMER		0			TOUGK #		TOUGK#	. PDIVEE
2);(730	DRIVER	TRUCK#	DRIVER
LING ADDRES	58				100	1 has	OGFARY	Mee
	~	7	Taun oon		360	Ac(NC)		
Y		STATE	ZIP CODE	-	367	Mik Has		
					503	Ke Car		
TYPE OU	string	HOLE SIZE	57/	8 HOLE DEF	ртн_ <i>900</i>	CASING SIZE & V	VEIGHT	0/8_
ING DEPTH_	868	DRILL PIPE		TUBING_		-	OTHER	· · · ·
RRY WEIGHT		SLURRY VOL_		WATER ga	al/sk	CEMENT LEFT in	CASING 83	5 64
LACEMENT	4.85	DISPLACEMEN	TPSI 2	OD MIX PSI	200	BATE 46	pm	
11	ald ma		aghed	^	C KDTD 7	or 1 h	r. Mixe	0 2
ARKS: H	010 JAC	13, 1	L	1. 1. 1. 4	e Mix	0 F 0	11100	124
imped	2 100	1501	202	1 -1	1/2 # Ohe	15 CO-1	DO O	100
0150 0	ener)	1145	2070	SEID	1	10 OEGI	per 5	GLAI
ircula	ted c	ement	1-14	540 d	pump. Pu	MPEG	plus +	0,
offle	Well	neld	800	15%.	set Hogs	· 6/05	ed va	Ive.
.,,								
ns 4	106 RO	10 C. G.S.'Y	20 111	1th old	Hing uni	人 .		
	(5,		0					
مأر								
narch								
narch ccount	QUANITY	or LIMITS	T	DESCRIPTION	N of SERVICES or PR	ODUCT	UNIT PRICE	TOTA
	QUANITY	or UNITS		DESCRIPTION	N of SERVICES or PR	ODUCT	UNIT PRICE	тота
CCOUNT	QUANITY	or UNITS	PUMP CI		N of SERVICES or PR	орист	UNIT PRICE	TOTA
CCOUNT	QUANITY	or UNITS	PUMP CI	HARGE	N of SERVICES or PR	орист 368 368	UNIT PRICE	1085 - 84 -
CCOUNT	QUANITY 1 3	or UNITS	+	HARGE	N of SERVICES or PR	орист 368 368 368	UNIT PRICE	1085 3 84 =
CCOUNT CODE HOI HOI HOS	QUANITY	ر ان ان ا	+	HARGE	N of SERVICES or PR	368 368 368 368	UNIT PRICE	1085 84 368
CCOUNT	QUANITY 1 3 86	or UNITS	+	HARGE	n of SERVICES or PR	368 368 368 503	UNIT PRICE	1085 - 84 - 368-
CCOUNT CODE HOI HOS	QUANITY A B V 2	ر ان ان ا	+	HARGE	N of SERVICES or PR	0DUCT 368 368 368 503 369	UNIT PRICE	1085 34 368 250
CCOUNT CODE HOI HOI HO2	QUANITY A B N 2	ر ان ان ا	+	HARGE	n of SERVICES or PR	368 368 368 503	UNIT PRICE	1085 84 368 250
CCOUNT CODE HOI HOS HO2 HO7	1 3 8 2 2	0 8 11/2	MILEAGE TO 80	HARGE Sizy for Mi	potesc les	368 368 368 503		1085 84 3689 2500
CCOUNT CODE 101 406 402 407 502 C	1 3 8 2 2	0 8 11/2	MILEAGE TO 8C	HARGE Sing for Nac 150 cei	odasc les ment	368 368 368 503	142600	1085 84 368 250
CCOUNT CODE 101 406 402 407 502 C	1 3 3 2 2 12+	0 8 11/1 1/2 1 8#	MILEAGE TO 8C	HARGE Sing for Nac 150 cei	odasc les ment	368 368 368 503		1085 34 368 250
CCOUNT CODE 101 406 402 407 502 C	1 3 3 2 2 12+	0 8 11/1 1/2 1 8#	MILEAGE TO 8C	HARGE Sing for Nac 150 cei	odasc les ment	368 368 368 503	142600	1085 84 368 250
CCOUNT CODE 101 406 402 407 502 C	1 3 3 2 2 12+	0 8 11/2	MILEAGE TO 8C	HARGE Sing for Nac 150 cei	potase les ment	368 368 368 503 369	1426° 67.76 83.70	368° 250.
CCOUNT CODE 101 406 402 407 502 C	1 3 3 2 2 12+	0 8 11/1 1/2 1 8#	MILEAGE TO 8C	HARGE Sizy for Mi	nest Materia	368 368 368 503 369	142600	3689
CCOUNT CODE 101 406 402 407 502 C	1 3 3 2 2 12+	0 8 11/1 1/2 1 8#	MILEAGE TO 8C	HARGE Sing for Nac 150 cei	ment Materia	368 368 368 503 369	1426° 67.76 83.70 1577.46 -473.2	3689
CCOUNT CODE 101 406 402 407 502 C	1 3 3 2 2 12+	0 8 11/1 1/2 1 8#	MILEAGE 10 80 50	HARGE Sing for Mi Divac 1/50 cer e) hourses	ment Materia	368 368 368 503 369	1426° 67.76 83.70	3689
CCOUNT CODE 701 406 402 407 502 C	1 3 3 2 2 12+	0 8 11/1 1/2 1 8#	MILEAGE 10 80 50	HARGE Sing for Nac 150 cei	ment Materia	368 368 368 503 369	1426° 67.76 83.70 1577.46 -473.2	3689
CCOUNT CODE HOI HOS HO2 YO7 JOSC	1 3 3 2 2 12+	0 8 11/1 1/2 1 8#	MILEAGE 10 80 50	HARGE Sing for Mi Divac 1/50 cer e) hourses	ment Materia	368 368 368 503 369	1426° 67.76 83.70 1577.46 -473.2	368-
CCOUNT CODE HOI HOS HO2 YO7 JOSC	1 3 3 2 2 12+	0 8 11/1 1/2 1 8#	MILEAGE 10 80 50	HARGE Sing for Mi Divac 1/50 cer e) hourses	ment Materia	368 368 368 503 369	1426° 67.76 83.70 1577.46 -473.2	3689
124 1074	1 3 3 2 2 12+	0 8 11/1 1/2 1 8#	MILEAGE 10 80 50	HARGE Sing for Mi Divac 1/50 cer e) hourses	ment Materia	368 368 368 503 369	1426° 67.76 83.70 1577.46 -473.2	3689
CCOUNT CODE HOI HOI HO2	1 3 3 2 2 12+	0 8 11/1 1/2 1 8#	MILEAGE 10 80 50	HARGE Sing for Mi Divac 1/50 cer e) hourses	ment Materia	368 368 368 503 369	1426 00 67.76 83.70 1577.46 -473.20	368° 250°
CCOUNT CODE HOI HOS HOZ HOT 502 C	1 3 3 2 2 12+	0 8 11/1 1/2 1 8#	MILEAGE 10 80 50	HARGE Sing for Mi Divac 1/50 cer e) hourses	ment Materia	368 368 368 503 369 14enicl t	1426 00 67.76 83.70 1577.46 -473.20 0/41	368° 250°
CCOUNT CODE HOI HOS HO2 YO7 JOSC	12 30 6	0 8 11/1 1/2 1 8#	MILEAGE C.C. 10 8C	HARGE Sing for Mi Divac 1/50 cer e) hourses	ment Materia	368 368 368 503 369	1426 00 67.76 83.70 1577.46 -473.20	368° 250°

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this for Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

October 24, 2014

Vance Finch F-2 Oil Company LLC 2739 GREENWOOD DR. OTTAWA, KS 66067

Re: ACO-1 API 15-059-26598-00-00 Spencer 3P SW/4 Sec.20-18S-21E Franklin County, Kansas

Dear Vance Finch:

K.A.R. 82-3-107 provides for all completion information to be filed within 120 days of the spud date. Subsection(e)(2) of that regulation states "All rights to confidentiality shall be lost if the filings are not timely."

The above referenced well was spudded on 3/17/2014 and the ACO-1 was received on October 24, 2014 (not within the 120 days timely requirement).

Therefore, your request for confidential treatment of data contained within the ACO-1 filing cannot be granted at this time.

If you should have any questions, please do not hesitate to contact me at (316)337-6200.

Sincerely,

Production Department