

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:			
Effective	Date:			
District #				
SGA?	Yes	No		

SGA?

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day y	rear Sec Twp S. R
OPERATOR: License#	feet from N / S Line of Section
Name:	fact from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	
City: State: Zip:	
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	
Name:	Target Formation(s):
	Negreet Lease or unit houndary line (in feetage):
Well Drilled For: Well Class: Type Equipm	nent: Ground Surface Elevation:feet MSL
Oil Enh Rec Infield Mud Re	otarv
Gas Storage Pool Ext. Air Rot	Water well within one-quarter mile: Ary Water well within one-quarter mile: Yes No
Disposal Wildcat Cable	Public water supply well within one mile: Yes No
Seismic ;# of HolesOther	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: II II
	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	
Original Completion Date: Original Total Depth:	
Directional Deviated or Harizontal wellbore?	Water Source for Drilling Operations: Yes No Well Farm Pond Other:
Directional, Deviated or Horizontal wellbore? If Yes, true vertical depth:	ven Tanii ond Strict.
Bottom Hole Location:	DWK Femili #.
KCC DKT #:	(Note: Apply for Fernit Wild DWN)
100 BI(1 #.	vviii cores de taken:
	If Yes, proposed zone:
	AFFIDAVIT
The undersigned hereby affirms that the drilling, completion ar	
	id eventual plugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be me	et:
It is agreed that the following minimum requirements will be me 1. Notify the appropriate district office <i>prior</i> to spudding of	et: well;
It is agreed that the following minimum requirements will be me 1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> p	well; osted on each drilling rig;
It is agreed that the following minimum requirements will be med. 1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> p. 3. The minimum amount of surface pipe as specified below.	well; sosted on each drilling rig; standard be set by circulating cement to the top; in all cases surface pipe shall be set
It is agreed that the following minimum requirements will be me 1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> p 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of	well; sosted on each drilling rig; standard be set by circulating cement to the top; in all cases surface pipe shall be set
It is agreed that the following minimum requirements will be med. 1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> p. 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operate 5. The appropriate district office will be notified before well	well; well; wested on each drilling rig; w shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in;
It is agreed that the following minimum requirements will be me 1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> p 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operate 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe shall	well; osted on each drilling rig; of shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; all be cemented from below any usable water to surface within 120 DAYS of spud date.
It is agreed that the following minimum requirements will be me 1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> p 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operate 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe shall or pursuant to Appendix "B" - Eastern Kansas surface of	well; osted on each drilling rig; of shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; all be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be med. 1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> p. 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operate 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe shall or pursuant to Appendix "B" - Eastern Kansas surface of	well; osted on each drilling rig; of shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; all be cemented from below any usable water to surface within 120 DAYS of spud date.
It is agreed that the following minimum requirements will be med. 1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> p. 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operate 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe shall or pursuant to Appendix "B" - Eastern Kansas surface of	well; osted on each drilling rig; of shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; all be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be me 1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> p 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operate 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe shalor pursuant to Appendix "B" - Eastern Kansas surface of must be completed within 30 days of the spud date or the	well; osted on each drilling rig; of shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; all be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be me 1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> p 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operate 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe shalor pursuant to Appendix "B" - Eastern Kansas surface of must be completed within 30 days of the spud date or the	well; osted on each drilling rig; of shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; all be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be me 1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> p 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operate 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe shalor pursuant to Appendix "B" - Eastern Kansas surface of must be completed within 30 days of the spud date or the submitted Electronically	well; osted on each drilling rig; of shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; all be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be me 1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> p 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operate 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe shalor pursuant to Appendix "B" - Eastern Kansas surface of must be completed within 30 days of the spud date or the	well; osted on each drilling rig; osted on each drilling rig; osted on each drilling rig; ostall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; all be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing e well shall be plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be me 1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> p 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operate 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe shalor pursuant to Appendix "B" - Eastern Kansas surface of must be completed within 30 days of the spud date or the submitted Electronically	well; osted on each drilling rig; osted on each drilling rig; ostall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; all be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing e well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
It is agreed that the following minimum requirements will be me 1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> p 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operate 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe sha Or pursuant to Appendix "B" - Eastern Kansas surface c must be completed within 30 days of the spud date or the submitted Electronically For KCC Use ONLY API # 15 -	well; osted on each drilling rig; osted on each drilling rig; ostall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; all be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing e well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
It is agreed that the following minimum requirements will be me 1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> p 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operate 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe shador pursuant to Appendix "B" - Eastern Kansas surface of must be completed within 30 days of the spud date or the *Ubmitted Electronically** For KCC Use ONLY API # 15	well; osted on each drilling rig; ostall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; all be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing e well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
It is agreed that the following minimum requirements will be me 1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> p 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operate 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe shador or pursuant to Appendix "B" - Eastern Kansas surface of must be completed within 30 days of the spud date or the submitted Electronically For KCC Use ONLY API # 15	well; well; well; wstall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; all be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing we well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
It is agreed that the following minimum requirements will be me 1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> p 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operate 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe shador pursuant to Appendix "B" - Eastern Kansas surface of must be completed within 30 days of the spud date or the *Ubmitted Electronically** For KCC Use ONLY API # 15	well; well; well; wstall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; all be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing we well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
It is agreed that the following minimum requirements will be me 1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> p 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operate 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe sha Or pursuant to Appendix "B" - Eastern Kansas surface of must be completed within 30 days of the spud date or the submitted Electronically For KCC Use ONLY API # 15	well; osted on each drilling rig; of shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; all be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing e well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
It is agreed that the following minimum requirements will be me 1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> p 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operate 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe share or pursuant to Appendix "B" - Eastern Kansas surface or must be completed within 30 days of the spud date or the submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	vet: well; osted on each drilling rig; of shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; all be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing e well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.
It is agreed that the following minimum requirements will be me 1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> p 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operate 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe shador pursuant to Appendix "B" - Eastern Kansas surface of must be completed within 30 days of the spud date or the submitted Electronically For KCC Use ONLY API # 15	well; osted on each drilling rig; of shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; all be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing e well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202



For KCC Use ONLY	
API # 15	


Operator: _

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Location of Well: County: _

Lease: Well Number: Field:						Sec.	Twp	feet fr feet fr S. F	om	N / S Line of Section E / W Line of Section E W	
Number of Acres at QTR/QTR/QTR/QT					— !s	s Section:	Regular or	r 🗌 Irr	egular		
							Irregular, loca er used: N			earest corner boundary. SE SW	
			d electrica	l lines, as	required					ocations of (House Bill 2032).	
	: : : :	:		:	:	:		I	LEGE	END	
									Tank B Pipelin Electric	ocation Battery Location ne Location c Line Location Road Location	



NOTE: In all cases locate the spot of the proposed drilling locaton.

1718 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

228397 Form CDP-1

May 2010

Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed If Existing, date coll Pit capacity:	Existing nstructed: (bbls)	SecTwp R East West Section Feet from East / West Line of Section Feet from East / West Line of Section County
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits
Depth fro	om ground level to dee	epest point:	(feet) No Pit
Distance to peacest water well within one mile of	of nit-	Donth to shallo	west fresh waterfeet.
Distance to nearest water well within one-mile of	л рп.	Source of infor	nation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:		Type of materia	ver and Haul-Off Pits ONLY: I utilized in drilling/workover: king pits to be utilized: procedure:
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	·	e closed within 365 days of spud date.
Submitted Electronically			
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection: Yes No



Kansas Corporation Commission Oil & Gas Conservation Division

1228397

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1	1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	3 · · · · · · · · · · · · · · · · · · ·
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	
City: State: Zip:+	
the KCC with a plat showing the predicted locations of lease roads, ta are preliminary non-binding estimates. The locations may be entered Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form	nodic Protection Borehole Intent), you must supply the surface owners and ank batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Act (House Bill 2032), I have provided the following to the surface elocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form in being filed is a Form C-1 or Form CB-1, the plat(s) required by this
KCC will be required to send this information to the surface of	acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ss of the surface owner by filling out the top section of this form and
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form Cl	ng fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.
Submitted Electronically	
r	

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Bach, Jason dba Bach Oil Production Lease: Gotschalk Well Number: 2-1	Location of Well: County: Rooks 1,718
Field: Slate Southwest	Sec.2 Twp. 7 S. R.20 E X W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: NW - SE - NW - SW	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

TO:

STATE CORPORATION COMMISSION **CONSERVATION DIVISION - PLUGGING**

130 SOUTH MARKET, SUITE 2078

WICHITA, KANSAS 67202

API Well Number: 15-163-21995-00-00

Spot: <u>NWSENWSW</u>

Sec/Twnshp/Rge: 2-7S-20W

1718 feet from S Section Line,

893 feet from W Section Line

Lease Name: T D GOTTSCHALK

Well #: 2-2

County: ROOKS

Total Vertical Depth: 3670 feet

Operator License No.: 5011

Op Name: VIKING RESOURCES, INC

Address: 400 N WOODLAWN ST, STE 18

WICHITA, KS 67208

String CIBP	<u>Size</u>	Depth (ft) 3590	Pulled (ft)	Comments	
PROD	4.5	3669		475 SX	
SURF	8.625	320		175 SX	

Well Type: OIL

UIC Docket No:

Date/Time to Plug: 12/31/2013 9:00 AM

Plug Co. License No.: 32382

Plug Co. Name: SWIFT SERVICES, INC.

Proposal Revd. from: MIKE FRITZLER

Company: FRITZLER TRUCKING

Phone: (785) 798-5101

Proposed Ordered 375 sx 60/40 pozmix 4% gel cement w/600 # hulls.

Plugging Production perforations: 3522', 3530', 3608' and 3620'

Method:

Plugging Proposal Received By: PAT BEDORE

WitnessType: COMPLETE (100%)

Date/Time Plugging Completed: 12/31/2013 11:30 AM

KCC Agent: PAT BEDORE

Actual Plugging Report:

Perfs:

	Ran tubing to 3500' and pumped 75 sx cement w/150 # hulls. Pulled tubing to 2300' and
	pumped 75 sx cement w/150 # hulls. Pulled tubing to 1100' and pumped 85 sx cement to
1	circulate cement to surface. Pulled all tubing. Topped off 4 1/2" casing w/25 sx cement.
1	Hooked to 8 5/8" x 4 1/2" annulus and pumped 10 sx cement. Shut in pressure 300 psi.

GPS: 39.47101N -099.52512W

Тор	Bot	Thru	Comments	
3522	3530			
ļ				

Remarks:

SWIFT TICKET # 25260

Plugged through: TBG

District: 04

(TECHNICIAN)

CM

204/1/19 KCC WICHITA

Form CP-2/3

JAN 22 2014

RECEIVED

JAN 0 9 2013