

For KCC	Use:
Effective	Date:
District #	
SGA?	Yes No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Name: Address 1: Address 2: Contact Person: Contact Person: Contract C		re (5) days prior to commencing well s Surface Owner Notification Act, MUST be submitted with this form.
County	Funcated Child Date:	Cost Description:
Contact Person:		· · · — — —
Name:		(0/0/0/0)
Address 1: Address 2: GOIR:	OPERATOR: License#	
Address 2:   City:	Name:	1 050TION
Country:		
Contract Person:		
Phone:   CONTRACTOR: License#	·	County:
CONTRACTOR: License#_ Name:    Well Drilled For:   Well Class:   Type Equipment:   Target Formation(s):   Target Formation(s):		Lease Name: Well #:
Name:    Well Drilled For:   Well Class:   Type Equipment:   Target Formation(s):   Nearest Lease or unit boundary line (in footage):   Feet MSL   Storage   Pool Ext.   Air Rotary   Waldcat   Cable   Disposal   Wildcat   Cable   Depth to bottom of resh water:   Depth to bottom of usable water   Depth to bottom of usable water.   Depth to	THORE.	
Well Drilled For:   Well Class: Type Equipment:   Nearest Lease or unit boundary line (in footage):   feet MSL		
Ground Surface Elevation:	Name:	Target Formation(s):
Ground Surface Elevation:	Well Drilled For: Well Class: Type Equipment:	
Gas   Storage   Pool Ext.   Air Rotary   Water well within one-quarter mile:   Yes   No   Disposal   Wildcat   Gable   Public water supply well within one mile:   Yes   No   Depth to bottom of tresh water:   Depth to bottom of tresh water:   Depth to bottom of usable water!   Depth to bottom of usable water!   Depth to bottom of usable water:   Depth to Bottom of Usable water   Depth t		Ground Surface Elevation:feet MSL
Disposal   Wildcat   Cable   Seismic ; # of Holes   Other   Other   Depth to bottom of fresh water:   Depth to bottom of usable path:   Depth to Bottom of Usal Project of Usal Project of Usal Depth to Bottom Office Water   Depth to Bottom of Usal Depth to Bottom Office Water   Depth		Water well within one-quarter mile:
Seismic ;		Public water supply well within one mile:
Depth to bottom of usable water:		Depth to bottom of fresh water:
Surface Pipe by Alternate:		Depth to bottom of usable water:
Operator: Well Name: Original Completion Date: Original Total Depth: Formation at Total Depth: Water Source for Dilling Operations: Well Farm Pond Other: DWR Permit #:  Water Source for Dilling Operations: Well Farm Pond Other: DWR Permit #:  Will Cores be taken? If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kanass surface casing order #133,891-c, which applies the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing must be completed within 30 days of the spud date or the well shall be plugged or production form CDP-1) with Intent to Drill; File Crill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to filed proration orders;		Surface Pipe by Alternate: I II
Well Name: Original Completion Date: Origina	If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Well Name: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? If Yes, true vertical depth: Bottom Hole Location: KCC DKT #:  Well Farm Pond Other: DWR Permit #:  (Note: Apply for Permit with DWR ) Will Cores be taken? If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kanasa surface casing order #133.891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  **Remember to:*  Conductor pipe required	Operator:	Length of Conductor Pipe (if any):
Original Completion Date: Original Total Depth: Water Source for Drilling Operations: Water Source for Drilling Operation Source Water In Source For Drilling Operation Hold Other: Drilling Operation Operation of Water Source Water Sou	•	Projected Total Depth:
Water Source for Drilling Operations:   Water Source for Drilling Institute of the Company of the Source of Source S		Formation at Total Depth:
If Yes, true vertical depth: Bottom Hole Location:  KCC DKT #:    DWR Permit #:     (Note: Apply for Permit with DWR   )   Will Cores be taken?     If Yes, proposed zone:		
If Yes, true vertical depth: Bottom Hole Location:  KCC DKT #:    Will Cores be taken?   Yes   No	Directional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other:
Note: Apply for Permit with DWR   Note: Apply for Permit with DWR   Yes   Note: Apply for Permit with Permit	If Yes, true vertical depth:	DWR Permit #:
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  **Remember to:**  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;		(Note: Apply for Ferrill With DWK)
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  **Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;	KCC DKT #:	- Will Cores be taken? Yes No
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  **Remember to:*  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;		If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  **Remember to:**  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Cill Pill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;	AF	EIDA//IT
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  **Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File Completion Form ACO-1 within 120 days of spud date;  - File careage attribution plat according to field proration orders;		
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i>;</li> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.</li> </ol> For KCC Use ONLY  API # 15		lugging of this well will comply with K.S.A. 55 et. seq.
<ul> <li>2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;</li> <li>3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i>;</li> <li>5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.</li> <li>For KCC Use ONLY</li> <li>API # 15</li></ul>		
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Submitted Electronically  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Cill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;		
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  For KCC Use ONLY  API # 15		<b>0 0</b> .
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  For KCC Use ONLY  API # 15		
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  For KCC Use ONLY  API # 15		
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Submitted Electronically  For KCC Use ONLY  API # 15	5. The appropriate district office will be notified before well is either plug	ged or production casing is cemented in;
For KCC Use ONLY API # 15 - Conductor pipe required		
For KCC Use ONLY  API # 15		
Remember to:   For KCC Use ONLY	must be completed within 30 days of the spud date or the well shall be	be plugged. In all cases, NOTIFY district office prior to any cementing.
Remember to:   For KCC Use ONLY		
Remember to:   For KCC Use ONLY	Cubmitted Fleetwenically	
For KCC Use ONLY  API # 15	Submitted Electronically	
API # 15	For KCC Use ONLY	Remember to:
Conductor pipe requiredfeetfeetfeet per ALT. I I II - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;		
Conductor pipe required	API # 15	
Minimum surface pipe requiredfeet per ALT. UI UII - File acreage attribution plat according to field proration orders;	Conductor pipe requiredfeet	
— — The deleage authorition plat decorating to held protation eracte,	Minimum surface pipe requiredfeet per ALT.	
Approved by:   - Notify appropriate district office 48 hours prior to workover or re-entry	Approved by:	Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CP-4) after plugging is completed (within 60 days):		
This authorization expires:	·	
- If well will not be drilled or permit has expired (See: authorized expiration date)	1 2	

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Agent:

Date:
2

Side Two



For KCC Use ONLY
API # 15

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:										ounty:				
Lease:										fe	et from	N /	S Line	of Section
Well Number:						fe	_		W Line	of Section				
Field:					Se	c	Twp		S. R		E	W		
Number of A	cres attri	butable to	well:				- le	Section:	□ Ra	gular or	Irregular			
QTR/QTR/Q	TR/QTR	of acreag	e:				-	oection.		guiai oi	_ irregulai			
									<b>s Irregul</b> ner used	ar, locate we		arest corne SE SW	r bound	lary.
I					d electrical	he neares lines, as l		y the Ka	nsas Sur	e. Show the p face Owner N			032).	
			:	:	:		:	. (	)- 16	5 ft.				
				:	:			: ]			LEGE	ND		
			:											
		:	:	:	:		•	:		0	Well Lo	ocation		
			:	:			:	:			Tank B	attery Loca	ation	
			•	•	• • • • • • • • • • • • • • • • • • • •						<ul><li>Pipelin</li></ul>	e Location		
		:	:	:	:		:	:			Electric	Line Loca	ation	
			:	:			:					Road Loca		
			:	:	:		•	:			Lease	Noau Loca	шоп	
	•••••								••					
			:	:			•	:						
			:	:	:			:		EXAMPL	E :	:		
	:	· :	<u>·                                    </u>	<del>.</del>		:	<u>.                                    </u>	:	_		:			
			:	1	6					:	:			
			:	:	:			:		:	:	:		
	• • • • • • • • • • • • • • • • • • • •				•••••						:			
			:	:	:			:		:	:	:		
			:	:				:					• • • • • • •	
	•••••				•••••	• • • • • • • • • • • • • • • • • • • •								1980' FSL
			:	:	:			:			Y			
			:	:				:						
		• • • • • • • • • • • • • • • • • • • •	•							:		÷		
	:	:	:	:	:	:	:	:		:	<b>┌</b> ┴─∭	:		
			:	:	:			:			<u> </u>	:		
			:	:						SEWARD CO.	3390' FEL			
L														

5115 ft.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1228784

Form CDP-1 May 2010 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:				
Operator Address:						
Contact Person:			Phone Number:			
Lease Name & Well No.:			Pit Location (QQQQ):			
Type of Pit:  Emergency Pit  Burn Pit  Settling Pit  Drilling Pit  Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water A	Pit is:  Proposed  If Existing, date col  Pit capacity:  urea?  Yes	Existing nstructed: (bbls)	SecTwp R East West Feet from North / South Line of Section Feet from East / West Line of Section County Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	Length (fee					
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining acluding any special monitoring.			
Distance to nearest water well within one-mile of	of pit:	Depth to shallowest fresh water feet. Source of information:				
feet Depth of water well	feet	measured	well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all s		Type of materia	over and Haul-Off Pits ONLY:  all utilized in drilling/workover:  king pits to be utilized:  procedure:			
flow into the pit? Yes No  Drill pits must be closed within 365 days of spud date.  Submitted Electronically						
	KCC	OFFICE USE O	NLY  Liner Steel Pit RFAC RFAS			
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No			



## Kansas Corporation Commission Oil & Gas Conservation Division

1228784

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #					
Name:	· — —				
Address 1:	•				
Address 2:	Lease Name: Well #:				
City:         State:         +	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:				
Phone: ( ) Fax: ( )					
Email Address:	-				
Surface Owner Information:					
Name:					
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the				
Address 2:					
City: State: Zip:+	_				
are preliminary non-binding estimates. The locations may be entered	ank batteries, pipelines, and electrical lines. The locations shown on the plat If on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.				
Select one of the following:					
owner(s) of the land upon which the subject well is or will be	e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form m being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.				
KCC will be required to send this information to the surface	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ess of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form.				
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form C	ng fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.				
Submitted Electronically					
I					

For KCC Use ONLY	
API#15	

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Al-U Lease: Tete Well Number: Fleid:	ωΑτΕΡ <u>ς</u> - WS	INC.				5[]. 	<del></del>
Number of Acres ett: QTR/QTR/QTR/QTR			·		18 5	Section:	Regular or Irregular
							regular, locale well from nearest corner boundary. used: NE NW SE SW
			ilines and electric	o the neares	equired b	y the Kansa	ary line. Show the predicted locations of a Surface Owner Notice Act (House Bill 2032). ad.
							C Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
							EXAMPLE
		*********					1980' FSL

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in toolege).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells).

SEWARD CO. 3880" FEL.

5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.