



Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION 1228787
OIL & GAS CONSERVATION DIVISION

Form ACO-1
August 2013

Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # _____

Name: _____

Address 1: _____

Address 2: _____

City: _____ State: _____ Zip: _____ + _____

Contact Person: _____

Phone: (_____) _____

CONTRACTOR: License # _____

Name: _____

Wellsite Geologist: _____

Purchaser: _____

Designate Type of Completion:

- New Well Re-Entry Workover
- Oil WSW SWD SIOW
- Gas D&A ENHR SIGW
- OG GSW Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

- Deepening Re-perf. Conv. to ENHR Conv. to SWD
- Plug Back Conv. to GSW Conv. to Producer
- Commingled Permit #: _____
- Dual Completion Permit #: _____
- SWD Permit #: _____
- ENHR Permit #: _____
- GSW Permit #: _____

Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date
-----------------------------------	-----------------	---

API No. 15 - _____

Spot Description: _____

_____ - _____ - _____ Sec. _____ Twp. _____ S. R. _____ East West

_____ Feet from North / South Line of Section

_____ Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE NW SE SW

GPS Location: Lat: _____, Long: _____
(e.g. xx.xxxxx) (e.g. -xxx.xxxxx)

Datum: NAD27 NAD83 WGS84

County: _____

Lease Name: _____ Well #: _____

Field Name: _____

Producing Formation: _____

Elevation: Ground: _____ Kelly Bushing: _____

Total Vertical Depth: _____ Plug Back Total Depth: _____

Amount of Surface Pipe Set and Cemented at: _____ Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: _____

feet depth to: _____ w/ _____ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: _____ ppm Fluid volume: _____ bbls

Dewatering method used: _____

Location of fluid disposal if hauled offsite:

Operator Name: _____

Lease Name: _____ License #: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Permit #: _____

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Confidentiality Requested
Date: _____
- Confidential Release Date: _____
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT I II III Approved by: _____ Date: _____



1228787

Operator Name: _____ Lease Name: _____ Well #: _____

Sec. _____ Twp. _____ S. R. _____ East West County: _____

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No List All E. Logs Run: _____	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum
--	---

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Did you perform a hydraulic fracturing treatment on this well? Yes No *(If No, skip questions 2 and 3)*

Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? Yes No *(If No, skip question 3)*

Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? Yes No *(If No, fill out Page Three of the ACO-1)*

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____ Liner Run: Yes No

Date of First, Resumed Production, SWD or ENHR: _____ Producing Method:
 Flowing Pumping Gas Lift Other *(Explain)* _____

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <input type="checkbox"/> Other <i>(Specify)</i> _____ <i>(Submit ACO-4)</i>	PRODUCTION INTERVAL: _____ _____
--	---	---

CEMENT FIELD TICKET AND TREATMENT REPORT

Customer	BPG CAPITOL	State, County	Montgomery , Kansas	Cement Type	CLASS A
Job Type	LS	Section	7	Excess (%)	30%
Customer Acct #		TWP	34	Density	14
Well No.	PETERSON A 203	RGE	14	Water Required	7.9
Mailing Address		Formation		Yield	1.73
City & State		Tubing		Sacks of Cement	160
Zip Code		Drill Pipe		Slurry Volume	50
Contact	DAMON	Casing Size	4.5" 10.5#	Displacement	24.3
Email		Hole Size	6.75"	Displacement PSI	450
Cell	6205050778	Casing Depth	1523	MIX PSI	300
Dispatch Location	BARTLESVILLE	Hole Depth	1525	Rate	4.5
Code	Cement Pump Charges and Mileage	Quantity	Unit	Price per Unit	
5401	CEMENT PUMP (2 HOUR MAX)	1	2 HRS MAX	\$1,085.00	\$ 1,085.00
5402	FOOTAGE	1523	PER FOOT	\$0.23	\$ 350.29
5406	EQUIPMENT MILEAGE (ONE-WAY)	29	PER MILE	\$4.20	\$ 121.80
5407	MIN. BULK DELIVERY (WITHIN 50 MILES)	1	PER LOAD	\$368.00	\$ 368.00
5621	4 1/2 INCH PLUG CONTAINER	1	PER UNIT	\$215.00	\$ 215.00
0		0		\$0.00	\$ -
0		0		\$0.00	\$ -
0		0		\$0.00	\$ -
0		0		\$0.00	\$ -
EQUIPMENT TOTAL					\$ 2,140.09
Cement, Chemicals and Water					
1126	OWC. CEMENT (CAL SEAL) 6%OWC. 2% CAL. CLORIDE 2% GE	160	0	\$19.75	\$ 3,160.00
1118B	PREMIUM GEL/BENTONITE (50#)	150	0	\$0.22	\$ 33.00
1107A	PHENOSEAL	80	0	\$1.35	\$ 108.00
1110A	KOL SEAL (50 # SK)	1000	0	\$0.46	\$ 460.00
1111	GRANULATED SALT (50#) SELL BY #	1100	0	\$0.39	\$ 429.00
0		0		\$0.00	\$ -
0		0		\$0.00	\$ -
0		0		\$0.00	\$ -
0		0		\$0.00	\$ -
0		0		\$0.00	\$ -
0		0		\$0.00	\$ -
0		0		\$0.00	\$ -
0		0		\$0.00	\$ -
0		0		\$0.00	\$ -
1123	CITY WATER (PER 1000 GAL)	7980	Per 1000 Gal	\$17.30	\$ 138.05
Chemical Total					\$ 1,653.75
Cement Water Transports					
5501C	WATER TRANSPORT (CEMENT)	3	ATER TRANSPORT (CEME	\$120.00	\$ 360.00
5502C	80 BBL VACUUM TRUCK (CEMENT)	2	BL VACUUM TRUCK (CEM	\$100.00	\$ 200.00
0		0		\$0.00	\$ -
Transports Total					\$ 560.00
Cement Floating Equipment (TAXABLE)					
Cement Basket					
0			0	\$0.00	\$ -
Centralizer					
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
Float Shoe					
0			0	\$0.00	\$ -
Float Collars					
0			0	\$0.00	\$ -
Guide Shoes					
0			0	\$0.00	\$ -
Baffle and Flapper Plates					
0			0	\$0.00	\$ -
Packer Shoes					
0			0	\$0.00	\$ -
DV Tools					
0			0	\$0.00	\$ -
Ball Valves, Swedges, Clamps, Misc.					
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
Plugs and Ball Sealers					
4404	4' 1/2" RUBBER PLUG	1	PER UNIT	\$47.25	\$ 47.25
Downhole Tools					
0			0	\$0.00	\$ -
CEMENT FLOATING EQUIPMENT TOTAL					\$ 47.25
TRUCK#	DRIVER NAME			SUB TOTAL	\$ 4,401.09
674	DONNIE			SALES TAX	\$ 275.64
700 T133	SCOTT C			TOTAL	\$ 4,676.73
741 T93	COLBY N			5% (-DISCOUNT)	\$ 220.05
518	JEFF F			DISCOUNTED TOTAL	\$ 4,456.68
	GREGG H				
TP	NUNNLEY				
80VAC	NUNNLEY				

AUTHORIZATION _____

DATE _____

TITLE _____

FOREMAN 

I ACKNOWLEDGE THAT THE PAYMENT TERMS, UNLESS SPECIFICALLY AMENDED IN WRITING ON THE FRONT OF THE FORM OR IN THE CUSTOMER'S ACCOUNT RECORDS, AT OUR OFFICE,

CEMENT FIELD TICKET AND TREATMENT REPORT

Customer	BPG CAPITOL	State, County	Montgomery , Kansas	Cement Type	
Job Type	LS	Section	7	Excess (%)	30%
Customer Acct #	0	TWP	34	Density	14
Well No.	PETERSON A 203	RGE	14	Water Required	7.9
Mailing Address	0	Formation	0	Yeild	1.73
City & State	0	Tubing	0	Sacks of Cement	160
Zip Code	0	Drill Pipe	0	Slurry Volume	50
Contact	DAMON	Casing Size	4.5" 10.5#	Displacement	24.3
Email	0	Hole Size	6.75"	Displacement PSI	450
Cell	6205050778	Casing Depth	1523	MIX PSI	300
Dispatch Location	BARTLESVILLE	Hole Depth	1525	Rate	4.5
Time:	Description	Rate (bpm)	Volume (bbl)	Pressure	Notes
	SAFTY MTG AND RIG UP				
	WASH				
	RIG REST OF EQUIPMENT UP				
	BATCH MIXER BATCH 160SX				
	REESTABLISH CIRC WITH GEL AND H2O	4.5	25	300	
	RUN 160SX	4.5	CAL 50RAN 53	300	
	WASH PUMP LINES RELEASE PLUG			450	
	DISPL	4.5	24.3		
	PLUG LANDED			1300	
	CMT TO SURF				
	Amount of Cement Left in Casing	0 ft			
Remarks:					
LEAVE BARTLESVILLE AT 8AM ARRIVE ON LOC AT 900AM. SAFTY MTG AND RIG UP. WASHCASING DOWN. THEN RIG BAL OF EQUIPMENT WHILE BATCH MIXER					
BATCHES 160SX CLASS A WITH 6% OWC 2% GEL 2% CAL 6# KOL 10% SALT AND .4 PHENO. RUNNING 50BBL SLURRY. WASH PUMP LINES AND RELEASE PLUG					
DISPL 24.3 BBL TO LAND PLUG. PLUG LANDED AT 1300# HELD TIL STATIC. RELEASE .5 RETURN					
WASH UP AND RIG DOWN					
THANK YOU					

Shut well in w/ 400#



M.O.K.A.T. Drilling Inc.

P.O. BOX 590
Caney, KS 67333

Phone: (620)879-5377 Cell: (620)252-8338

Invoice

"For All Your Drilling Needs"
Specializing In Coal Gas

DATE	INVOICE NO.
5/15/2014	1509

BILL TO
BPG CAPITAL, LCC 4425 E. HWY 355 SUITE 107 GRANBURY, TX 76049

P.O. No.

WELL No.	LEASE
203	PETERSON A

DESCRIPTION	QTY	RATE	AMOUNT
1510' DRILLED AT \$9.00 PER FT.	1,510	9.00	13,590.00
15' OF MISS DRILLED AT \$11.00 PER FT.	15	11.00	165.00
SAMPLE BAGS	30	0.50	15.00

THANK YOU FOR YOUR BUSINESS	Total	\$13,770.00
-----------------------------	--------------	-------------

