Confidentiality Requested: Yes No

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

1229081

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM

		•••			•••••	•
WELL	HISTORY	- DESCR	RIPTION	OF V	VELL 8	& LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
Gas D&A ENHR SIGW	Elevation: Ground: Kelly Bushing:
OG GSW Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
Dual Completion Permit #:	
SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #:	Operator Name:
GSW Permit #:	Lease Name: License #:
Canad Data are Data Data data TD Completing Data are	Quarter Sec Twp S. R East _ West
Spud Date orDate Reached TDCompletion Date orRecompletion DateRecompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

	Page Two	
Operator Name:	Lease Name:	Well #:
Sec TwpS. R East West	County:	

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sheets)		Yes No		-	on (Top), Depth a		Sample
Samples Sent to Geological Survey		Yes No	Name	9		Тор	Datum
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No					
List All E. Logs Run:							
			RECORD New		ion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQU	EEZE RECORD			
Purpose:	Depth	Tupo of Comont	# Socka Llood		Type and [Paraant Additivaa	

Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
Protect Casing				
Plug Off Zone				

Did you perform a hydraulic fracturing treatment on this well?	Yes
Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?	Yes
Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?	Yes

(If No, skip questions 2 and 3) No No (If No, skip question 3)

No

No

(If No, fill out Page Three of the ACO-1)

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated						ement Squeeze Record of Material Used)	Depth		
TUBING RECORD:	Siz	ze:	Set At:		Packer	r At:	Liner R	un:	No	
Date of First, Resumed	Producti	ion, SWD or ENHF	} .	Producing N	lethod:	ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wate	er	Bbls.	Gas-Oil Ratio	Gravity
						1				
DISPOSITION OF GAS:			METHOD OF COMPLETIN		TION:		PRODUCTION IN	TERVAL:		
Vented Solo	J 🗌 L	Jsed on Lease		Open Hole	Perf.		Comp.	Commingled		
(If vented, Su	bmit ACC	0-18.)		Other (Specify)		(Submit)	,	(Submit ACO-4)		

	ONSOLIDATED	267111		TICKET NUM	BER 42	172
	DH Well Services, LLC	α 0/111		LOCATION_	2++qu	19
	-			FOREMAN	Slan 1	lale.
	nanute, KS 66720 ^I or 800-467-8676	FIELD TICKET & TRE		PORT		
DATE		VELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
1-2-14	7752 Dic	e I.z.	NW 27	26	18	AL
502	Resources		TRUCK #	DRIVER	TRUCK #	DRIVER
AILING ADDRE 86141		۵.	730	Ala Made	Safer	Mee
<u> 0 6 1 °/ </u> ITY	<u>Ceda-spur</u> Istate		368	Per Mas		
Houston	Tx	77055	615	Ke: Det	·	ļ
	GSTAINS HOLE SIZE	578 HOLE DEP	TH 88D	CASING SIZE & 1		7/3
ASING DEPTH_	8.56 DRILL PIPE				OTHER	
LURRY WEIGHT				CEMENT LEFT in		'es
SPLACEMENT	<u> </u>		VD	RATE 4	ban	
EMARKS: Me hole	rad neeting	he 122 at pu	unped 1	20# gel	to +14	54
(/ / · · ·	lated in	nent, Flui	1 bu ce	ment	plus à	278 98
to cos	in TD.	Well held	sned p 800 1	ump OCT	Mmper	2 Aluc
n IT	Set flo	at at	000 1	0-1 JON	_ 30 _	Mingh
			·····			·····
			_		1	
JTC	, Jeff				Made	3 <u>~</u>
JTC	, Set			1 len a	Made	3 <u>~</u>
JTG	, Sett		A		Mode	3 <u>~</u>
JTC ACCOUNT CODE	QUANITY or UNITS	DESCRIPTION of				TOTAL
ACCOUNT CODE S701	QUANITY or UNITS	DESCRIPTION of PUMP CHARGE	of SERVICES or PRO			TOTAL
	QUANITY or UNITS		of SERVICES or PR			TOTAL 1085
соре 5701 5706 5702	1	PUMP CHARGE	of SERVICES or PR			TOTAL 1085
соре 5701 5706 5702 5707 А) 855 343.78	PUMP CHARGE MILEAGE	A of SERVICES or PRO Sotage			1085-2
соре 5701 5706 5702 5707 А	1	PUMP CHARGE MILEAGE	A) of SERVICES or PRO Solage	ODUCT 368 368 368		TOTAL 1085 484, 73 150
соре 5701 5706 5702 5707 А) 855 343.78	PUMP CHARGE MILEAGE	A of SERVICES or PRO 20190-	ODUCT 368 368 368 368 368		1085-2
соре 5701 5706 5702 5707 А	1 855 343.78 172	PUMP CHARGE MILEAGE CGG ing J TOMA 1/4 80 MG	sotare	ODUCT 368 368 368 368 368		1085
соре 5701 5706 5702 5707 А	1 855 343.28 12 12 55	PUMP CHARGE MILEAGE CGG ing J TOMA 1/4 80 MG	A of SERVICES or PRO 20tage 5 u ont	ODUCT 368 368 368 368 368		1085
соре 5701 5706 5702	1 855 343.78 172	PUMP CHARGE MILEAGE CGG ing J TOMA 1/4 80 MG	votase s nant	ODUCT 368 368 348 475	UNIT PRICE	1085-2
соре 5701 5706 5702 5707 А	1 855 343.28 12 12 55	PUMP CHARGE MILEAGE CGG ing J TOMA 1/4 80 MG	nant Majer;	ODUCT 368 368 368 348 675 1 546.	UNIT PRICE	1085-2
соре 5701 5706 5702 5707 А	1 855 343.28 12 12 55	PUMP CHARGE MILEAGE CGG ing J TOMA 1/4 80 MG	nant Majer;	000UCT 368 368 368 348 475 475 1 546 30%	UNIT PRICE	1085
CODE 5701 5706 5707 5026 124 118B	1 855 343.28 12 12 55	PUMP CHARGE MILEAGE GGGig J TO Mile 80 Mg 50/50 CR gel	nant Majer;	ODUCT 368 368 368 348 675 1 546.	UNIT PRICE	1085-2
соре 5701 5706 5702 5707А 5026 125026	1 855 343.28 12 12 55	PUMP CHARGE MILEAGE CGG ing J TOMA 1/4 80 MG	nant Majer;	000UCT 368 368 368 348 475 475 1 546 30%	UNIT PRICE	1085
соре 5701 5706 5702 5707 А	1 855 343.28 12 12 55	PUMP CHARGE MILEAGE GGGig J TO Mile 80 Mg 50/50 CR gel	nant Majer;	000UCT 368 368 368 348 475 475 1 546 30%	UNIT PRICE	1085
CODE 5701 5706 5707 5026 12-1 118B	1 855 343.28 12 12 55	PUMP CHARGE MILEAGE GGGig J TO Mile 80 Mg 50/50 CR gel	nant Majer;	000UCT 368 368 368 348 475 475 1 546 30%	UNIT PRICE	1085
CODE 5701 5706 5707 5026 12-1 118B	1 855 343.28 12 12 55	PUMP CHARGE MILEAGE GGGig J TO Mile 80 Mg 50/50 CR gel	nant Majer;	000UCT 368 368 368 348 475 475 1 546 30%	UNIT PRICE	1085
CODE 5701 5706 5707 5026 12-1 118B	1 855 343.28 12 12 55	PUMP CHARGE MILEAGE GGGig J TO Mile 80 Mg 50/50 CR gel	nant Majer;	000UCT 368 368 368 348 475 475 1 546 30%	UNIT PRICE	1085
соре 5706 5706 5707А 5026 125026	1 855 343.28 12 12 55	PUMP CHARGE MILEAGE GGGig J TO Mile 80 Mg 50/50 CR gel	nant Majer;	000UCT 368 368 368 348 475 475 1 546 30%	UNIT PRICE	1085

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at pur office, and conditions of service on the back of this form are in effect for services identified on this form

	Operator License #	34897		API #		15-001-309	35-00-0	0	
	Operator	SCZ Resources		Lease Na	me	Kendall Dice			
	Address	8614 Cedarspur Drive		Well #	Well #		1-27		
	City	Houston, TX 7705							
	Contractor	JTC Oil, Inc.		Spud Dat	e	3/27/2014			
	Contractor License #	32834		Cement Date		-,,			
	T.D.	880		Location		Sec 27	T 26	R 18	
	T.D. of pipe	854			660	feet from	N	line	
	Surface pipe size	7"				feet from	W	line	
	Surface pipe depth	20'		County	1010	Allen	••	inte	
	Well Type	Injection		oounty		, and the			
	Driller's	-							
Thickness	Strata	From	То						
6	dirt	0	6						
38	lime	6	44						
24	shale	44	68						
12	lime	68	80						
48	shale	80	128						
67	lime	128	195						
6	shale	195	201						
25	lime	201	226						
5	shale	226	231						
26	lime	231	257						
4	shale	257	261						
19	lime	261	280						
163	shale	280	443						
9	lime	443	452						
10	shale	452	462					30	
1	sand	462	463	ok					
2	good	463	465						
2	good	465	467						
90	shale	467	557						
15	lime	557	572						
39	shale	572	611						
16	lime oil	611	627						
8	shale	627	635						
4	lime	635	639						
148	shale	639	787						
1	sand	787	788						
8	shale	788	796						
2	top	796	798	ok					
2	top	798	800	ok					
2	end	800	802						
78	shale	802	880						