Confidentiality Requested: Yes No

## KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

1229164

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License #   | API No. 15   |  |  |  |  |
|---|--|--|--|--|--|
| Name:   | Spot Description:  |  |  |  |  |
| Address 1:  |  |  |  |  |  |
| Address 2:  | Feet from Dorth / South Line of Section                  |  |  |  |  |
| City: State: Zip:+  | Feet from East / West Line of Section                    |  |  |  |  |
| Contact Person:   | Footages Calculated from Nearest Outside Section Corner: |  |  |  |  |
| Phone: ()   |  |  |  |  |  |
| CONTRACTOR: License #   | GPS Location: Lat:, Long:                                |  |  |  |  |
| Name:   | (e.g. xx.xxxx) (e.gxxx.xxxx)                             |  |  |  |  |
| Wellsite Geologist:   | Datum: NAD27 NAD83 WGS84                                 |  |  |  |  |
| Purchaser:  | County:  |  |  |  |  |
| Designate Type of Completion:                                       | Lease Name: Well #:                                      |  |  |  |  |
| New Well Re-Entry Workover  | Field Name:  |  |  |  |  |
|   | Producing Formation:                                     |  |  |  |  |
| ☐ Oil ☐ WSW ☐ SWD ☐ SIOW<br>□ Gas □ D&A □ ENHR □ SIGW               | Elevation: Ground: Kelly Bushing:                        |  |  |  |  |
| OG GSW Temp. Abd.   | Total Vertical Depth: Plug Back Total Depth:             |  |  |  |  |
| CM (Coal Bed Methane)   | Amount of Surface Pipe Set and Cemented at: Feet         |  |  |  |  |
| Cathodic Other (Core, Expl., etc.):                                 | Multiple Stage Cementing Collar Used?                    |  |  |  |  |
| If Workover/Re-entry: Old Well Info as follows:                     | If yes, show depth set: Feet                             |  |  |  |  |
| Operator:   | If Alternate II completion, cement circulated from:      |  |  |  |  |
| Well Name:  | feet depth to:w/sx cmt.                                  |  |  |  |  |
| Original Comp. Date: Original Total Depth:                          |  |  |  |  |  |
| Deepening Re-perf. Conv. to ENHR Conv. to SWD                       | Drilling Fluid Management Plan                           |  |  |  |  |
| Plug Back   Conv. to GSW   Conv. to Producer                        | (Data must be collected from the Reserve Pit)            |  |  |  |  |
|   | Chloride content: ppm Fluid volume: bbls                 |  |  |  |  |
| Commingled Permit #:  | Dewatering method used:                                  |  |  |  |  |
| Dual Completion Permit #:   |  |  |  |  |  |
| SWD Permit #:  ENHR Permit #:                                       | Location of fluid disposal if hauled offsite:            |  |  |  |  |
| ENHR Permit #:  GSW Permit #:                                       | Operator Name:   |  |  |  |  |
|   | Lease Name: License #:                                   |  |  |  |  |
| Spud Date or Date Reached TD Completion Date or                     | Quarter Sec Twp S. R East West                           |  |  |  |  |
| Recompletion Date Reached TD Recompletion Date of Recompletion Date | County: Permit #:  |  |  |  |  |

## AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

## Submitted Electronically

| KCC Office Use ONLY             |
|---------------------------------|
| Confidentiality Requested       |
| Date:                           |
| Confidential Release Date:      |
| Wireline Log Received           |
| Geologist Report Received       |
| UIC Distribution                |
| ALT I II III Approved by: Date: |

|              |     |       |           | rage into   | 12291 |         |
|--------------|-----|-------|-----------|-------------|-------|---------|
| Operator Nar | ne: |       |           | Lease Name: |       | Well #: |
| Sec          | Twp | _S. R | East West | County:     |       |         |

Dogo Two

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

| Drill Stem Tests Taken<br>(Attach Additional Sheets) |                      | Yes No                            |                     | Log Formation (1 |                  | on (Top), Depth an | n (Top), Depth and Datum |                               |
|--|----------------------|-----------------------------------|---------------------|------------------|------------------|--------------------|--------------------------|-------------------------------|
| Samples Sent to Geolog                               | ical Survey          | Yes No                            |                     | Name             |                  |                    | Тор                      | Datum                         |
| Cores Taken<br>Electric Log Run                      |                      | ☐ Yes ☐ No<br>☐ Yes ☐ No          |                     |                  |                  |                    |                          |                               |
| List All E. Logs Run:                                |                      |                                   |                     |                  |                  |                    |                          |                               |
|  |                      |                                   |                     |                  |                  |                    |                          |                               |
|  |                      | CASING<br>Report all strings set- | RECORD              | New ace, inter   |                  | ion, etc.          |                          |                               |
| Purpose of String                                    | Size Hole<br>Drilled | Size Casing<br>Set (In O.D.)      | Weight<br>Lbs. / Ft |                  | Setting<br>Depth | Type of<br>Cement  | # Sacks<br>Used          | Type and Percent<br>Additives |
|  |                      |                                   |                     |                  |                  |                    |                          |                               |
|  |                      |                                   |                     |                  |                  |                    |                          |                               |
|  |                      |                                   |                     |                  |                  |                    |                          |                               |
|  |                      | ADDITIONA                         | L CEMENTING         | G / SQUE         | EEZE RECORD      |                    |                          |                               |
| Purpose:<br>Perforate                                | Depth<br>Top Bottom  | Type of Cement                    | # Sacks U           | sed              |                  | Type and P         | ercent Additives         |                               |
| Protect Casing                                       |                      |                                   |                     |                  |                  |                    |                          |                               |
| Plug Off Zone  |                      |                                   |                     |                  |                  |                    |                          |                               |

Yes

| Did you perform a hydraulic fracturing treatment on this well?  | Yes |
|---|-----|
| Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? | Yes |
| Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?     | Yes |

| No | (If No, skip questions 2 and 3) |
|----|---------------------------------|
| No | (If No, skip question 3)        |

No (If No, fill out Page Three of the ACO-1)

| Shots Per Foot                       | PERFORATION RECORD - Bridge Plugs Set/Type<br>Specify Footage of Each Interval Perforated |                  |         |                        |         |                     |                      | ement Squeeze Record<br>I of Material Used) | Depth         |         |
|--------------------------------------|---|------------------|---------|------------------------|---------|---------------------|----------------------|---|---------------|---------|
|                                      |   |                  |         |                        |         |                     |                      |   |               |         |
|                                      |   |                  |         |                        |         |                     |                      |   |               |         |
|                                      |   |                  |         |                        |         |                     |                      |   |               |         |
|                                      |   |                  |         |                        |         |                     |                      |   |               |         |
|                                      |   |                  |         |                        |         |                     |                      |   |               |         |
| TUBING RECORD:                       | Siz   | ze:              | Set At: |                        | Packer  | r At:               | Liner R              | un:   | No            |         |
| Date of First, Resumed               | Producti  | ion, SWD or ENHF | }.      | Producing N            | lethod: | ping                | Gas Lift             | Other (Explain)                             |               |         |
| Estimated Production<br>Per 24 Hours |   | Oil Bb           | ls.     | Gas                    | Mcf     | Wate                | er                   | Bbls.                                       | Gas-Oil Ratio | Gravity |
|                                      |   | 1                |         |                        |         |                     |                      |   |               |         |
| DISPOSITION OF GAS:                  |   |                  |         | METHOD OF COMPLETION:  |         |                     | PRODUCTION INTERVAL: |   |               |         |
| Vented Sold Used on Lease            |   |                  |         | Open Hole              | Perf.   | Dually<br>(Submit ) |                      | Commingled<br>(Submit ACO-4)                |               |         |
| (If vented, Su                       | bmit ACO  | 9-18.)           |         | Other <i>(Specify)</i> |         | ,                   |                      | ,   |               |         |

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner Sam Brownback, Governor

October 24, 2014

Bud Rig 6 Drilling Co., Inc. 670 SOLDIER BRONSON, KS 66716

Re: ACO-1 API 15-207-28871-00-00 Kirk Jones 3 NW/4 Sec.36-23S-14E Woodson County, Kansas

Dear Bud:

K.A.R. 82-3-107 provides for all completion information to be filed within 120 days of the spud date. Subsection(e)(2) of that regulation states "All rights to confidentiality shall be lost if the filings are not timely."

The above referenced well was spudded on 3/22/2014 and the ACO-1 was received on October 23, 2014 (not within the 120 days timely requirement).

Therefore, your request for confidential treatment of data contained within the ACO-1 filing cannot be granted at this time.

If you should have any questions, please do not hesitate to contact me at (316)337-6200.

Sincerely,

**Production Department** 

|                                   | 9/2/ 0/622        |
|-----------------------------------|-------------------|
|                                   | 9454 >            |
| Fax 620/431-0012                  | 0/6               |
| 620/431-9210 • 1-800/467-8676     | GII Services, LLC |
| P.O. Box 884<br>Chanute, KS 66720 |                   |
|                                   | 011               |
|                                   |                   |

368.00

368.00

00°T

Oil Well Services, LLC CONSOLIDATED

| 8454-01277 XT , notsuoH            |
|------------------------------------|
| P.O. Box 4346                      |
| Dept. 970                          |
| Consolidated Oil Well Services, LL |
| OI AWA                             |

| τ      | əge,  | E         | 0E/¤'0T/0E/0 | :smrsT | <b>₽</b> T0Z/TE/E0 | Invoice Date: |
|--------|-------|-----------|--------------|--------|--------------------|---------------|
| =====  | ===== |           |              |        |                    |               |
| 266963 | :     | # esiovnī |              |        |                    | INVOICE       |

|    | SX         |
|----|------------|
|    | 03-27-2014 |
|    | 36-23N-14E |
|    | 42927      |
| #3 | KIKK JONES |

|     | ₽629-       | - 92 ( | (079) |
|-----|-------------|--------|-------|
|     | 67793       | KS     | AJOI  |
|     | 55 <i>1</i> | BOX    | .0.q  |
| JNI | DNITI       | פאם פ  | RIG 0 |

WIN. BULK DELIVERY

L99

| 00'STT  | 0097.      | 250.00 | KOL SEAL (50# BAG)             | AOLLL        |
|---------|------------|--------|--------------------------------|--------------|
| 00°800T | 20°700     | 50°00  | THICK SET CEMENT               | T126A        |
| 00°86T  | • 5 5 0 0  | 00.006 | <b>BKEWIQM GEP \ BENLONILE</b> | <b>1778B</b> |
| T62.00  | J.3500     | 120°00 | PHENOSERL (M) 40# BAG)         | ATOLL        |
| 07.EI71 | 13°1800    | 130°00 | 200 ALX MIX SOL 01/09          | τεττ         |
| Total   | υυτς Ρτίσε | ĞΓΛ    | Description                    | Part Number  |
|         |            |        |                                |              |

| ĹљЈоТ<br>∂І.∂68- |         |         | Description<br>CEMENT MATERIAL DISCOUNT | 9996-170<br>Bublet Performed |
|------------------|---------|---------|---|------------------------------|
| 82°L4            | 47.2500 | 00°T    | 4 J/S # RUBBER FLUG                     | <b>₽0₽₽</b>                  |
| 63.42            | £710.   | 00°00⊅S | CITY WATER                              | 1123                         |
| 00°79            | J.3500  | 00.0₽   | PHENOSEAL (M) 40# BAG)                  | ATOLL                        |
| 00°STT           | 009₽°   | 250.00  | KOL SEAL (50# BAG)                      | AOIII                        |
| 00°800T          | 20°700  | 20.00   | LHICK SEL CEWENL                        | ASLI                         |
| 00°86T           | .2200   | 00.006  | <b>BKEWIOW GEP \ BENLONILE</b>          | <b>11188</b>                 |
| 162.00           | 005E°T  | 120.00  | PHENOSEAL (M) 40# BAG)                  | ATOII                        |
| 07°8171          | 13°1800 | 130°00  | 00/40 POZ MIX                           | τεττ                         |
|                  |         |         |   |                              |

| 368.00  | 368.00     | 00°T  | WIN. BULK DELIVERY          | <b>TT9</b> |
|---------|------------|-------|-----------------------------|------------|
| 360.00  | 120°00     | 3.00  | WATER TRANSPORT (CEMENT)    | Т-103      |
| 00°68T  | 4.20       | 00°Sħ | EQUIPMENT MILEAGE (ONE WAY) | 587        |
| 00°580T | 1082°00    | 00°T  | CEWEML BOWB                 | 587        |
| ТьтоТ   | θητε Ρείσε | sinoH | Description                 |            |
|         |            |       |                             |            |
| CT CCO- |            |       |                             | -0666      |

| - | • ₽₽05       |       | 97.8  | 5000 C |         | тах   |                   | : ацбтэтч |     |
|---|--------------|-------|-------|--------|---------|-------|-------------------|-----------|-----|
|   |              | ===== | ====: | ====   | ======= | ===== | .================ |           | : = |
|   | ₽T0Z/0T/₽0 ₽ | afte  | pisą  | ₹£     | 6003.53 | əng   | JunomA            |           |     |

|         |           |          |     |           | ======== |            |  |  |  |
|---------|-----------|----------|-----|-----------|----------|------------|--|--|--|
|         | 00.       | срэпде:  | 00. | :səīĮddng | SI.868-  | : J L du R |  |  |  |
|         | 86.440    | Тотал: 5 | 00. | :DSTW     | 00.      | Labor:     |  |  |  |
| 86.4402 | AA 04.871 | :xsT     | 00. | :дүбтәлд  | 70.19£   | :sjieq     |  |  |  |
|         |           |          |     |           |          |            |  |  |  |

| 918/325-2650 | 307/686-4914 | ZHAYER, KS   | 242,4WATTO | 00000000000000000000000000000000000000 | 580/762-2303 | 620/583-7664 | EL DORADO, KS | 84RTLESVILLE, OK |
|--------------|--------------|--------------|------------|--|--------------|--------------|---------------|------------------|
| СПЗНІИС' ОК  | GILLETTE, WY | 6828-958/058 | 240,444    |  | 580/762-2303 | 620/583-7664 | 316/322-7022  | 918/338-0808     |
|              |              |              |            | 100.000                                |              |              |               | рәибтз           |