Confidentiality Requested: Yes No

# KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

1229805

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
	Elevation: Ground: Kelly Bushing:
OG   GSW   Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:      Dual Completion Permit #:	Dewatering method used:
Dual Completion         Permit #:           SWD         Permit #:	Location of fluid disposal if hauled offsite:
ENHR         Permit #:	Location of huid disposal if hadred offsite.
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Permit #:

#### AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

## Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II Approved by: Date:

	Page Two	1229805
Operator Name:	Lease Name:	Well #:
Sec TwpS. R East _ West	County:	

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sheets)		Yes No		-	on (Top), Depth a		Sample
Samples Sent to Geolog	ical Survey	Yes No	Name	9		Тор	Datum
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No					
List All E. Logs Run:							
		CASING Report all strings set-c	RECORD Ne		on, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQU	EEZE RECORD			
_							

Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
Protect Casing				
Plug Back TD				
Plug Off Zone				

No

Did you perform a hydraulic fracturing treatment on this well?	Yes
Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?	Yes
Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?	Yes

No	(If No, skip questions 2 and 3)
No No	(If No, skip question 3)

(If No, fill out Page Three of the ACO-1)

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated					e			ement Squeeze Record I of Material Used)	Depth
TUBING RECORD: Size: Set At:			t: Packer At:			Liner R	un:	No		
Date of First, Resumed Production, SWD or ENHR.			<b>}</b> .	Producing N		ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wat	er	Bbls.	Gas-Oil Ratio	Gravity
						1				
DISPOSITION OF GAS:			METHOD OF COMPLE		ETION: PRODUC		PRODUCTION IN	TERVAL:		
Vented Solo	J 🗌 L	Jsed on Lease				y Comp. Commingled				
(If vented, Su	bmit ACC	0-18.)		Other (Specify)	)	(Submit )		(Submit ACO-4)		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Form	ACO1 - Well Completion
Operator	K & N Petroleum, Inc.
Well Name	Klepper 15-1
Doc ID	1229805

All Electric Logs Run

CNL/CDL
DIL
MEL
SONIC



## TREATMENT REPORT

 $\int_{-\infty}^{\infty}$ 

Acid Stage No.	A	cid	Stage	No.
----------------	---	-----	-------	-----

C)

	<u>∠014</u> D .≪N PETROLE	istrict	F.O. N	o. <u>42671</u>	Type Treatment: Bkdown	Bbl./Gal.	Type Fluid			s of Sand
	& No. KLEPPER				]	Bbl./Gal.				
-			Field							
ounty BARTON State KS					1					-
							_ft. to		No. ft	
lasing:				Set atft.			_ft. to		No. ft	0
ormation:			Perf	to	1		ft. to	ft.	No. ft.	
ormation:			Perf		Actual Volume of C	Dil / Water to Load H	ole:			Bbl./Gal.
ormation:			Perf		4		0.1.0		<b>_</b> .	
	·····		Top atft.				31.8 Sp.	50-310	- <sup>1</sup> win	
			rom		Auxiliary Equipmer			10-310		
ubing:			Swung at ft. to							-
	rectosated fi				4					
Joen Hole	Size	T.D.	ft. P.	B. to ft.				Gals		łb.
	Representative		ED		Treater		BRAND	ON		
TIME	PRES	SURES				REMARK	c			
m./p.m.	Tubing	Casing	- Total Fluid Pumped			REWARK				
l:00				ON LOCATION						
						······································				
			ĺ	HOLE-367'						
				PIPE-367'						
				BREAK CIRCULA						
				MIX 275 SKS 60,	/40 2% GEL	3% CAL CHL	ORIDE AND	CIRCULAT	ED CE	MENT
				TO SURFACE						
										<u>.</u>
3:45				PUMP 22 BBL W	ATER AT 5	BPM 300#				
				SHUT IN		·····				
,										·
. <u> </u>				THANKS			<u> </u>			
				BRANDON		<u> </u>				
	<u> </u>							<u></u>		
<del></del>							·····			
<u> </u>	<u> </u>									
<b></b>	<u> </u>									
<u></u>	+						.,			
<del></del>										
<u></u>							<u></u>			
	<u> </u>						······································			
							·····			
	1		<u> </u>	<u> </u>						



### TREATMENT REPORT

	Acid Stage No.		
Town Divid	Found Cine	Day	

					Type Treatment:	Amt.	Type Fluid	Sand Size	Pound	s of Sand	
Date 8	/23/2014 c	istrict G.B.	F.O. No.	o. C42696	Bkdown	Bbl./Gat					
Company K&N Petroleum											
Well Name	e & No. Klepper	15-1				Bbl./Gal.					
Location			Field								
County	Barton		State KS		Flush	Bbl./Gal.				·····	
					Treated from	ft.	to	ft.	No. ft.	0	
Casing:	Size 4.5"	Type & Wt.	14.0#	Set at	ft. from	ft.	to	ft.	No. ft	0	
Formation	:		Perf	to	from	ft.	to		No. ft.	0	
Formation	:		Perf	to	Actual Volume of Oil	l / Water to Load Hole:				Bb1./Gal.	
Formation	:		Perf.	to							
Liner: Si			Top atft.		ft. Pump Trucks. N	Io. Used: Std3	20 Sp		Twin		
	Cemented: Yes	▼ Perforated f	rom	ft. to	ft. Auxiliary Equipment						
Tubing:	Size & Wt.		Swung at		ft. Personnel Nathan Greg Jordan Jeff						
	Perforated f	rom	ft. to								
					Plugging or Sealing 1	Viaterials: Type					
Open Hole	e Size	T.D	ft. P.	B. to	_ft.			Gałs		1b.	
Company	Representative		ED		Treater		Nathan	W.			
TIME		SURES								اند. حند معتد الم	
a.m./p.m.	. Tubing	Casing	<ul> <li>Total Fluid Pumped</li> </ul>			REMARKS					
12:30		5.5"		On Location.	Laying down (	collars.					
				Hole-3450'	Cent	ralizers-1-2-4	-7-9-11				
Pipe-3				Pipe-3448'	ipe-3448' Basket-4						
				Break circulation with mud pump and circulate for 1 hour while rotating.							
										ating.	
				Tie on 5.5" casing and pump 500gal Super Flush.							
<b> </b>				······································	<u>ÿi</u>	<u>v                                </u>					
				Plug Rat Hole with 30sks 60/40poz							
			Plug mouse ho								
<b> </b>	1										
		1	-	Mix 200sks 60	Mix 200sks 60/40poz 2% gel 12% salt .75% C41 .75% C41p 5#/sk Gilsonite						
while rotating p											
<u> </u>	Wash out pump and lines.										
Displace with 83.7bbls at 6.5bpm-900# while rot							hile rotati	ng pipe.			
		-		pippinge mill our pop at cloup in coor mille rotating piper							
				Plug landed a	t 1500#					-	
	1			Plug landed at 1500# Released pressure. Flaot held.							
		-				· · · · · · · · · · · · · · · · · · ·					
6.10			-	Wash up.							
6:10											
<b> </b>				Thank You!							
	1			Indik IOU!							
				Nothon W/							
L		<u> </u>		Nathan W.							