Confidentiality Requested: Yes No

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

1230134

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #		API No. 15
Name:		Spot Description:
Address 1:		
Address 2:		Feet from North / South Line of Section
City: State: Zi	p:+	Feet from East / West Line of Section
Contact Person:		Footages Calculated from Nearest Outside Section Corner:
Phone: ()		
CONTRACTOR: License #		GPS Location: Lat:, Long:
Name:		(e.g. xx.xxxx) (e.gxxx.xxxxx)
Wellsite Geologist:		Datum: NAD27 NAD83 WGS84
Purchaser:		County:
Designate Type of Completion:		Lease Name: Well #:
New Well Re-Entry	Workover	Field Name:
		Producing Formation:
	☐ SIGW	Elevation: Ground: Kelly Bushing:
	Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)		Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):		Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:		If yes, show depth set: Feet
Operator:		If Alternate II completion, cement circulated from:
Well Name:		feet depth to:w/sx cmt.
Original Comp. Date: Original T	otal Depth:	
Deepening Re-perf. Conv. to E	NHR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Conv. to G	SW Conv. to Producer	(Data must be collected from the Reserve Pit)
		Chloride content: ppm Fluid volume: bbls
		Dewatering method used:
		Location of fluid disposal if hauled offsite:
		Operator Name:
		Lease Name: License #:
Spud Date or Date Reached TD	Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date	Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

	Page Two	1230134
Operator Name:	Lease Name:	Well #:
Sec TwpS. R East _ West	County:	

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional She	acts)	Yes No		.og Formatic	on (Top), Depth an	d Datum	Sample
Samples Sent to Geolog		Yes No	Nam	e		Тор	Datum
Cores Taken Electric Log Run		Yes No					
List All E. Logs Run:							
		CASING Report all strings set-c			on, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQU	JEEZE RECORD			
Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used		Type and Pe	ercent Additives	
Protect Casing Plug Back TD							
Plug Off Zone							
Did you perform a hydraulic	fracturing treatment of	on this well?		Yes	No (If No, skip	o questions 2 an	d 3)
	0	raulic fracturing treatment ex	ceed 350,000 gallons			o question 3)	

W

as the hydraulic fractur	ring treat	ment information s	ubmittee	d to the chemical di	sclosure	registry?	Ye	s No (If N	No, fill out Page Three of the	ACO-1)
Shots Per Foot				RD - Bridge Plugs Each Interval Perfo		e	,		ement Squeeze Record I of Material Used)	Depth
TUBING RECORD:	Siz	ze:	Set At	:	Packer	At:	Liner R	un:	No	
Date of First, Resumed	Product	ion, SWD or ENHF	۶.	Producing Metho	od: Pump	ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas N	∕lcf	Wate	er	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITI	ON OF G	BAS:							PRODUCTION INT	ERVAL:
Vented Solo		Used on Lease		Open Hole	Perf.	Uually (Submit A	Comp. A <i>CO-5)</i>	Commingled (Submit ACO-4)		
(If vented, Su	bmit ACC	-18.)		Other (Specify)						

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

EVELOPMENT NC, 11 Lewis Drive

Oil & Gas Well Drilling Water Wells Geo-Loop Installation

> Phone: 913-557-9083 Fax: 913-557-9084

WELL LOG JRC Oil Company, Inc. Daniel #DI-7 API #15-003-26,163 May 13 - May 14, 2014

Paola, KS 66071

Thickness of Strata	Formation	Total
14	soil & clay	14
26	shale	40
1	lime	41
1	shale	42
23	lime	65
55	shale	120
7	lime	127
17	shale	144
9	lime	153
6	shale	159
38	lime	197
10	shale	207
23	lime	230
5	shale	235 oil show
13	lime	248 base of the Kansas City
22	shale	270
6	sand	276
140	shale	416
2	lime	418
9	shale	427
4	lime	431
5	shale	436
8	lime	444
46	shale	490
1	coal	491
2	shale	493
14	lime	507
4	shale	511
3	lime	514
6	shale	520
3	lime	523
24	shale	547
9	lime	556
22	shale	578
2	lime	580
36	shale	616
32	broken sand	648 brown & grey, ok bleeding
26	shale	674
- 1	coal	675
	ಂತಂತಂತಂದ	

Daniel #DI-7

Page 2

41	shale	716	
1	coal	717	
34	shale	751	
18	broken sand	769 brown & grey 50% shale	
1	coal	770	
43	shale	813 TD	

Drilled a 9 7/8" hole to 22.4' Drilled a 5 5/8" hole to 770'

Set 22.4' of 7" surface casing, cemented with 4 sacks cement.

Set 810' of use 2 7/8" 8 round upset tubing including 3 centralizers, 1 float shoe,1 clamp.

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

0

14

8

撒

Payless Concrete Products, Inc.

CONDITIONS Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request. NOTICE TO OWNER Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

LEASE: DANIEL

J. R. C. OIL COMPANY, INC. 25558 NE WILSON RD.

169 N THRU ROUNDABOUT TO 1750RD(4TH ST) E GMT TO WILSON

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK	2 Air	PLANT/TRANSACTION #
11:23 AM	WELL	9.00	45.00		35		ANDCO
DATE	PO NUMBER	LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
5/20/14	JELLS .	53	45.ØØ	110	0.20	4.00 in	36818
Contains Portland Cement. CAUSE BURNS. Avoid Co. Contact With Skin or Eyes Attention. KEEP CHILDREF CONCRETE is a PERISHABLE LEAVING the PLANT. ANY C TELEPHONED to the OFFICE The undersigned promises to any sums owed. All accounts not paid within 30 of	WARPNING Wear Rubber Boots and Gloves. P ontact With Eyes and Prolonged Co , Flush Thoroughly With Water, If Ir N AWAY. COMMODITY and BECOMES the PROP HANGES OR CANCELLATION of ORIG BEFORE LOADING STARTS. pay all costs, including reasonable attor days of delivery will bear interest at the rate Aggregate or Color Quality. No Claim	ROLONGED CONTACT MAY mitation Persists, Get Medical ERTY of the PURCHASER UPON INAL INSTRUCTIONS MUST be neys' fees, incurred in collecting to (24% per annum.	Dear Customer-The driver of this tr you for your signature is of the opin truck may possibly cause damage property if it places the material in our wish to help you in every way the driver is requesting that you sig this supplier from any responsibility to the premises and/or adjacer driveways, curbs, etc., by the deli- also agree to help him remove mus that he will not litter the public stre- tion, the undersigned agrees to indo	O BE MADE INSIDE CURB LINE) uck in presenting this RELEASE to into that the size and weight of his to the premises and/or adjacent this load where you desire it. It is that we can, but in order to do this of this RELEASE releving him and if from any damage that may occur th properly, buildings, sidewalks, way of his matchal, and that you of horm the wheels of his vehicle so the further, as additional considera- emnity and hold harmless the driver and all damage to the premises	H₂0 Ad GAL X weighmaster	OW INDICATES THAT I HAVE R IL NOT BE RESPONSIBLE FO	zed By
A \$25 Service Charge and Lo	oss of the Cash Discount will be collec \$50/HR:	ted on all Returned Checks.	X		X VIA.	5.00	12
		ted on all Returned Checks. DESCRIPTION	X		x_V_A.	UNIT PRICE	EXTENDED PRICE
A \$25 Service Charge and Li Excess Delay Time Charged @	\$50/HR.	DESCRIPTION WELL (10) MIXING A	X SACKS PER ND HAULING	UNIT)	45.00 45.00		EXTENDED PRICE
A \$25 Service Charge and Li Excess Delay Time Charged @ QUANTITY	SSOHR. CODE	DESCRIPTION	ND HAULING	UNIT)			EXTENDED PRICE
A \$25 Service Charge and Li Excess Delay Time Charged @ QUANTITY	SSOHR. CODE	DESCRIPTION WELL (10) MIXING A	ND HAULING	~			EXTENDED PRICE 540,00 25,00 3750
A \$25 Service Charge and Li Excess Delay Time Charged @ QUANTITY	SSONAR: CODE WELL MIX&HAUL MIX&HAUL	DESCRIPTION WELL (10) MIXING A Chart	DELAY EXPLANATION/C [*] 1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB	YLINDER TEST TAKEN 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION	4.5 . 20 TIME ALLOWED	UNIT PRICE	EXTENDED PRICE 540,00 35,00 3750 3750 369,00
A \$25 Service Charge and Li Excess Delay Time Charged @ QUANTITY (), (20) (), (20) (SSONAR: CODE WELL MIX&HAUL MIX&HAUL	DESCRIPTION WELL (10) MIXING A Chart	DELAY EXPLANATION/C* 1. JOB NOT READY 2. SLOW POUR OR PUMP	YLINDER TEST TAKEN 6. TRUCK BROKE DOWN 7. ACCIDENT	4.5 . 20 TIME ALLOWED	A A A A	EXTENDED PRICE 540,00 25,00 3750 3750 3750 3750
A \$25 Service Charge and Li Excess Delay Time Charged @ QUANTITY 3, 242 3, 1212 2, 5,0 TURNED TO PLANT 2, 1,0	ILEFT JOB	DESCRIPTION WEILL (10) MIXING A Charge FINISH UNLOADING	DELAY EXPLANATION/C ¹ 1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN	YLINDER TEST TAKEN 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION	4.5 . ØØ	A A A A	540,00 25.00 3750 169.00
A \$25 Service Charge and Li Excess Delay Time Charged @ QUANTITY 3, 242 3, 1212 2, 5,0 TURNED TO PLANT 2, 1,0	ILEFT JOB	DESCRIPTION WEILL (10) MIXING A Charge FINISH UNLOADING	DELAY EXPLANATION/C ¹ 1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN	YLINDER TEST TAKEN 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION	4.5 . ØØ	А Д ТАХ 7.65	540,0 35,0 3750 169.00