

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1230192

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License # | API No. 15 - |
|--|---|
| Name: | Spot Description: |
| Address 1: | SecTwpS. R 🔲 East 🗌 West |
| Address 2: | Feet from North / South Line of Section |
| City: State: Zip:+ | Feet from _ East / _ West Line of Section |
| Contact Person: | Footages Calculated from Nearest Outside Section Corner: |
| Phone: () | □NE □NW □SE □SW |
| CONTRACTOR: License # | GPS Location: Lat:, Long: |
| Name: | (e.g. xx.xxxxx) (e.gxxx.xxxxx) |
| Wellsite Geologist: | Datum: NAD27 NAD83 WGS84 |
| Purchaser: | County: |
| Designate Type of Completion: | Lease Name: Well #: |
| ☐ New Well ☐ Re-Entry ☐ Workover | Field Name: |
| ☐ Oil ☐ WSW ☐ SIOW ☐ Gas ☐ D&A ☐ ENHR ☐ SIGW ☐ OG ☐ GSW ☐ Temp. Abd. ☐ CM (Coal Bed Methane) ☐ Cathodic ☐ Other (Core, Expl., etc.): ☐ If Workover/Re-entry: Old Well Info as follows: Operator: ☐ Well Name: ☐ Well Name: | Producing Formation: Elevation: Ground: Kelly Bushing: Feet Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: Feet If Alternate II completion, cement circulated from: sx cmt. |
| Original Comp. Date: Original Total Depth: | |
| □ Deepening □ Re-perf. □ Conv. to ENHR □ Conv. to SWD □ Plug Back □ Conv. to GSW □ Conv. to Producer | Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) |
| Commingled Permit #: Dual Completion Permit #: SWD Permit #: | Chloride content:ppm Fluid volume:bbls Dewatering method used: Location of fluid disposal if hauled offsite: |
| ☐ ENHR Permit #: ☐ GSW Permit #: | Operator Name: Lease Name: License #: |
| Spud Date or Date Reached TD Completion Date or Recompletion Date | QuarterSec. TwpS. REastWest County:Permit #: |

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.


Submitted Electronically

| KCC Office Use ONLY | | | | | |
|---------------------------------|--|--|--|--|--|
| Confidentiality Requested | | | | | |
| Date: | | | | | |
| Confidential Release Date: | | | | | |
| Wireline Log Received | | | | | |
| Geologist Report Received | | | | | |
| UIC Distribution | | | | | |
| ALT I II III Approved by: Date: | | | | | |

Page Two



| Operator Name: | | | | _ Lease I | Name: _ | | | Well #: | | |
|--|--|------------------------------------|----------------------------|-------------------------------------|------------------------|-------------------------------------|--------------------------|------------------|-----------------------|------------|
| Sec Twp | S. R | East | West | County | : | | | | | |
| INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to | ring and shut-in presson surface test, along | sures, whether with final chart | shut-in pre (s). Attach | ssure reac extra shee | hed stati t if more | c level, hydrosta space is neede | tic pressures, bot d. | tom hole temp | erature, fluid | recovery, |
| Final Radioactivity Lo- files must be submitte | | | | | | ogs must be ema | iled to kcc-well-lo | gs@kcc.ks.go | v. Digital elec | tronic log |
| Drill Stem Tests Taker (Attach Additional S | | Yes | No | | | | on (Top), Depth ar | | Sam | |
| Samples Sent to Geo | logical Survey | Yes | ☐ No | | Nam | e | | Тор | Datu | m |
| Cores Taken Electric Log Run | | Yes Yes | ☐ No ☐ No | | | | | | | |
| List All E. Logs Run: | | | | | | | | | | |
| | | | | RECORD | Ne | | | | | |
| | 0 | · · | | | | ermediate, product | | T "0 1 | I | |
| Purpose of String | Size Hole Drilled | Size Ca Set (In 0 | | Weig Lbs. | | Setting Depth | Type of Cement | # Sacks Used | Type and I Additiv | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | Al | DDITIONAL | CEMENTI | NG / SQL | JEEZE RECORD | | | | |
| Purpose: Depth Type of Cement Top Bottom | | | # Sacks | cks Used Type and Percent Additives | | | | | | |
| Perforate Protect Casing | Top Bottom | | | | | | | | | |
| Plug Back TD Plug Off Zone | | | | | | | | | | |
| r lug on zone | | | | | | | | | | |
| Did you perform a hydrau | ulic fracturing treatment | on this well? | | | | Yes | No (If No, ski | p questions 2 ar | nd 3) | |
| Does the volume of the to | | | | | | | | p question 3) | | |
| Was the hydraulic fractur | ing treatment information | on submitted to th | ne chemical o | disclosure re | gistry? | Yes | No (If No, fill | out Page Three | of the ACO-1) | |
| Shots Per Foot | | ON RECORD - Footage of Each | | | | | cture, Shot, Cement | | d | Depth |
| | Эреспу | 1 oolage of Lacif | iliterval Feli | Orated | | (A | THOURT AND KIND OF MA | teriai Oseu) | | Берит |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| TUBING RECORD: | Size: | Set At: | | Packer A | +- | Liner Run: | | | | |
| TOBING FILEGORIS. | 0.20 | 001711. | | r donor 7 | •• | [| Yes No | | | |
| Date of First, Resumed | Production, SWD or EN | NHR. Pro | oducing Meth | | a \Box | Coo Lift 0 | Other (Evelein) | | | |
| Estimated Dradustics | 0.11 | Dhla | Flowing | Pumpin | | | Other (Explain) | Nee Oil D-#- | | |
| Estimated Production Per 24 Hours | Oil | Bbls. | Gas | Mcf | Wat | eı B | bls. C | Gas-Oil Ratio | G | iravity |
| | | | | | | | | | | |
| | ON OF GAS: | Open | | METHOD OF Perf. | | | nmingled | PRODUCTION | ON INTERVAL: | |
| Vented Sold | Used on Lease bmit ACO-18.) | | (Specify) | _ 1 011. | (Submit | | mit ACO-4) | | | |



Oil & Gas Well Drilling Water Wells Geo-Loop Installation

Phone: 913-557-9083 Fax: 913-557-9084

Paola, KS 66071

WELL LOG

JRC Oil Company, Inc. Daniel #DO-13 API #15-003-26,142 May 7 - May 8, 2014

| Thickness of Strata | Formation | <u>Total</u> |
|---------------------|------------------|--------------------------------|
| 8 | soil & clay | 8 |
| 6 | shale | 14 |
| 1 | lime | 15 |
| 1 | shale | 16 |
| 25 | lime | 41 |
| 22 | shale | 63 |
| 6 | lime | 69 |
| 26 | shale | 95 |
| 7 | lime | 102 |
| 18 | shale | 120 |
| 10 | lime | 130 |
| 4 | shale | 134 |
| 39 | lime | 173 |
| 8 | shale | 181 |
| 22 | lime | 203 |
| 7 | shale | 210 |
| 19 | lime | 229 base of the Kansas City |
| 27 | shale | 256 |
| 6 | sand | 262 |
| 129 | shale | 391 |
| 4 | lime | 395 |
| 5 | shale | 400 |
| 7 | lime | 407 |
| 6 | shale | 413 |
| 9 | lime | 422 |
| 5 | shale | 427 |
| 33 | sand | 460 grey, no oil |
| 10 | shale | 470 |
| 10 | lime | 480 |
| 15 | shale | 495 |
| 1 | lime | 496 |
| 3 | shale | 499 |
| 1 | coal | 500 |
| 22 | shale | 522 |
| 9 | lime | 531 |
| 52 | shale | 583 |
| 21 | broken sand | 604 brown & green, ok bleeding |
| 131 | shale | 735 |
| | | |

| 2 | broken sand | 737 brown & grey, good bleeding |
|----|-------------|---------------------------------|
| 4 | oil sand | 741 brown, good bleeding |
| 4 | oil sand | 745 black, no bleeding |
| 1 | shale | 746 |
| 1 | coal | 747 |
| 46 | shale | 793 TD |

Drilled a 9 7/8" hole to 22.6' Drilled a 5 5/8" hole to 793'

Set 22.6' of 7" surface casing, cemented with 4 sacks cement.

Set 789.1' of use 2 7/8" 8 round upset tubing including 3 centralizers, 1 float shoe,1 clamp.

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, Inc.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER

Failure of this contract can result in the filling of a mechanic's lien on the property which is the subject of this contract.

J.R.C. DIL COMPANY, INC. LEASE: DANIEL

1750RD (4TH ST) E 6M1 TO WILSON

| | | r.o. | KALEMAKANI TATALA | Middle Charles | | | | |
|-----------|-----------|-----------|-------------------|----------------|--------------|---------|---------------------|--|
| TIME | FORMULA | LOAD SIZE | YARDS ORDERED | | DRIVER/TRUCK | % Alr | PLANT/TRANSACTION # | |
| * 8:05 AM | WELL | 9.780 | 45.00 | | 35 | | AMDCC. | |
| DATE | PU MUMBER | LOAD # | YARDS DEL. | BATCH# | WATER TRIM | SLUMP | TICKET NUMBER | |
| 5/E0/14 | ATLL # | | 18.00 | 3 | 0.00 | 4.00 in | 36811 | |

WARNING
IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots, and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention, KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
Dear Customer-The driver of this truck in presenting this RELEASE to
you for your signature is of the opinion that the size and weight of his
truck may possibly cause damage to the premises and/or adjacent
property if it places the material in this load where you despire it, it is
our wish to help you in every-way that we can, but in order to do this
the driver is requesting that you sign this RELEASE relieving him this
supplier from any responsibility from any damage that may occur
to the premises and/or adjacent property, buildings, sidewalks,
ordineways, curbs, etc., by the delivery of this material, and that you
also agree to help him remove mud from the wheels of his vehicle so
that he will not littler the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver
of this truck and this supplier for any and all damage to the premises
and/or adjacent; property which may be claimed by anyone to have
arisin out of delivery of this order. Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

GAL X

WEIGHMASTER

Excess Delay Time Charged @ \$50/HR. EXTENDED PRICE QUANTITY CODE DESCRIPTION **UNIT PRICE**

00

| | RETURNED TO PLANT | LEFT JOB | FINISH UNLOADING | DELAY EXPLANATION/CYLINDER TEST TAKEN | TIME ALLOWED | |
|-----|-------------------|--------------|------------------|---|--------------|-------------------|
| | 为.15 | 4:28 | 7:18 | 1. JOB NOT READY 6. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION | * | TAX 7.65 |
| * | LEFT PLANT | ARRIVED JOB | START UNLOADING | CONTRACTOR BROKE DOWN OTHER ADDED WATER | TIME DUE | |
| 39- | 8:21 | 8:45 | 8:55 | | | ADDITIONAL CHARGE |
| | TOTAL ROUND TRIP | TOTAL AT JOB | UNLOADING TIME | | DELAY TIME | ADDITIONAL CHARGE |
| | · Page | | | | | GRAND TOTAL |