

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1229201

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #			API No. 15				
Name:			Spot Description:				
Address 1:			Sec	Twp S. R	East _ West		
Address 2:			Fe	eet from	South Line of Section		
City:	State: Z	ip:+	Fe	eet from East / V	West Line of Section		
Contact Person:			Footages Calculated from N	Nearest Outside Section Co	orner:		
Phone: ()			□ NE □ NW	/ □SE □SW			
CONTRACTOR: License #			GPS Location: Lat:	, Long:			
Name:				(e.g. xx.xxxxx)	(e.gxxx.xxxxx)		
Wellsite Geologist:			Datum: NAD27	NAD83 WGS84			
Purchaser:			County:				
Designate Type of Completion:			Lease Name:	We	ell #:		
	e-Entry	Workover	Field Name:				
	_		Producing Formation:				
☐ Oil ☐ WSW	☐ SWD	☐ SIOW	Elevation: Ground: Kelly Bushing:				
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW ☐ Temp. Abd.			Total Vertical Depth: Plug Back Total Depth:				
☐ OG ☐ ☐ GSW ☐ Temp. Abd. ☐ CM (Coal Bed Methane)			Amount of Surface Pipe Set and Cemented at: Feet				
☐ Cathodic ☐ Other (Co	ore, Expl., etc.):		Multiple Stage Cementing (Collar Used? Yes	No		
If Workover/Re-entry: Old Well I			If yes, show depth set:		Feet		
Operator:			If Alternate II completion, ce	ement circulated from:			
Well Name:			feet depth to:	w/	sx cmt.		
Original Comp. Date:							
Deepening Re-perf	•	ENHR Conv. to SWD	Drilling Fluid Managemen	nt Dian			
☐ Plug Back	Conv. to G		(Data must be collected from the				
Commingled	Pormit #:		Chloride content:	ppm Fluid volume:	bbls		
Dual Completion			Dewatering method used:_				
SWD			Location of fluid disposal if	hauled offsite:			
☐ ENHR							
GSW	Permit #:		Operator Name:				
_ _			Lease Name:	License #:			
Spud Date or Date R	eached TD	Completion Date or	Quarter Sec	TwpS. R	East _ West		
Recompletion Date		Recompletion Date	County:	Permit #:			

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:



Operator Name:			Lease Name: _			Well #:	
Sec Twp	S. R	East West	County:				
open and closed, flow	ring and shut-in pressu	ormations penetrated. Eures, whether shut-in predict final chart(s). Attach	essure reached stati	c level, hydrosta	atic pressures, bott		
		otain Geophysical Data a or newer AND an image		ogs must be ema	ailed to kcc-well-lo	gs@kcc.ks.go	v. Digital electronic log
Drill Stem Tests Taken (Attach Additional S		Yes No			on (Top), Depth an		Sample
Samples Sent to Geol	logical Survey	Yes No	Nam	е		Тор	Datum
Cores Taken Electric Log Run		Yes No					
List All E. Logs Run:							
		CASING	RECORD Ne	ew Used			
			conductor, surface, inte		ion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQL	JEEZE RECORD			
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Type of Cement	# Sacks Used		Type and P	ercent Additives	
Did you perform a hydrau	ulic fracturing treatment o	n this well?		Yes	No (If No, ski	p questions 2 aı	nd 3)
Does the volume of the to	otal base fluid of the hydr	aulic fracturing treatment ex	_	= :	No (If No, ski	p question 3) out Page Three	
Shots Per Foot	PERFORATIO Specify F	N RECORD - Bridge Plug ootage of Each Interval Per	s Set/Type forated		cture, Shot, Cement mount and Kind of Ma		d Depth
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No		
Date of First, Resumed	Production, SWD or ENH	HR. Producing Meth		Gas Lift (Other (Explain)		
Estimated Production Per 24 Hours	Oil E	Bbls. Gas	Mcf Wate	er B	bls. G	as-Oil Ratio	Gravity
DISPOSITIO	ON OF GAS:	Open Hole		Comp. Comp.	mmingled	PRODUCTIO	ON INTERVAL:
	bmit ACO-18.)	Other (Specify)	(Submit)	4CO-5) (Sub	omit ACO-4)		

Form	ACO1 - Well Completion
Operator	Miller, Todd dba Speedy Well Service
Well Name	Bowen 6
Doc ID	1229201

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight		Type Of Cement		Type and Percent Additives
Surface	11.25	7	18	42	portland	8	none
Production	6.25	2.875	6.4	1157	60/40 poz mix		phenoseal /kol seal

CEMENT FIELD TICKET AND TREATMENT REPORT

ıstomer	SPEEDY WELL SERVICE	State, County	Chautauqua , Kansas	Cement Type		60/40
b Type	LS	Section	197	Excess (%)		30% •
ustomer Acct#		TWP		Density		14 .
ell No.	BOWING #6	RGE		Water Required		5.4
ailing Address		Formation	§	Yeild		1.37
ty & State	•	Tubing	2.875"	Sacks of Cement		190
p Code		Drill Pipe		Slurry Volume		46.4
ontact		Casing Size		Displacement		6.7
		Hole Size	6.25"	Displacement PSI		500
mail		Casing Depth	1157	MIX PSI		300
ell			1157	Rate		4.5
spatch Location	BARTLESVILLE	Hole Depth		Price per Unit		
ode	Cement Pump Charges and Mileage		Unit		C C	1,085.00
5401	CEMENT PUMP (2 HOUR MAX)	11	2 HRS MAX	\$1,085.00	\$	266.11
5402	FOOTAGE	1157	PER FOOT	\$0.23	\$	147.00
5406	EQUIPMENT MILEAGE (ONE-WAY)	35	PER MILE	\$4.20	\$	368.00
5407	MIN. BULK DELIVERY (WITHIN 50 MILES)	1 5	PER LOAD	\$368.00	\$	300.00
0			0	\$0.00	\$	W-www.communication
0		76	0	\$0.00		
0			0	\$0.00	\$	
0		English (1986)	0	\$0.00	\$	
0			0	\$0.00	\$	_
				EQUIPMENT TOTAL	\$	1,866.11
	Cement, Chemicals and Water					
1131	60/40 POZMIX CEMENT W/ NO ADDITVES (40% POZ)	190	0	\$13.18	\$	2,504.20
1110A	KOL SEAL (50 # SK)	1900	0	\$0.46	\$	874.00
1111	GRANULATED SALT (50#) SELL BY #	900	. 0	\$0.39	\$	351.00
1118B	PREMIUM GEL/BENTONITE (50#)	450	0	\$0.22	\$	99,00
1110B 1107A	PHENOSEAL	40	0	\$1.35	\$	54.00
0 0	FILINOUNE		0	\$0.00	\$	1
		DESCRIPTION OF THE	0	\$0.00	\$	
0		SESTERO AND DES	0	\$0.00	\$	
0		LONG TOWNS AN	0	\$0.00	\$	
0			0	\$0.00	\$	-
0			0 .	\$0.00	\$	
0		100000000000000000000000000000000000000	0	\$0.00	\$	
. 0		1 110	0	\$0.00	\$	er en som som er en s
0			0	\$0.00	S	-
0			<u> </u>	Chemical Tota	- SHIPPING THE PARTY OF	3,882.20
	A CONTRACTOR OF THE PROPERTY O		1			
	Cement Water Transports		0	\$0.00	\$	
0			1 0	\$0.00	\$	Aller - Carlo Carlo
0			0	\$0.00	\$	
0				Transports Tota		
			L	Transports rote		7.700 Sept. 255 Cu 3050 M
	Cement Floating Equipment (TAXABLE)	1,	1			
	Cement Basket		T .	\$0.00	s	
0			0	\$0.00	1 3	a everel a succession cells
	Centralizer		A STATE OF THE STA	T 60.00	Te	_
0		k in the second	0	\$0.00		The state of the s
				00.00	\$	
0			0	\$0.00	\$	-
υ	Fioat Shoe		0		\$	1020
			0	\$0.00		-
		<u> </u>	0	\$0.00	\$ \$	
	Float Collars	1	0		\$	1020
0	Float Shoe	1	0 0	\$0.00	\$ \$ \$	
0	Float Shoe Float Collars Guide Shoes		0	\$0.00	\$ \$	
0	Float Collars		0 0	\$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$	-
0	Float Shoe Float Collars Guide Shoes		0 0	\$0.00	\$ \$ \$	
0 0 0	Float Shoe Float Collars Guide Shoes		0 0 0	\$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates		0 0	\$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$	-
0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates			\$0.00 \$0.00 \$0.00 \$0.00 \$0.00	S	
0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools		0 0 0	\$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
0 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes			\$0.00 \$0.00 \$0.00 \$0.00 \$0.00	S	
0 0 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc.			\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
0 0 0 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools			\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$30.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$	60.00
0 0 0 0 0 0 0 4310 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc.		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
0 0 0 0 0 0 0 4310 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. MISC. EQUIPMENT		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$30.00 \$0.00	S	60.00
0 0 0 0 0 0 4310 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc.		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$30.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$	60.00
0 0 0 0 0 0 0 4310 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. MISC. EQUIPMENT Plugs and Ball Sealers		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$30.00 \$0.00 \$0.00	S	60.00
0 0 0 0 0 0 4310 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. MISC. EQUIPMENT		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	S	60.00
0 0 0 0 0 0 4310 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. MISC. EQUIPMENT Plugs and Ball Sealers		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$	60.00
0 0 0 0 0 0 4310 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. MISC. EQUIPMENT Plugs and Ball Sealers Downhole Tools DRIVER NAME		0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$	60.00
0 0 0 0 0 0 4310 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. MISC. EQUIPMENT Plugs and Ball Sealers Downhole Tools DRIVER NAME DONNIE		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$	60.00 5,808.33 327.20
0 0 0 0 0 0 4310 0 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. MISC. EQUIPMENT Plugs and Ball Sealers Downhole Tools DRIVER NAME DONNIE CASEY		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	60.00 60.00 5.808.3° 327.22 6,135.5°
0 0 0 0 0 0 4310 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. MISC. EQUIPMENT Plugs and Ball Sealers Downhole Tools DRIVER NAME DONNIE		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$	60.00 5,808.31 527.20 6,135.31 290.42
0 0 0 0 0 0 4310 0 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. MISC. EQUIPMENT Plugs and Ball Sealers Downhole Tools DRIVER NAME DONNIE CASEY		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$	60.00 60.00 5.808.3° 327.22 6,135.5°

AUTHORIZATION

DATE

TITLE
REMANDED TO THE REMANDED

I ACKNOWLEDGE THAT THE PAYMENT TERMS, UNLESS SPECIFICALLY AMENDED IN WRITING ON THE FRONT OF THE FORM OR IN THE CUSTOMER'S ACCOUNT RECORDS AT OUR OFFICE,

CEMENT FIELD TICKET AND TREATMENT REPORT

Customer	SPEEDY WELL SERVICE	State, County	Chautauqua , Kansas	Cement Type	
Job Type	LS	Section	0	Excess (%)	30%
Customer Acct #	0	TWP	0	Density	14
Well No.	BOWING #6	RGE	0	Water Required	5.4
Mailing Address	0	Formation	0	Yeild	1.37
City & State	0	Tubing	2.875"	Sacks of Cement	190
Zip Code	0	Drill Pipe	0	Slurry Volume	46.4
Contact	0	Casing Size	0	Displacement	6.7
Email	0	Hole Size	6.25"	Displacement PSI	500
Cell	0	Casing Depth	1157	MIX PSI	300
Dispatch Location	BARTLESVILLE	Hole Depth	0	Rate	4.5
-Time:	Description	Rate (bpm)	Volume (bbl)	Pressure	Notes
		Tan 1 2 - 725			
					TANK TO THE TANK T

			2	1	

					DOMESTIC OF THE PARTY OF THE PA
Amou	int of Cement Left in Casing	lo ft			
		Remarks:			

SAFTY MTG AND RIG UP. EST CIRC WITH GEL AND H20. RUN 60/40CLASS A POZ MIX WITH 2%GEL, 10# KOLSEAL, 5% SALT AND

.25# PHENO. RAN AT 14PPG CALCULATEED 46 BBL SLURRY. ONCE ALL CMT RAN WE SHUT DOWN KNOCK OFF AND DROP 2 PLUGS WHILE WASHING PUMP AND

LINES. HOOK BACK UP AND GO TO DISPL. DISPL 6.7BBLS TO LAND PLUG AT 1400# RELEASED AND PLUG HOLDING. DISCUSS WITH CUSTOMER

AND PUT 200# ON WELL AND SHUT IN CMT TO SURF APPROX 6 BBLS

THANK YOU