



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

FourWinds Oil Corporation

27 6s 20w Rooks

P. O. Box 1063
Hays KS 67601

McCue 1

Job Ticket: 57578

DST#: 1

ATTN: Jeff Lawler

Test Start: 2014.04.01 @ 05:48:00

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 51.00 sec/qt

Cushion Volume:

bbl

Water Loss: 7.60 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 2000.00 ppm

Filter Cake: 1.50 inches

Recovery Information

Recovery Table

| Length ft | Description | Volume bbl |
|--------------|-------------|---------------|
| 434.00 | Mud 100% | 4.977 |

Total Length: 434.00 ft Total Volume: 4.977 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:


Recovery Comments: Miss-Run Packers Failed

Serial #: 8289

Outside FourWinds Oil Corporation

McClue 1

DST Test Number: 1



Tribble Testing, Inc

Ref. No: 57578

Printed: 2014.04.01 @ 10:19:23