

**TRILOBITE  
TESTING, INC.**

# DRILL STEM TEST REPORT

## FLUID SUMMARY

FourWinds Oil Corporation

**27 6s 20w Rooks**

P. O. Box 1063  
Hays KS 67601

**McCue 1**

Job Ticket: 57579

**DST#: 2**

ATTN: Jeff Lawler

Test Start: 2014.04.01 @ 23:27:00

### Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 60.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 6.80 in<sup>3</sup>

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 1500.00 ppm

Filter Cake: 4.00 inches

### Recovery Information

Recovery Table

Length ft	Description	Volume bbbl
496.00	Mud 100%	5.846

Total Length: 496.00 ft      Total Volume: 5.846 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:


Recovery Comments:

Serial #: 8289

Outside FourWinds Oil Corporation

McQue 1

DST Test Number: 2



Trilobite Testing, Inc

Ref. No: 57579


Printed: 2014.04.02 @ 06:51:22

Serial #: 6668

Below (Straddle) finds Oil Corporation

McQue 1

DST Test Number: 2



Trilobite Testing, Inc

Ref. No: 57579

Printed: 2014.04.02 @ 06:51:22