JAMES C. MUSGROVE

Petroleum Geologist, LLC 212 Main Street P.O. Box 215 Claflin, KS 67525

Office (620) 588-4250

Res. Claflin (620) 587-3444

Mai Oil Operations Wagner #4 SW-NE-NW Section 7-17s-14w Barton County, Kansas

Page 1

Dry and Abandoned

Contractor:

Southwind Drilling Co. (rig #3)

Commenced:

July 14, 2014

Completed:

July 19, 2014

Elevation:

1955' K.B., 1953' D.F., 1947' G.L.

Casing program:

Surface; 8 5/8" @ 938'

Production, none

Sample:

Samples saved and examined 2900' to the Rotary Total Depth.

Drilling time:

One (1) foot drilling time recorded and kept 2900 ft. to the Rotary Total

Depth.

Measurements:

All depths measured from the Kelly Bushing.

Drill Stem Tests:

-None-

Electric Log:

-None-

<u>Formation</u>	Sample Depth	Sub-Sea Datum
Anhydrite	938	+1017
Base Anhydrite	962	+993
Heebner	3138	-1183
Toronto	3153	-1198
Lansing	3200	-1245
Base Kansas City	3403	-1448
Conglomerate	3418	-1463
Arbuckle	3466	-1511
Rotary Total Depth	3475	-1520

All tops and zones determinations were made from a correlation of Drilling Time Log and Sample Analysis.

SAMPLE ANALYSIS, SHOWS OF OIL, TESTING DATA, ETC.

TOPEKA SECTION

3081-3090'

Limestone, gray, fossiliferous, chalky, trace black stain, no show of free oil and no odor in fresh samples.

JAMES C. MUSGROVE

Petroleum Geologist, LLC 212 Main Street P.O. Box 215 Claflin, KS 67525

Office (620) 588-4250

Res. Claflin (620) 587-3444

Mai Oil Operations Wagner #4 SW-NE-NW Section 7-17s-14w Barton County, Kansas

Page 2

TORONTO SECTION

3154-3164' Limestone, white, cream, gray, chalky, fossiliferous in part, no shows.

LANSING SECTION

3200-3206'	Limestone, gray, tan, finely crystalline, fossiliferous, poor porosity; no shows.
3218-3224'	Limestone, gray, fossiliferous, chalky, poorly developed porosity, poor stain, no free oil and no odor in fresh samples.
3234-3242'	Limestone, gray, white, sub-oomoldic, chalky, poor porosity, trace poor stain, no free oil and no odor in fresh samples.
3270-3276'	Limestone, white, oolitic, few granular, chalky, poor spotty stain, no free oil and no odor in fresh samples.
3287-3293'	Limestone, white, gray, oolitic, chalky, sparry calcite cement, brown and black stain, show of free oil and questionable odor in fresh sample.
3300-3306'	Limestone, as above, plus white/tan oolitic chert, no shows.
3341-3348'	Limestone, tan, oolitic, chalky, scattered porosity, brown spotty stain, no free oil and faint odor.
3356-3362'	Limestone, white, cream, oolitic, chalky, poor visible porosity, black and gray stain, no show of free oil and faint and fair odor in fresh samples.
3366-3376'	Limestone, as above, few sub-oomoldic, chalky, trace black and gray stain, no free oil and no odor in fresh samples.
3392-3396'	Limestone, tan, fossiliferous, chalky, questionable stain, no show free oil and no odor, plus amber chert.

CONGLOMERATE SECTION

3418-3430'	Varied colored soft shale, plus trace limestone; fossiliferous, chalky, black stain, no free oil and no odor.
3430-3465'	Varied colored oolitic opaque chert in matrix of red blood red shale.

Mai Oil Operations Wagner #4 SW-NE-NW Section 7-17s-14w Barton County, Kansas

Page 3

ARBUCKLE SECTION

3466-3475'

Dolomite, white, cream, finely crystalline, fair porosity, black and gray stain, weak show of free oil and faint odor in fresh samples, plus iron pyrite.

Rotary Total Depth 3475-1520

Recommendations:

The Mai Oil Operations, Inc., Wagner #4, was plugged and abandoned at the Rotary Total Depth 3475 (-1520).

MUS

Respectfully submitted;

James C. Musgrove Petroleum Geologist

QUALITY OILWELL CEMENTING, INC. Federal Tax I.D.# 20-2886107

Phone 785-483-2025 Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 090

			-					
1-15-14	Sec. Twp	. Range	2	County	State	On Location	Finish	
Date	1 1 1 1		150	acton	113	2 = 1 1 1	A OOHI	
Wagner	11	Location	on Eggs 4 Sale + 281 - 4 W, 1 N, V4E					
Lease	0 11 0	Well No. 4	THE COLUMN	Owner 11nto				
Contractor Southwi	end 3		отаца	To Quality Oilwell Cementing, Inc. You are hereby requested to rent cementing equipment and furnish				
Type Job Surface	B DESTU STATE OF			cementer and helper to assist owner or contractor to do work as listed.				
Hole Size 21/4"	T.D.	938!		Charge Mai oil				
Csg. 85/8"	Depth	9381	10 84 12	Street	swing until Asigtnood s	talk to one) soft of on	rotating visiting	
Tbg. Size Depth			City State					
Tool	Depth	1	i level	The above wa	s done to satisfaction ar		agent or contractor.	
Cement Left in Csg. 3	Shoe				ount Ordered 400	60/40 3%	CC 2% Gel	
Meas Line	Displa	ace 57 3/	4 Bes	147	6-8801	UALO ESDRAFO	01000	
	QUIPMENT			Common	asphashino uno to s	Euroso de de ol şidi	on so Whatelo.	
Pumptrk No. Cemente Helper	D110			Poz. Mix	ABMOTEU	O ve bied one et bei	SECOND OF THE	
Bulktrk 13 No. Driver Driver	layton			Gel.	edanim latone qui e	e agenaro ac re	FIAGRES -	
Bulktrk D. W. No. Driver	Rick		40 10 31	Calcium	Mange Agenostic are	al Saskair		
JOB SERV	ICES & REM	ARKS		Hulls	the state of the state of	te bisytetb ed the si	curen prior so	
Remarks: Cement	did -	Circul	ale	Salt				
Rat Hole	d terry somo		to one h	Flowseal				
Mouse Hole				Kol-Seal				
Centralizers			Mud CLR 48					
Baskets			CFL-117 or CD110 CAF 38					
D/V or Port Collar			Sand					
o polenicosa relitar la	17.50		4	Handling		Marine All	est in estimate.	
The second secon		N-1-7	× /	Mileage				
				FLOAT EQUIPMENT				
				Guide Shoe				
A control of march Manager				Centralizer				
merokow bus about a sag	elsh mon e	of extremit yet keep		Baskets	is nellonertment lis a	SIGNAW Y'EJAUGU	ZHIFMANIAN	
			AFU Inserts					
SIBAGE WATER LINE	7,000		1//0	Float Shoe				
	71.4	THE WILLIAM ST		Latch Down		ina de la companya del companya de la companya del companya de la	ROX3 BENES	
				Rubl	per plua	Paris Insurance and	The location	
				Pumptrk Charge				
				Mileage				
JAUG ve men skrolichere			a constant	meage		Tax		
11.1	SCIED to pome		mi-ros		ed bassino coorda	Discount	Forthware 74	
X Signature				CONTRACT OF		Total Charge	THE PROPERTY.	
				- 4 Digital				