# **Invoice**

## Lone Jack Oil Company 509 East Walnut Blue Mound, KS 66010

Date	Invoice #
4/9/2014	1687

Bill To	
Daniel Johnson	
23253 Ks Hwy 239	
Prescott, KS 66767	

Project		Terms	P.O. No.
	+-		

Quantity	Description	1	Rate	Amount
20 310 1	Set Surface, 20 feet Well Drilling, 310 feet Running Long String, 2 7/8 Core Charge Drill Pit Sales Tax		15.00 7.00 150.00 500.00 400.00 6.15%	300.00T 2,170.00T 150.00T 500.00T 400.00T 216.48
Thank you fo	or your business.		Total	\$3,736.48

## Invoice

## Lone Jack Oil Company 509 East Walnut Blue Mound, KS 66010

Date	Invoice #
4/9/2014	1688

Bill To
Daniel Johnson
23253 Ks Hwy 239
Prescott, KS 66767

Terms	Project
	Ierms

Quantity	Description	Rate	Amount
1	#5 4/2/14, Well #5, circulated 45 sacks of cement to surface pumped plug and set float shoe. Water Truck Sales Tax	700.00 100.00 6.15°	100.00T
		0.13	70
Thank you for	r your business.		
Hank you los	your dusiness.	Total	\$849.20

#### Lone Jack Oil Company Blue Mound, KS

1-913-756-2307 1-620-363-0492 Operator: Daniel Johnson API # 15-107-24940-00-00

Lease: Johnson Operator. Danier Johnson Al 1 # 15-107-2474-00-00					
Contractor: Lone Jack Oil Company Date Started: 3/31/14 Date Completed: 4/2/14					
Total Depth: 330 feet Well # 5 Hole Size: 55/8 Surface Pipe: 20' 7" Surface Bit: 97/8 Sacks of Cement: 5					<u> 5 5/8</u>
Surface Pipe: 20' 7" Surface Bit: 9 7/8 Sacks of Cement: 5					
Depth of Seat Nipple: Rag Packer At:					
Length and	Depth of Seat Nipple:  Length and Size of Casing:  Legal Description:  SE SE SE NW Sec: 9 Twp: 23S Range: 25E County: Linn  Time				45
Legal Desc	ription:	SE SE SE NW Sec: 9 Twp: 23S	Range: 25E	County:	Linn
Thickness	Depth	Type of Formation	Core Thickness	Depth	line
1	1	Top Soil	1		0:57 Sand Water
6	7	Clay	2	290-291	1:04 Sand Water
7	14	Lime	3	291-292	0:44 Sand Water
17	31	Shale	4		1:05 Sand Water
7	38	Sandy Shale	5		1:03 Sand Water
54	92	Shale	6	294-295	0:51 Sand Water
5	97	Lime (Sandy)	7		0:49 Oil Sand
41	138	Shale	8		0:42 Oil Sand
2	140	Lime	9	297-298	0:52 Oil Sand
40	180	Shale	10	298-299	0:46 Oil Sand
4	184	Lime	11	299-300	2:00 Oil Sand
29	213	Shale	12	300-301	2:28 Shale
12	225	Sandy Shale (No Oil)	13	301-302	3:12 Shale
44	269	Shale			
9	278	Shale w/Lime Streaks			
)	287	Shale			
1	288	Sand (Slight Odor)			
1	289	Oil Sand (Fair Bleed)			
13	302	Ran Core			
28	330	Shale			
	330	TD			



### **MIDWEST SURVEYS**

LOGGING . PERFORATING . M.I.T. SERVICES

P. O. Box 68 Osawatomie, KS 66064 913 / 755-2128 31473

	Date	10412014
services order, of this order, Agent.	CONDITIONS: Midwest Surveys is hereby instructed to deliver the equipment ered hereon or as verbally directed, under the terms and conditions printed on the which I have read and understand and which I accept as Customer or as Customer requipment Ordered.  Genna Rey Meutres 1000 & Perform	ne reverse side er's Authorized
Service and/o	r Equipment Ordered German Rey / New Yor / CCC & / Er fe for	
	E COMMENCEMENT OF WORK	
Customer's N	ame Daniel L. Johnson By Customer's Author	ized Representative
Charge to	Daniel L. Johnson Custom Order No.	er's Johnson
Mailing Addre	SS	
Well or Job Na and Number.	ame Johnson No-5 County. Linn State Kansa	<i>t-</i> J
QUANTITY	DESCRIPTION OF SERVICE OR MATERIAL	PRICE
1 ex	Gunna Buy Wentron Icca	\$ 560.0
254	2 Deep Penter-trong DML RTG	
	90° Phase Four (4) Perforation Per Foot	
	Minimum Charge - Tran (10) Per tora from	825.00
PSE Stylen out by any man audience and account on a stylen proper stylen.	Fifteen (15) Addetional Perforation @ 25 as	375.00
	Trip Charge	\$ 50.0
43maning graph or complete the hold than england so comp		
*SECRETERS OF A SECRETIFICATION AND A POSSESSION AND ADDRESS.		
	Perforated At 2940 To 3000	
	Paul 6.609/2014	
Carcatage constraints were recommended to constraints	CK 3534	The state of the s
GBSS violency sharmous developments are assumed above		1011
	Total  The above described service and/or material has	1810. So been received and are
	hereby accepted and approved for payment.	
Serviced by:	S. Underick  Customer's Name Using Ed. A	Date & log/
	White — Customer Canary — Accounting	