



**BASIC**<sup>SM</sup>  
ENERGY SERVICES  
PRESSURE PUMPING & WIRELINE

10244 NE Hwy. 61  
P.O. Box 8613  
Pratt, Kansas 67124  
Phone 620-672-1201

FIELD SERVICE TICKET  
1718 10746 A

DATE \_\_\_\_\_ TICKET NO. \_\_\_\_\_

DATE OF JOB: 10-15-11	DISTRICT: PRATT, KS	NEW WELL <input checked="" type="checkbox"/>	OLD WELL <input type="checkbox"/>	PROD <input type="checkbox"/>	INJ <input type="checkbox"/>	WDW <input type="checkbox"/>	CUSTOMER ORDER NO.:			
CUSTOMER: L.D. DRILLING INC.		LEASE: JOHN DEENS		WELL NO. 1						
ADDRESS:		COUNTY: STELLINGMAN		STATE: KS.						
CITY:		STATE:		SERVICE CREW: K.G. McCRAW, COLE						
AUTHORIZED BY:		JOB TYPE: CIVIL - SQUEEZE								
EQUIPMENT#	HRS	EQUIPMENT#	HRS	EQUIPMENT#	HRS	TRUCK CALLED	DATE	AM	PM	TIME
19907		19959	3				10/15			1000
		73768	3							1000
77686	7									1030
19905	7									1330
										1400
						MILES FROM STATION TO WELL				765

CONTRACT CONDITIONS: (This contract must be signed before the job is commenced or merchandise is delivered).

The undersigned is authorized to execute this contract as an agent of the customer. As such, the undersigned agrees and acknowledges that this contract for services, materials, products, and/or supplies includes all of and only those terms and conditions appearing on the front and back of this document. No additional or substitute terms and/or conditions shall become a part of this contract without the written consent of an officer of Basic Energy Services LP.

SIGNED: \_\_\_\_\_  
(WELL OWNER, OPERATOR, CONTRACTOR OR AGENT)

ITEM/PRICE REF. NO.	MATERIAL, EQUIPMENT AND SERVICES USED	UNIT	QUANTITY	UNIT PRICE	\$ AMOUNT
07100C	COMMON CEMENT	SK	25		
07100C	COMMON CEMENT	SK	50		
07179	401-322	LB	12		
07105	0-411	LB	6		
P700	20/40 SUEK SAND	CUYD	2		
E100	HAZARD MITIGATION PICKUP	MI	175		
E101	HEAVY EQUIPMENT HAULAGE	MI	350		
E113	BULK DELIVERY	TON	621		
02205	DEPTH CHARGES 4001-5000'	EA	1		
02240	HAULAGE & MERGING CHARGES	SK	75		
02500	SQUEEZE MINERAL OIL	EA	1		
5103	SEMI-TRAILER SUPERVISOR	EA	1		

CHEMICAL / ACID DATA:			

SUB TOTAL	
SERVICE & EQUIPMENT	%TAX ON \$
MATERIALS	%TAX ON \$
TOTAL	

NET PRICE 7639.05

SERVICE REPRESENTATIVE: [Signature]	THE ABOVE MATERIAL AND SERVICE ORDERED BY CUSTOMER AND RECEIVED BY: L.D. DRILLING INC. BY: KEVIN [Signature]
FIELD SERVICE ORDER NO.:	(WELL OWNER OPERATOR CONTRACTOR OR AGENT)

# BASIC

energy services, L.P.

PAGE 1

## TREATMENT REPORT

Customer <b>LD DRILLING</b>	Lease No.	Date <b>10-15-14</b>
Lease <b>JUAN DE LOS RIOS</b>	Well # <b>1</b>	
Field Order # <b>10146</b>	Station <b>PRATT, KS.</b>	Casing <b>3 1/2</b>
Type Job <b>CIUV - SQUEEZE</b>	Depth	County <b>SHERMAN</b>
	Formation	State <b>KS</b>
		Legal Description <b>9-6-37</b>

PIPE DATA		PERFORATING DATA		FLUID USED		TREATMENT RESUME		
Casing Size	Tubing Size	Shots/Ft		Acid	RATE	PRESS	ISIP	
<b>3 1/2</b>	<b>2 7/8</b>							
Depth	Depth	From	To	Pre Pad	Max		5 Min.	
		<b>4536</b>	<b>4540</b>					
Volume	Volume	From	To	Pad	Min		10 Min.	
<b>1.9</b>	<b>2.8</b>	<b>4640</b>	<b>4641</b>					
Max Press	Max Press	From	To	Frac	Avg		15 Min.	
Well Connection	Annulus Vol.	From	To		HHP Used		Annulus Pressure	
Plug Depth	Packer Depth	From	To	Flush	Gas Volume		Total Load	
<b>4880</b>	<b>4455</b>							

Customer Representative <b>JAKE</b>	Station Manager <b>KEVIN</b>	Treater <b>COOLEY</b>
--	---------------------------------	--------------------------

Service Units <b>19907</b>	<b>77686-19905</b>	<b>19959-73768</b>
Driver Names <b>WG</b>	<b>McGILVER</b>	<b>COLE</b>

Time	Casing Pressure	Tubing Pressure	Bbls. Pumped	Rate	Service Log
1000					ON LOCATION
1030		500	20	2 1/2	CIRC. SCALE OFF RBP SET RBP - 4880'
1100		1500	3	1	PSI TEST RBP - 1500# HELD
1115		300	25	2 1/2	SPOT SAND ON RBP - 100# WHAT FOIL SAND TO FALL SET PKR - 4455'
1200	500		4	2	LOAN ANNU. SPOT CEMENT INT. RATE TBC - 0 AT 1400'
1230	500		15 +9 24	2	MIX 25 SR COMMON 1/2% FLA 322 MIX 50 SR COMMON PUMP 9 669 # H <sub>2</sub> O - 1.8 KSI STOP CLOSE BYPASS ON PKR BLEW OUT STRIPPER HEAD RUBBER
	DEAD	0	9	1	START ISIP DOWN TBC
	"	500	9 1/2	1	LEADERS - TOOK 1/2 bbl.
	"	500	13	1	CEMENT ON TOP PERF
	"	600	18	1	COMMON ON TOP PERF
	"	800	25	1/2	25 bbl OUT - STOP SPACING
1315	"	800	26	1/2	NEVER GOT ABOVE 800# RELEASE PSI - HELD

65 SR COM  
DU PAKS

