

please check the box below and return to the address below.

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:
Effective	Date:
District #	<u> </u>
SGA?	Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

	month c	day year	Spot Description:
	montn c	day year	
OPERATOR: License#			feet from N / S Line of Section
Name:			feet from E / W Line of Section
Address 1:			Is SECTION: Regular Irregular?
			(Note: Locate well on the Section Plat on reverse side)
City:	State:	Zip: +	County:
Contact Person:			Lease Name: Well #:
Phone:			Field Name:
CONTRACTOR: License#			Is this a Prorated / Spaced Field?
Name:			Target Formation(s):
			Nearest Lease or unit boundary line (in footage):
Well Drilled For:	Well Class:	Type Equipment:	
Oil Enh F	Rec Infield	Mud Rotary	
Gas Storag	ge Pool Ext.	Air Rotary	Water well within one-quarter mile: Yes No
Dispo	osal Wildcat	Cable	Public water supply well within one mile: Yes No
Seismic ;# c	of Holes Other		Depth to bottom of fresh water:
Other:			Depth to bottom of usable water:
If OWWO. and	information as fallows:		Surface Pipe by Alternate: II II
II OWWO: old well	information as follows:		Length of Surface Pipe Planned to be set:
Operator:			Length of Conductor Pipe (if any):
Well Name:			Projected Total Depth:
Original Completion Da	ate: Origi	inal Total Depth:	Formation at Total Depth:
			Water Source for Drilling Operations:
Directional, Deviated or Ho		Yes No	Well Farm Pond Other:
•			DWR Permit #:
			(Note: Apply for Ferrill With DWT
KCC DKT #:			Will Cores be taken?
			If Yes, proposed zone:
		٨Ε	FIDAVIT
			IDAVII
The undersigned hereby	affirms that the drilling		ugging of this well will comply with K.S.A. 55 et seg
-	_	g, completion and eventual p	ugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the follow	ving minimum requirer	g, completion and eventual poments will be met:	ugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the follow 1. Notify the appropria	ving minimum requirer ate district office <i>prior</i>	g, completion and eventual p ments will be met: r to spudding of well;	
It is agreed that the follow 1. Notify the appropria 2. A copy of the appropria	ving minimum requirer ate district office <i>prior</i> oved notice of intent to	g, completion and eventual ponents will be met: It to spudding of well; It of a control of the	h drilling rig;
It is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amou	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as	g, completion and eventual prenents will be met: r to spudding of well; of drill shall be posted on each specified below shall be se	h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set
It is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconsor	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus	g, completion and eventual prenents will be met: r to spudding of well; of drill shall be posted on each specified below shall be sets a minimum of 20 feet into the	h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
It is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hole	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betw	g, completion and eventual presents will be met: It to spudding of well; It to spudding of well; It to spudding be posted on each specified below shall be set a minimum of 20 feet into the veen the operator and the dispersion.	h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging;
It is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betwestrict office will be noti	g, completion and eventual prenents will be met: It to spudding of well; It to spud of	h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
It is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betwestrict office will be notill COMPLETION, processor	g, completion and eventual presents will be met: It to spudding of well; It to	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set be underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
It is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betweet office will be notifued in COMPLETION, proceed in the control of the	g, completion and eventual prenents will be met: It to spudding of well; It to spudding of well is either plugding of well is either plugding of well; It to spudding of well;	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.
It is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betweet office will be notifued in COMPLETION, proceed in the control of the	g, completion and eventual prenents will be met: It to spudding of well; It to spudding of well is either plugding of well is either plugding of well; It to spudding of well;	th drilling rig; If by circulating cement to the top; in all cases surface pipe <i>shall be set</i> the underlying formation. It ict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; and from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betweet office will be notifued in COMPLETION, proceed in the control of the	g, completion and eventual prenents will be met: It to spudding of well; It to spudding of well is either plugding of well is either plugding of well; It to spudding of well;	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis must be completed	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betweet office will be notiful COMPLETION, proceeding the within 30 days of the	g, completion and eventual prenents will be met: It to spudding of well; It to spudding of well is either plugding of well is either plugding of well; It to spudding of well;	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropria 2. A copy of the appro 3. The minimum amore through all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis must be completed	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betweet office will be notiful COMPLETION, proceeding the within 30 days of the	g, completion and eventual prenents will be met: It to spudding of well; It to spudding of well is either plugding of well is either plugding of well; It to spudding of well;	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropria 2. A copy of the appro 3. The minimum amore through all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis must be completed	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betweet office will be notiful COMPLETION, proceeding the within 30 days of the	g, completion and eventual prenents will be met: It to spudding of well; It to spudding of well is either plugding of well is either plugding of well; It to spudding of well;	th drilling rig; the virculating cement to the top; in all cases surface pipe shall be set the underlying formation. Attrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and placement of surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
It is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amount through all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis must be completed ubmitted Electror	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betweet office will be notifued to the completion of the within 30 days of the nically	g, completion and eventual prenents will be met: It to spudding of well; It to spudding of well, It to	h drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ictrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and placemented in; and placemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amore through all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis with the completed of the complete of the	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betwistrict office will be notifue COMPLETION, proceeding the within 30 days of the nically	g, completion and eventual prenents will be met: It to spudding of well; It to spudding of well, It to	th drilling rig; the virculating cement to the top; in all cases surface pipe shall be set the underlying formation. thict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis be completed ubmitted Electror For KCC Use ONLY API # 15 - Conductor pipe required -	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betw strict office will be noti II COMPLETION, proc oendix "B" - Eastern Ka d within 30 days of the	g, completion and eventual prenents will be met: It to spudding of well; It to spudding of well in the spudding of well in the spudding of well in the	h drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ictrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
It is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed ubmitted Electror For KCC Use ONLY API # 15 -	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betw strict office will be noti II COMPLETION, proc oendix "B" - Eastern Ka d within 30 days of the	g, completion and eventual prenents will be met: It to spudding of well; It to spudding of well in the spudding of well in the spudding of well in the	h drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ictrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
It is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed ubmitted Electror For KCC Use ONLY API # 15 - Conductor pipe required -	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus ale, an agreement betw strict office will be noti II COMPLETION, proc oendix "B" - Eastern Ka at within 30 days of the	g, completion and eventual prenents will be met: It to spudding of well; It to spudding of well, It t	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. thrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
It is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed **Ubmitted Electror** For KCC Use ONLY API # 15 - Conductor pipe required - Minimum surface pipe recompleted	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betweet strict office will be noti II COMPLETION, proceed of within 30 days of the nically	g, completion and eventual prenents will be met: It to spudding of well; It to spudding of well, It t	h drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ictrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

625 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit: Emergency Pit Burn Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed If Existing, date colling Pit capacity:	Existing	SecTwpR East WestFeet from Rast / West Line of SectionFeet from East / West Line of Section	
	(bbls)		County	
Is the pit located in a Sensitive Ground Water A	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
Depth fro	om ground level to dee	epest point:	(feet) No Pit	
If the pit is lined give a brief description of the li material, thickness and installation procedure.	illei		dures for periodic maintenance and determining ncluding any special monitoring.	
Distance to nearest water well within one-mile	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:	
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	al utilized in drilling/workover:	
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:		Abandonment	procedure:	
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.		
Submitted Electronically				
	KCC	OFFICE USE O		
Date Received: Permit Num	ber:	Permi	Liner Steel Pit RFAC RFAS it Date: Lease Inspection: Yes No	

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form KSONA-1 January 2014 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-	-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)	
OPERATOR: License #	_ Well Location:	
Name:		
Address 1:	_ County:	
Address 2:	Lease Name: Well #:	
City: State: Zip:+	_ If filing a Form T-1 for multiple wells on a lease, enter the legal description or	
Contact Person:	the lease below:	
Phone: () Fax: ()	_	
Email Address:	_	
Surface Owner Information:		
Name:		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.	
Address 2:		
City: State: Zip:+	_	
the KCC with a plat showing the predicted locations of lease roads, to	thodic Protection Borehole Intent), you must supply the surface owners and ank batteries, pipelines, and electrical lines. The locations shown on the plat d on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.	
owner(s) of the land upon which the subject well is or will b	e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form m being filed is a Form C-1 or Form CB-1, the plat(s) required by this k, and email address.	
KCC will be required to send this information to the surface	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ess of the surface owner by filling out the top section of this form and the KCC, which is enclosed with this form.	
If choosing the second option, submit payment of the \$30.00 handli form and the associated Form C-1, Form CB-1, Form T-1, or Form C	ing fee with this form. If the fee is not received with this form, the KSONA-1 CP-1 will be returned.	
Submitted Electronically		
I		

Summary of Changes

Lease Name and Number: North Dawson I-2

API/Permit #: 15-001-31293-00-00

Doc ID: 1230391

Correction Number: 1

Approved By: Rick Hestermann 11/03/2014

Field Name	Previous Value	New Value
KCC Only - Approved By	Rick Hestermann 10/28/2014	Rick Hestermann 11/03/2014
KCC Only - Approved Date	10/28/2014	11/03/2014
KCC Only - Date Received	10/26/2014	11/03/2014
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=12 29486	//kcc/detail/operatorE ditDetail.cfm?docID=12 30391
Well Number	I-1	I-2