

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:		
Effective Date:			
District #	·		
SGA?	Yes No		

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1230410

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

	Spot Description:
month day year	(Q/Q/Q/Q) Sec Twp S. R 🔲 E 🔲 V
DPERATOR: License#	foot from N / S Line of Section
Name:	feet from E / W Line of Sectio
ddress 1:	Is SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	——— County:
ontact Person:	Lease Name: Well #:
hone:	Field Name:
ONTRACTOR: License#	
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Negroot League or unit boundary line (in footage):
	Ground Surface Elevation: feet MS
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Disposal Wildcat Cable Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	
Original Completion Date: Original Total Depth:	
	Water Source for Drilling Operations:
	No Well Farm Pond Other:
Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Makes Apply for Domest with DIAID
	(Note: Apply for Fernix with DWK)
	(Note: Apply for Fernill William)
	(Note: Apply to Fernic with DWK
	Will Cores be taken? If Yes, proposed zone:
CCC DKT #:	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT
CCC DKT #:	Will Cores be taken? Yes Neft Permit Will DWN
CCC DKT #: The undersigned hereby affirms that the drilling, completion and event is agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT rentual plugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and event is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT rentual plugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and ever is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> poste	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT rentual plugging of this well will comply with K.S.A. 55 et. seq. d on each drilling rig;
The undersigned hereby affirms that the drilling, completion and event is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well: 2. A copy of the approved notice of intent to drill <i>shall be</i> poste	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT rentual plugging of this well will comply with K.S.A. 55 et. seq. id on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set
the undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well: 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator ar	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT rentual plugging of this well will comply with K.S.A. 55 et. seq. id on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging;
the undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well: 2. A copy of the approved notice of intent to drill <i>shall be</i> postes. 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fees. 4. If the well is dry hole, an agreement between the operator are 5. The appropriate district office will be notified before well is either the complete of the complete	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT rentual plugging of this well will comply with K.S.A. 55 et. seq. d on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. In the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in;
the undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well: 2. A copy of the approved notice of intent to drill <i>shall be</i> postes. 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fee. 4. If the well is dry hole, an agreement between the operator are. 5. The appropriate district office will be notified before well is ei. 6. If an ALTERNATE II COMPLETION, production pipe shall be	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT rentual plugging of this well will comply with K.S.A. 55 et. seq. d on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. Ind the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; a cemented from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and events agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well: 2. A copy of the approved notice of intent to drill <i>shall be</i> postes. 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fee. 4. If the well is dry hole, an agreement between the operator are. 5. The appropriate district office will be notified before well is ei. 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casing	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT rentual plugging of this well will comply with K.S.A. 55 et. seq. d on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. Indicate the district office on plug length and placement is necessary prior to plugging; there plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date. If gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and event is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well: 2. A copy of the approved notice of intent to drill <i>shall be</i> posted. 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 feech. If the well is dry hole, an agreement between the operator are the appropriate district office will be notified before well is eifer. If an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casing	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Tentual plugging of this well will comply with K.S.A. 55 et. seq. If Yes, proposed zone: If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in th
The undersigned hereby affirms that the drilling, completion and events agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well: 2. A copy of the approved notice of intent to drill <i>shall be</i> postes. 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fee. 4. If the well is dry hole, an agreement between the operator are. 5. The appropriate district office will be notified before well is ei. 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casing	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT rentual plugging of this well will comply with K.S.A. 55 et. seq. d on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. Indicate the district office on plug length and placement is necessary prior to plugging; there plugged or production casing is cemented in; in cemented from below any usable water to surface within 120 DAYS of spud date. In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well: 2. A copy of the approved notice of intent to drill <i>shall be</i> poster of the intent of the prior of the prior of the approved notice of intent to drill <i>shall be</i> poster of the minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 ferous of the well is dry hole, an agreement between the operator are the propriete district office will be notified before well is eited. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well as the propriete of the spud date or the well as the propriete of the propriete of the spud date or the well as the propriete of the propriete of the spud date or the well as the propriete of the propriete of the spud date or the well as the propriete of the prop	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT rentual plugging of this well will comply with K.S.A. 55 et. seq. d on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. Indicate the district office on plug length and placement is necessary prior to plugging; there plugged or production casing is cemented in; in cemented from below any usable water to surface within 120 DAYS of spud date. In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing
the undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well: 2. A copy of the approved notice of intent to drill <i>shall be</i> poster of the intent of the intent of the specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 ferous for the well is dry hole, an agreement between the operator are the appropriate district office will be notified before well is eight of the intention of the specified before well is eight of the production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well is the spud date or th	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT rentual plugging of this well will comply with K.S.A. 55 et. seq. If yes, proposed zone: d on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. If the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; remember of the plugged of production casing is cemented in; remember of the plugged of the kCC District 3 area, alternate II cementing all shall be plugged. In all cases, NOTIFY district office prior to any cementing.
the undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> poste; 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe; 4. If the well is dry hole, an agreement between the operator ar; 5. The appropriate district office will be notified before well is ei; 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the weather than the surface of the surface of the spud date or the weather than the surface of the spud date or the weather than the surface of the surface of the spud date or the weather than the surface of the	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT rentual plugging of this well will comply with K.S.A. 55 et. seq. If yes, proposed zone: d on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. If the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; a cemented from below any usable water to surface within 120 DAYS of spud date. To gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing the shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
The undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well: 2. A copy of the approved notice of intent to drill <i>shall be</i> poste of the minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 feo. 4. If the well is dry hole, an agreement between the operator are 5. The appropriate district office will be notified before well is ei. 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well abmitted Electronically For KCC Use ONLY	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT rentual plugging of this well will comply with K.S.A. 55 et. seq. If yes, proposed zone: and on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set be the into the underlying formation. In the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; a cemented from below any usable water to surface within 120 DAYS of spud date. The plugged is producted and placement is a rea, alternate II cementing all shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
The undersigned hereby affirms that the drilling, completion and events agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well: 2. A copy of the approved notice of intent to drill <i>shall be</i> poste: 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fee. 4. If the well is dry hole, an agreement between the operator are. 5. The appropriate district office will be notified before well is ei. 6. If an ALTERNATE II COMPLETION, production pipe shall be. Or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the west. Ibmitted Electronically For KCC Use ONLY API # 15 -	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT rentual plugging of this well will comply with K.S.A. 55 et. seq. If yes, proposed zone: and on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set bet into the underlying formation. In the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; a cemented from below any usable water to surface within 120 DAYS of spud date. The plugged is producted in the KCC District 3 area, alternate II cementing all shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
the undersigned hereby affirms that the drilling, completion and ever is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well: 2. A copy of the approved notice of intent to drill <i>shall be</i> poste: 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe. 4. If the well is dry hole, an agreement between the operator are 5. The appropriate district office will be notified before well is ei. 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the western than the surface of the surface of the spud date or the western than the surface of the spud date or the western than the surface of the surface of the spud date or the western than the surface of the	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT rentual plugging of this well will comply with K.S.A. 55 et. seq. If be set by circulating cement to the top; in all cases surface pipe shall be set bet into the underlying formation. In the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; a cemented from below any usable water to surface within 120 DAYS of spud date. The surface of the KCC District 3 area, alternate II cementing all shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
the undersigned hereby affirms that the drilling, completion and ever is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well: 2. A copy of the approved notice of intent to drill <i>shall be</i> poste: 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe. 4. If the well is dry hole, an agreement between the operator are 5. The appropriate district office will be notified before well is ei. 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the western than the surface of the surface of the spud date or the western than the surface of the spud date or the western than the surface of the surface of the spud date or the western than the surface of the	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT rentual plugging of this well will comply with K.S.A. 55 et. seq. If yes, proposed zone: and on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set bet into the underlying formation. In the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; a cemented from below any usable water to surface within 120 DAYS of spud date. The plugged is producted in the KCC District 3 area, alternate II cementing all shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
the undersigned hereby affirms that the drilling, completion and ever is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well: 2. A copy of the approved notice of intent to drill <i>shall be</i> poste: 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fee. 4. If the well is dry hole, an agreement between the operator are in the appropriate district office will be notified before well is eited. If an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the weather than the specific completed within 30 days of the spud date or the weather than the specific conductor pipe required	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT rentual plugging of this well will comply with K.S.A. 55 et. seq. d on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. In the district office on plug length and placement is necessary prior to plugging; there plugged or production casing is cemented in; a cemented from below any usable water to surface within 120 DAYS of spud date. The plugged of the kCC District 3 area, alternate II cementing all shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well: 2. A copy of the approved notice of intent to drill <i>shall be</i> poste of the minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 feo. 4. If the well is dry hole, an agreement between the operator are 5. The appropriate district office will be notified before well is ei. 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well abmitted Electronically For KCC Use ONLY	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Tentual plugging of this well will comply with K.S.A. 55 et. seq. AFFIDAVIT Tentual plugging of this well will comply with K.S.A. 55 et. seq. If yes set by circulating cement to the top; in all cases surface pipe shall be set set into the underlying formation. In the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date. If you complete to the KCC District 3 area, alternate II cementing sell shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and ever is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well: 2. A copy of the approved notice of intent to drill shall be posted. 3. The minimum amount of surface pipe as specified below shat through all unconsolidated materials plus a minimum of 20 feet. 4. If the well is dry hole, an agreement between the operator are 5. The appropriate district office will be notified before well is eight of the specified of the specified before well is eight of the specified provided by the specified before well is eight of the specified befor	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Tentual plugging of this well will comply with K.S.A. 55 et. seq. AFFIDAVIT Tentual plugging of this well will comply with K.S.A. 55 et. seq. If yes set by circulating cement to the top; in all cases surface pipe shall be set the tinto the underlying formation. If the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; If yes are the complete to the complete to surface within 120 DAYS of spud date. If yes are the complete to the complete to surface within 120 DAYS of spud date. If yes are the complete to the complete to surface within 120 DAYS of spud date. If yes are the complete to the complete to surface within 120 DAYS of spud date. If yes are the complete to the complete to surface within 120 DAYS of spud date. If yes are the complete to the complete to surface within 120 DAYS of spud date. If yes are the complete to the complete to surface within 120 DAYS of spud date. If yes are the complete to the complet

Side Two



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R 🗌 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

4785 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

230410

Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:		Pit Location (QQQQ):		
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A		Existing nstructed: (bbls)	SecTwp R East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty Chloride concentration: mg/l(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner? Yes N	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):Length (fe			Width (feet) N/A: Steel Pits No Pit	
If the pit is lined give a brief description of the li material, thickness and installation procedure.	illel		dures for periodic maintenance and determining any special monitoring.	
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:	
feet Depth of water wellfeet		measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	al utilized in drilling/workover:	
Number of producing wells on lease:		Number of world	king pits to be utilized:	
Barrels of fluid produced daily:		Abandonment	procedure:	
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must b	pe closed within 365 days of spud date.	
Submitted Electronically				
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS				
Date Received: Permit Num	ber:	Permi	it Date: Lease Inspection: Yes No	



Kansas Corporation Commission Oil & Gas Conservation Division

1230410

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT


This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1	(Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R East West		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:		
Contact Person:			
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additiona		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.		
Address 2:			
City:			
the KCC with a plat showing the predicted locations of lease roads, tar are preliminary non-binding estimates. The locations may be entered a Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, I have not provided this information to the surface owner(s). I KCC will be required to send this information to the surface of task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the	acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this is of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form. If the fee is not received with this form, the KSONA-1		
form and the associated Form C-1, Form CB-1, Form T-1, or Form CF Submitted Electronically	- I wiii be returnea.		
T.			

ions on this in 10golfy inseri

BACH OIL PRODUCTION, INC. JOHNNY LEASE NE. 1/4. SECTION 2. TIS. RIGW PHILLIPS COUNTY. KANSAS



e Controlling data is based upon the best maps and photographs available to us and upon a ri-section of lang containing \$40 acres.

November 7, 2014

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

November 12, 2014

Jason Bach Bach, Jason dba Bach Oil Production PO BOX 723 ALMA, NE 68920-0723

Re: Drilling Pit Application Johnny 2 NE/4 Sec.02-01S-19W Phillips County, Kansas

Dear Jason Bach:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit within 72 hours of completion of drilling operations.

KEEP PITS away from draw/drainage.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (785) 625-0550.