

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC Use:			
Effective Date:			
District #			
SGA?	Yes No		

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1230754

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

## NOTICE OF INTENT TO DRILL

	Spot Description:
month day year	(Q/Q/Q/Q) Sec Twp S. R 🔲 E 🔲 V
DPERATOR: License#	foot from   N /   S Line of Section
Name:	feet from E / W Line of Sectio
ddress 1:	Is SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	——— County:
ontact Person:	Lease Name: Well #:
hone:	Field Name:
ONTRACTOR: License#	
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Negroot League or unit boundary line (in footage):
	Ground Surface Elevation: feet MS
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Disposal   Wildcat   Cable     Seismic ; # of Holes   Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	
Original Completion Date: Original Total Depth:	
	Water Source for Drilling Operations:
	No Well Farm Pond Other:
Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Makes Apply for Domest with DIAID
	(Note: Apply for Fernix with DWK)
	(Note: Apply for Fernill with DWK)
	(Note: Apply to Fernic with DWK
	Will Cores be taken?  If Yes, proposed zone:
CCC DKT #:	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT
CCC DKT #:	Will Cores be taken? Yes Neft Permit Will DWN
CCC DKT #:  The undersigned hereby affirms that the drilling, completion and event is agreed that the following minimum requirements will be met:	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT rentual plugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and event is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  rentual plugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and ever is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> poste	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  rentual plugging of this well will comply with K.S.A. 55 et. seq.  d on each drilling rig;
The undersigned hereby affirms that the drilling, completion and event is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well:  2. A copy of the approved notice of intent to drill <i>shall be</i> poste	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  rentual plugging of this well will comply with K.S.A. 55 et. seq.  id on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set
the undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well: 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator ar	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  rentual plugging of this well will comply with K.S.A. 55 et. seq.  id on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging;
the undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well:  2. A copy of the approved notice of intent to drill <i>shall be</i> postes.  3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fees.  4. If the well is dry hole, an agreement between the operator are 5. The appropriate district office will be notified before well is either the complete of the complete	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  rentual plugging of this well will comply with K.S.A. 55 et. seq.  d on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation.  In the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in;
the undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well:  2. A copy of the approved notice of intent to drill <i>shall be</i> postes.  3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fees.  4. If the well is dry hole, an agreement between the operator are 5. The appropriate district office will be notified before well is eif. If an ALTERNATE II COMPLETION, production pipe shall be	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  rentual plugging of this well will comply with K.S.A. 55 et. seq.  d on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation.  Ind the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; a cemented from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and events agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well:  2. A copy of the approved notice of intent to drill <i>shall be</i> postes.  3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fee.  4. If the well is dry hole, an agreement between the operator are.  5. The appropriate district office will be notified before well is ei.  6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casing	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  rentual plugging of this well will comply with K.S.A. 55 et. seq.  d on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation.  Indicate the district office on plug length and placement is necessary prior to plugging; there plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date.  In order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and event is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well:  2. A copy of the approved notice of intent to drill <i>shall be</i> posted.  3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 feech. If the well is dry hole, an agreement between the operator are the appropriate district office will be notified before well is eifer. If an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casing	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  Tentual plugging of this well will comply with K.S.A. 55 et. seq.  If Yes, proposed zone:  If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq.  If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq.  If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq.  If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq.  If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq.  If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq.  If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq.  If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq.  If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq.  If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq.  If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq.  If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq.  If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq.  If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq.  If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq.  If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq.  If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq.  If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq.  If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq.  If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq.  If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq.  If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq.  If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq.  If Yes in th
The undersigned hereby affirms that the drilling, completion and events agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well:  2. A copy of the approved notice of intent to drill <i>shall be</i> postes.  3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fee.  4. If the well is dry hole, an agreement between the operator are.  5. The appropriate district office will be notified before well is ei.  6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casing	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  rentual plugging of this well will comply with K.S.A. 55 et. seq.  d on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation.  Indicate the district office on plug length and placement is necessary prior to plugging; there plugged or production casing is cemented in; in cemented from below any usable water to surface within 120 DAYS of spud date. In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well:  2. A copy of the approved notice of intent to drill <i>shall be</i> poster of the intent of the prior of the proved and the proved the	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  rentual plugging of this well will comply with K.S.A. 55 et. seq.  d on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation.  Indicate the district office on plug length and placement is necessary prior to plugging; there plugged or production casing is cemented in; in cemented from below any usable water to surface within 120 DAYS of spud date. In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing
the undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well: 2. A copy of the approved notice of intent to drill <i>shall be</i> poster of the intent of the intent of the specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 ferous for the well is dry hole, an agreement between the operator are the appropriate district office will be notified before well is eight of the intention of the specified before well is eight of the production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well is the spud date or th	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  rentual plugging of this well will comply with K.S.A. 55 et. seq.  If yes, proposed zone:  d on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation.  If the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; remember of the plugged of production casing is cemented in; remember of the plugged. In all cases, NOTIFY district office prior to any cementing tell shall be plugged. In all cases, NOTIFY district office prior to any cementing.
the undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> poste; 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe; 4. If the well is dry hole, an agreement between the operator ar; 5. The appropriate district office will be notified before well is ei; 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the weather than the surface of the surface of the spud date or the weather than the surface of the spud date or the weather than the surface of the surface of the spud date or the weather than the surface of the	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  rentual plugging of this well will comply with K.S.A. 55 et. seq.  If yes, proposed zone:  d on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation.  If the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; a cemented from below any usable water to surface within 120 DAYS of spud date. To gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing the shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:
The undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well: 2. A copy of the approved notice of intent to drill <i>shall be</i> poste of the minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 feo.  4. If the well is dry hole, an agreement between the operator are in the properties of the surface o	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  rentual plugging of this well will comply with K.S.A. 55 et. seq.  If yes, proposed zone:  and on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set be the into the underlying formation.  In the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; a cemented from below any usable water to surface within 120 DAYS of spud date. The plugged is producted in the KCC District 3 area, alternate II cementing all shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification
The undersigned hereby affirms that the drilling, completion and events agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well:  2. A copy of the approved notice of intent to drill <i>shall be</i> poste:  3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fee.  4. If the well is dry hole, an agreement between the operator are.  5. The appropriate district office will be notified before well is ei.  6. If an ALTERNATE II COMPLETION, production pipe shall be. Or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the west.  Ibmitted Electronically  For KCC Use ONLY  API # 15 -	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  rentual plugging of this well will comply with K.S.A. 55 et. seq.  If yes, proposed zone:  and on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set bet into the underlying formation.  In the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; a cemented from below any usable water to surface within 120 DAYS of spud date. The plugged is producted in the KCC District 3 area, alternate II cementing all shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
the undersigned hereby affirms that the drilling, completion and ever is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well: 2. A copy of the approved notice of intent to drill <i>shall be</i> poste: 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe. 4. If the well is dry hole, an agreement between the operator are 5. The appropriate district office will be notified before well is ei. 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the western than the surface of the surface of the spud date or the western than the surface of the spud date or the western than the surface of the surface of the spud date or the western than the surface of the	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  rentual plugging of this well will comply with K.S.A. 55 et. seq.  If be set by circulating cement to the top; in all cases surface pipe shall be set bet into the underlying formation.  In the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; a cemented from below any usable water to surface within 120 DAYS of spud date. The surface of the KCC District 3 area, alternate II cementing all shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;
the undersigned hereby affirms that the drilling, completion and ever is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well: 2. A copy of the approved notice of intent to drill <i>shall be</i> poste: 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe. 4. If the well is dry hole, an agreement between the operator are 5. The appropriate district office will be notified before well is ei. 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the western than the surface of the surface of the spud date or the western than the surface of the spud date or the western than the surface of the surface of the spud date or the western than the surface of the	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  rentual plugging of this well will comply with K.S.A. 55 et. seq.  If yes, proposed zone:  and on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set bet into the underlying formation.  In the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; a cemented from below any usable water to surface within 120 DAYS of spud date. The plugged is producted in the KCC District 3 area, alternate II cementing all shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
the undersigned hereby affirms that the drilling, completion and ever is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well:  2. A copy of the approved notice of intent to drill <i>shall be</i> poste:  3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fee.  4. If the well is dry hole, an agreement between the operator are in the appropriate district office will be notified before well is eited. If an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the weather than the specific completed within 30 days of the spud date or the weather than the specific conductor pipe required	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  rentual plugging of this well will comply with K.S.A. 55 et. seq.  d on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation.  In the district office on plug length and placement is necessary prior to plugging; there plugged or production casing is cemented in; a cemented from below any usable water to surface within 120 DAYS of spud date. The plugged of the kCC District 3 area, alternate II cementing all shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well: 2. A copy of the approved notice of intent to drill <i>shall be</i> poste of the minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 feo.  4. If the well is dry hole, an agreement between the operator are in the properties of the surface o	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  Tentual plugging of this well will comply with K.S.A. 55 et. seq.  AFFIDAVIT  Tentual plugging of this well will comply with K.S.A. 55 et. seq.  If yes set by circulating cement to the top; in all cases surface pipe shall be set set into the underlying formation.  In the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date. If you complete to the KCC District 3 area, alternate II cementing sell shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and ever is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well: 2. A copy of the approved notice of intent to drill shall be posted. 3. The minimum amount of surface pipe as specified below shat through all unconsolidated materials plus a minimum of 20 feet. 4. If the well is dry hole, an agreement between the operator are 5. The appropriate district office will be notified before well is eight of the specified of the specified before well is eight of the specified provided by the specified before well is eight of the specified befor	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  Tentual plugging of this well will comply with K.S.A. 55 et. seq.  AFFIDAVIT  Tentual plugging of this well will comply with K.S.A. 55 et. seq.  If yes set by circulating cement to the top; in all cases surface pipe shall be set the tinto the underlying formation.  If the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in;  If yes in the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in;  If yes in the total plugging remains the total plugging is cemented in;  If yes in the total plugging is cemented in;  If yes in the total plugging is cemented in;  If yes in the total plugging is cemented in;  If yes in the total plugging is cemented in;  If yes in the total plugging is cemented in;  If yes in the total plugging is cemented in;  If yes in the total plugging is cemented in;  If yes in the total plugging is cemented in;  If yes in the total plugging is completed (within 60 days);  If yes in the total plugging is plugging is completed (within 60 days);  If yes in the total plugging is plugging is completed (within 60 days);  If yes in the total plugging is plugging is completed (within 60 days);  If yes in the total plugging is plugging is completed (within 60 days);

Side Two



For KCC Use ONLY
API # 15

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### 1359 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1230754

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit: Pit is:  Emergency Pit Burn Pit Proposed		Existing	SecTwp R	
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section	
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Pit capacity:		(bbls)	Feet from East / West Line of SectionCounty	
Is the pit located in a Sensitive Ground Water A	rea? Yes I	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?  Yes No Artificial Liner?  Yes No		lo	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
Depth fro	m ground level to dee	epest point:	(feet) No Pit	
If the pit is lined give a brief description of the lir material, thickness and installation procedure.			dures for periodic maintenance and determining cluding any special monitoring.	
Distance to nearest water well within one-mile o	f pit:	Depth to shallo Source of inform	west fresh water feet. nation:	
feet Depth of water wellfeet		measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	l utilized in drilling/workover:	
Number of producing wells on lease:		Number of worl	king pits to be utilized:	
Barrels of fluid produced daily:		Abandonment p	procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit?		Drill pits must b	e closed within 365 days of spud date.	
Submitted Electronically				
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS				
Date Received: Permit Numb	per:	Permi	t Date: Lease Inspection: Yes No	



#### Kansas Corporation Commission Oil & Gas Conservation Division

1230754

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #			
Name:			
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City:	the lease below:		
Contact Person:			
Phone: ( ) Fax: ( )  Email Address:			
Surface Owner Information:			
Name:			
Address 1:	owner information can be found in the records of the register of deeds for the		
Address 2:			
City:			
	nk batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax,			
KCC will be required to send this information to the surface of	acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this as of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CF	g fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.		
Submitted Electronically			
I			




## Pro-Stake LLC

Oil Field & Construction Site Staking

P.O. Box 2324

Garden City, Kansas 67846 Office/Fax: (620) 276-6159



22023bar


Cell: (620) 272-1499 burt@pro-stakellc.kscoxmail.com

DK Operating, Inc. Mauch #1-16 OPERATOR LEASE NAME 1359' FSL - 1487 FEL Ness County, KS 16 20s 23w LOCATION SPOT COUNTY Twp. GR. ELEVATION: 2272.4'

1" = 1000" SCALE: Oct. 29th, 2014 DATE STAKED: Ben R. MEASURED BY: Norby S. DRAWN BY: Jason A. AUTHORIZED BY:

This drawing does not constitute a monumented survey or a land survey plat. This drawing is for construction purposes only.

Directions: From center of Ness City, KS at the intersection of Hwy 283 and Hwy 96 - Now go 9.3 miles South on Hwy 283 - Now go 2 miles East on 40 Rd. to the NE corner of section 16-20s-23w - Now go 0.7 mile South on U Rd. to ingress stake West into - Now go 0.1 mile West on trail - Now go approx. 720' West through wheat, into staked location. Final ingress must be verified with land owner or Operator.



## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Intent)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License # 32331	Well Location:
Name: DK Operating INc.	SE_SE_NW_SE_Sec16_Twp20_SR. 23East X_West
Address 1: 621 Benton	County: Ness
Address 2:	Lease Name: Mauch Well #: 1-16
City: Jetmore State: KS Zip: 67854 + 5311	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person: Daniel L. King	the lease below:
Phone: (620) 357-6152 Fax: (620) 357-8811	
Email Address: racerbrown880gmail.com	
Surface Owner Information:  Name: Valerie Erickson  Address 1: 124 Mark St.  Address 2: City: Aurora State: NE Zip: 68818 +	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
owner(s) of the land upon which the subject well is or will be lo	pocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this
KCC will be required to send this information to the surface ow	cknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
I hereby certify that the statements made herein are true and correct to	the best of my knowledge and belief.
Date: Signature of Operator or Agent:	Title: