

please check the box below and return to the address below.

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC Use:	
Effective Date:	
District #	
SGA? Yes No	

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

### NOTICE OF INTENT TO DRILL

	month c	day year	Spot Description:
	montn c	day year	
OPERATOR: License#			feet from N / S Line of Section
Name:			feet from E / W Line of Section
Address 1:			Is SECTION: Regular Irregular?
			(Note: Locate well on the Section Plat on reverse side)
City:	State:	Zip: +	County:
Contact Person:			Lease Name: Well #:
Phone:			Field Name:
CONTRACTOR: License#			Is this a Prorated / Spaced Field?
Name:			Target Formation(s):
			Nearest Lease or unit boundary line (in footage):
Well Drilled For:	Well Class:	Type Equipment:	
Oil Enh F	Rec Infield	Mud Rotary	
Gas Storag	ge Pool Ext.	Air Rotary	Water well within one-quarter mile:  Yes No
Dispo	osal Wildcat	Cable	Public water supply well within one mile: Yes No
Seismic ;# c	of Holes Other		Depth to bottom of fresh water:
Other:			Depth to bottom of usable water:
If OWWO. and	information as fallows:		Surface Pipe by Alternate: II II
II OWWO: old well	information as follows:		Length of Surface Pipe Planned to be set:
Operator:			Length of Conductor Pipe (if any):
Well Name:			Projected Total Depth:
Original Completion Da	ate: Origi	inal Total Depth:	Formation at Total Depth:
			Water Source for Drilling Operations:
Directional, Deviated or Ho		Yes No	Well Farm Pond Other:
•			DWR Permit #:
			(Note: Apply for Ferrill With DWT
KCC DKT #:			Will Cores be taken?
			If Yes, proposed zone:
		٨Ε	FIDAVIT
			IDAVII
The undersigned hereby	affirms that the drilling		ugging of this well will comply with K.S.A. 55 et seg
-	_	g, completion and eventual p	ugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the follow	ving minimum requirer	g, completion and eventual poments will be met:	ugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the follow  1. Notify the appropria	ving minimum requirer ate district office <i>prior</i>	g, completion and eventual p ments will be met: r to spudding of well;	
It is agreed that the follow  1. Notify the appropria  2. A copy of the appropria	ving minimum requirer ate district office <i>prior</i> oved notice of intent to	g, completion and eventual ponents will be met:  It to spudding of well;  It of a control of the	h drilling rig;
It is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amou	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as	g, completion and eventual prenents will be met:  r to spudding of well; of drill shall be posted on each specified below shall be se	h drilling rig; t by circulating cement to the top; in all cases surface pipe <b>shall be set</b>
It is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconsor	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus	g, completion and eventual prenents will be met: r to spudding of well; of drill shall be posted on each specified below shall be sets a minimum of 20 feet into the	h drilling rig; t by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation.
It is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hole	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betw	g, completion and eventual prenents will be met: It to spudding of well; It to spudding of well; It to spudding be posted on each specified below shall be set a minimum of 20 feet into the veen the operator and the dispersion.	h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging;
It is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amounthrough all unconso  4. If the well is dry hol  5. The appropriate dis	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betwestrict office will be noti	g, completion and eventual prenents will be met: It to spudding of well; It to spud of well; It to spu	h drilling rig; t by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation.
It is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betwestrict office will be notill COMPLETION, proc	g, completion and eventual presents will be met: It to spudding of well; It to spud of	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set be underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
It is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betweetrict office will be notifue to the complete office will be notifued in COMPLETION, proceed to the complete of the complete o	g, completion and eventual prenents will be met: It to spudding of well; It to spudding of well is either plugding of well is either plugding of well; It to spudding of well;	th drilling rig; If by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation. It ict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; and from below any usable water to surface within <b>120 DAYS</b> of spud date.
It is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betweetrict office will be notifue to the complete office will be notifued in COMPLETION, proceed to the complete of the complete o	g, completion and eventual prenents will be met: It to spudding of well; It to spudding of well is either plugding of well is either plugding of well; It to spudding of well;	th drilling rig; If by circulating cement to the top; in all cases surface pipe <i>shall be set</i> the underlying formation. It ict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; and from below any usable water to surface within <i>120 DAYS</i> of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betweetrict office will be notifue to the complete office will be notifued in COMPLETION, proceed to the complete of the complete o	g, completion and eventual prenents will be met: It to spudding of well; It to spudding of well is either plugding of well is either plugding of well; It to spudding of well;	th drilling rig; If by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation. It ict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; and from below any usable water to surface within <b>120 DAYS</b> of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis must be completed	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betweet office will be notiful COMPLETION, proceeding the within 30 days of the	g, completion and eventual prenents will be met: It to spudding of well; It to spudding of well is either plugding of well is either plugding of well; It to spudding of well;	th drilling rig; If by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation. It ict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; and from below any usable water to surface within <b>120 DAYS</b> of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropria 2. A copy of the appro 3. The minimum amore through all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis  must be completed	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betweet office will be notiful COMPLETION, proceeding the within 30 days of the	g, completion and eventual prenents will be met: It to spudding of well; It to spudding of well is either plugding of well is either plugding of well; It to spudding of well;	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropria 2. A copy of the appro 3. The minimum amore through all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis  must be completed	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betweet office will be notiful COMPLETION, proceeding the within 30 days of the	g, completion and eventual prenents will be met: It to spudding of well; It to spudding of well is either plugding of well is either plugding of well; It to spudding of well;	th drilling rig; the virculating cement to the top; in all cases surface pipe shall be set the underlying formation.  Attrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and placement of surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:
It is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amount through all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis must be completed  ubmitted Electror	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betweet office will be notifued to the completion of the within 30 days of the nically	g, completion and eventual prenents will be met: It to spudding of well; It to spudding of well, It to	h drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  It ictrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and placemented in; and placemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification
t is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amore through all unconso  4. If the well is dry hol  5. The appropriate dis  6. If an ALTERNATE I Or pursuant to Appropriate dis  with the completed of the complete of the	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betwistrict office will be notifue COMPLETION, proceeding the within 30 days of the nically	g, completion and eventual prenents will be met: It to spudding of well; It to spudding of well, It to	th drilling rig; the virculating cement to the top; in all cases surface pipe shall be set the underlying formation. thict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:
1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis be completed  ubmitted Electror  For KCC Use ONLY  API # 15 -  Conductor pipe required -	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betw strict office will be noti II COMPLETION, proc oendix "B" - Eastern Ka d within 30 days of the	g, completion and eventual prenents will be met: It to spudding of well; It to spudding of well in the spudding of well in the spudding of well in the	h drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  It ictrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
It is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  ubmitted Electror  For KCC Use ONLY  API # 15 -	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betw strict office will be noti II COMPLETION, proc oendix "B" - Eastern Ka d within 30 days of the	g, completion and eventual prenents will be met: It to spudding of well; It to spudding of well in the spudding of well in the spudding of well in the	h drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  It ictrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
It is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  ubmitted Electror  For KCC Use ONLY  API # 15 - Conductor pipe required -	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus ale, an agreement betw strict office will be noti II COMPLETION, proc oendix "B" - Eastern Ka at within 30 days of the	g, completion and eventual prenents will be met:  It to spudding of well; It to spudding of well, It t	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. thrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
It is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  **Ubmitted Electror**  For KCC Use ONLY  API # 15 -  Conductor pipe required -  Minimum surface pipe recompleted	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betweet strict office will be noti II COMPLETION, proceed of within 30 days of the  nically	g, completion and eventual prenents will be met:  It to spudding of well; It to spudding of well, It t	h drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  It ictrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: \_

1980' FSL

SEWARD CO. 3390' FEL

For KCC Use ONLY	
API # 15	

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: _							_ Lo	ocation of W	ell: County:
Lease:									feet from N / S Line of Section
Well Number	er:								feet from E / W Line of Section
Field:			_ Se	SecTwpS. R E W					
Number of							15	Section:	Regular or Irregular
QTR/QTR/0	JIK/QIK (	or acreage	ə:						
									Irregular, locate well from nearest corner boundary.
							Se	ection corne	r used: NE NW SE SW
							PLAT		
	Sho	ow locatio	n of the w	ell. Show i	ootage to	the neare	st lease o	r unit bound	lary line. Show the predicted locations of
					•				as Surface Owner Notice Act (House Bill 2032).
		,	,					e plat if desi	·
						ay allaon	a coparate	piat ii acon	
				:		:	•	:	
				:					
	:			:		:	:		LEGEND
					•••••				O Well Location
	:			:		:		:	
	:			:		:	:	:	Tank Battery Location
	•••••	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •		•••••			• • • • • • • • • • • • • • • • • • • •	Pipeline Location
	:			:		:	:	:	Electric Line Location
	:			:		:	:	:	Lease Road Location
				•				•	
	:			:		:	:	:	
	:			:		:		:	
	:			:		:	:	:	EXAMPLE
2000 #	:			<u> </u>	_	:	:	:	
2000 ft				ဉ 2	7	:	:	:	
	:			:		:	:	:	
	•••••		• • • • • • • • • • • • • • • • • • • •		•••••	•••••			
	:			:		:	:	:	

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### 2420 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:  Emergency Pit  Burn Pit  Drilling Pit  Workover Pit  Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit is:  Proposed Existing  If Existing, date constructed:  Pit capacity:		SecTwpR East WestFeet from Rast / West Line of SectionFeet from East / West Line of Section		
	(bbls)		County		
Is the pit located in a Sensitive Ground Water A	Area? Yes	No	Chloride concentration:mg/l  (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to dee	epest point:	(feet) No Pit		
If the pit is lined give a brief description of the li material, thickness and installation procedure.	illei		dures for periodic maintenance and determining ncluding any special monitoring.		
Distance to nearest water well within one-mile	of pit:	Depth to shallowest fresh water feet. Source of information:			
feet Depth of water wellfeet		measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment procedure:			
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
KCC OFFICE USE ONLY					
Date Received: Permit Num	ber:	Permi	Liner Steel Pit RFAC RFAS it Date: Lease Inspection: Yes No		

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1 January 2014 Form Must Be Typed Form must be Signed All blanks must be Filled

## **CERTIFICATION OF COMPLIANCE WITH THE** KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed:	1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)			
OPERATOR: License #	Well Location:			
Name:				
Address 1:	County:			
Address 2:	Lease Name: Well #:			
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of			
Contact Person:	the lease below:			
Phone: ( ) Fax: ( )				
Email Address:				
Surface Owner Information:				
Name:				
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.			
Address 2:				
City: State: Zip:+				
are preliminary non-binding estimates. The locations may be entered Select one of the following:	ank batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.			
owner(s) of the land upon which the subject well is or will be	Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form n being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.			
KCC will be required to send this information to the surface of	acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ss of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form.			
If choosing the second option, submit payment of the \$30.00 handlir form and the associated Form C-1, Form CB-1, Form T-1, or Form Cl	ng fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.			
Submitted Electronically				
1				

TOPOGRAPHIC LAND SURVEYORS
6709 NORTH CLASSEN BLVD., OKIA CITY, OKIA 73116 \* LOCAL (405) 843-4847 \* OUT OF STATE (800) 654-3219
Certificate of Authorization No. LS-99, Exp. Dec. 31, 2015 BARBER County, Konsos

27 Township 34S Ronge 10W P.M. 2420'FSL-2000'FWL Section \_ Distances shown in (parembess) are calculated based upon the Quider Scale of Control (mass-state) in (trackets) are based in QUI (control mass-state) and officer of the property of the prope Bottom Hole and Drill Path information provided by operator listed, NOT Surveyed X== 2028483 Y= 150336 X= 203382 Y= 150407 GRID NAD-27 Kansas South US Feet Note: 3.280833 Ft.=1 Meter Scale: 1"= 1000' 500 (330) 330' HARDLINE Bottom Hole 2310'FSL-1230'FWL NAO-27 (US Feet) 37'04'16.7'N 98'23'53.3'W 37.07'1311661'N 98.398139922'W X= 2029720 Y= 147356 1230 (1410') Best Accessibility to Location Distance & Direction From Hwy Jet or Town From From Hwy Jet or Town From Hyper Jet of Town From Hwy Jet or Town From Hyper Jet of Town Fr Topography & Vegetation Operator: TAPSTONE 7.00 Name: BILL AZ= 2310 CALC. TURNING POINT 545 FSL-1209 FWL IS ±725 FROM CRIFTIN PER KGS DATA BASE NOT SURVEYED 770' E ENERGY 22-34-10 Loc. GRIFFIN 1 PER KGS DATA BASE NOT SURVEYED From X= 2033831 Y= 145099 fell 5 X= 2028496 Y= 145030 ŝ off county road Reference Stakes Stakes Set \_\_\_Non ±791' ±170 KNORP FARMS 1 PER KGS DATA BASE NOT SURVEYED ±2.5 BEN SEE South HARDUNE HARDUNE ₹. South or Alternate 잋 ₩el Š Ř <u>د</u> ಕ X= 2028506 Y= 142385 226 the 1640 27 Location 主 ರ್ಷ West field 2000 X= 2033864 Y= 142437 TAPSTONE ENERGY BILL 34-34-10 1H ELEVATION: 1318' Gr. at 9 2420' 330' HAROLINE X= 2031210 Y= 139761 X= 2033897 Y= 139776 A boundary survey of the said section(s) shown hereon was not performed per the request of the operator shown hereon. X= 2028516 Y= 139751 The information shown herein is for construction purposes <u>ONLY.</u>
Nov. 6, 2014 Revision X F Invoice # 227629A Date Stoked: Aug. 18, 2014 NAD-27 LAT: 37'03'25.5"N PRELIMINARY LONG: 98'23'43.7"W LAT: 37.057088151'N LONG: 98.395464561'W STATE PLANE COORDINATES: (US Feet) ZONE: \_ кѕ sòutн

2030507 142178

# **Summary of Changes**

Lease Name and Number: Bill 22-34-10 1H

API/Permit #: 15-007-24228-01-00

Doc ID: 1231071

Correction Number: 1

Approved By: Rick Hestermann 11/07/2014

Field Name	Previous Value	New Value
Bottom Hole Location	2310'FSL;1650'FWL SEC 22-34S-10W	2310'FSL;1230'FWL SEC 22-34S-10W
KCC Only - Approved By	Rick Hestermann 09/16/2014	Rick Hestermann 11/07/2014
KCC Only - Approved Date	09/16/2014	11/07/2014
KCC Only - Date Received	09/16/2014	11/07/2014
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=12 23205	//kcc/detail/operatorE ditDetail.cfm?docID=12 31071

# **Summary of Attachments**

Lease Name and Number: Bill 22-34-10 1H

API: 15-007-24228-01-00

Doc ID: 1231071

Correction Number: 1

Approved By: Rick Hestermann 11/07/2014

**Attachment Name**