Confidentiality Requested: Yes No

# KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

1231240

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

#### WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15				
Name:	Spot Description:				
Address 1:					
Address 2:	Feet from Dorth / South Line of Section				
City: State: Zip:+	Feet from East / West Line of Section				
Contact Person:	Footages Calculated from Nearest Outside Section Corner:				
Phone: ()					
CONTRACTOR: License #	GPS Location: Lat:, Long:				
Name:	(e.g. xx.xxxx) (e.gxxx.xxxx)				
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84				
Purchaser:	County:				
Designate Type of Completion:	Lease Name: Well #:				
New Well Re-Entry Workover	Field Name:				
	Producing Formation:				
Gas D&A ENHR SIGW	Elevation: Ground: Kelly Bushing:				
OG GSW Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:				
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Fee				
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?				
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet				
Operator:	If Alternate II completion, cement circulated from:				
Well Name:	feet depth to:w/sx cmt.				
Original Comp. Date: Original Total Depth:					
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Drilling Fluid Management Plan				
Plug Back Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)				
	Chloride content: ppm Fluid volume: bbls				
Commingled Permit #:	Dewatering method used:				
Dual Completion Permit #: SWD Permit #:					
SWD     Permit #:       ENHR     Permit #:	Location of fluid disposal if hauled offsite:				
GSW Permit #:	Operator Name:				
	Lease Name: License #:				
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West				
Recompletion Date Recompletion Date	County: Permit #:				

#### AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

## Submitted Electronically

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
Wireline Log Received					
Geologist Report Received					
UIC Distribution					
ALT I II III Approved by: Date:					

	Page Two	1231240
Operator Name:	Lease Name:	Well #:
Sec TwpS. R East _ West	County:	

**INSTRUCTIONS:** Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	eets)		-	n (Top), Depth an		Sample	
Samples Sent to Geolog	gical Survey	Yes No	Nam	e		Тор	Datum
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No					
List All E. Logs Run:							
			RECORD Ne				
		Report all strings set-o	onductor, surface, inte	ermediate, productio	on, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
	· · · · ·	ADDITIONAL	CEMENTING / SQU	JEEZE RECORD			
Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used		Type and Pe	ercent Additives	
Protect Casing							
Plug Off Zone							

Did you perform a hydraulic fracturing treatment on this well?	Yes	No
Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?	Yes	No
Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?	Yes	No

(If No, skip questions 2 and 3)
(If No, skip question 3)
(If No, fill out Page Three of the ACO-1)

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated						Acid, Fracture, Shot, Ce (Amount and Kind		Depth
TUBING RECORD:	Size: Set At:				At:	Liner I		No	
Date of First, Resumed	Date of First, Resumed Production, SWD or ENHR. Producing M				bing	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls. (			Gas Mcf	Wat	ər	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITION OF GAS:			METHOD ( Open Hole Perf.	DF COMPLE	Comp.	Commingled	PRODUCTION IN	ITERVAL:	
				Other (Specify)	(Submit )	,	(Submit ACO-4)		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

## **DRILLERS LOG**

Company:	MARK MORRISON
Farm: Well No: API:	KIMBERLIN KI-22 15-205-28274-00-00
Surface Pipe:	20'

Contractor: EK Energy LLC License# 33977 County: WILSON Sec: 3 TWP: 27 Range: 16E Location: 1195' FSL Location: 2766' FEL Spot: NE-NE-SE-SW

Thickness	Formation	Depth	Remarks
	SOIL & CLAY	5	Drilled 9.875 Hole Set 8 5/8
39	LIME	44	Drilled 5.875 HOLE
112	SHALE	156	
21	LIME	177	
49	SHALE	226	Started 9/30/2014
26	LIME	252	Finished 10/7/2014
67	SHALE	319	
207	LIME	526	
113	SHALE	639	T.D. Hole 946'
10	LIME	649	T.D. PIPE 938'
9	SHALE	658	
7	OIL SHOW	665	
59	SHALE	724	
30	LIME	754	
28	SHALE	782	
16	LIME	798	
5	SHALE	803	
5	LIME	808	
133	SHALE	941	
5	OIL SAND	946	

CONDITIONS Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request. Contractor must provide place for truck to wash out. A \$30 charge will be added per truck'i contractor does not supply a place to wash truck out. Tow charges are buyers responsibility.

SHIP TO:

#### 802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, Inc. NOTICE TO OWNER Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

#### 54 W TO YE S ON 75HWY TO 2400RD E 2.5 MI N SD

YE	TES CENTER	KS	66783			N/ 733	
TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
🧖 12:21 P	M WELL	11.50	11.50	- 490 <sup>1</sup>	35		WILCO
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
10/7/14	MELL#KISS	1	11.50	17	0.00	4.00 in	38100
CAUSE BURNS. Avoid C Contact With Skin or Eye Attention. KEEP CHILDRE	WARNING TING TO THE SKINA AI It. Wear Rubber Boots and Gloves. PF contact With Eyes and Prolonged Co se, Flush Thoroughly With Water, Thin EN AWAY. E COMMODITY and BECOMES the PROPP CHANGES OR CANCELLATION of ORIGI	ntact With Skin. In Case of itation Persists, Get-Medical	you for your signature is of the opi truck may possibly cause damage property if it places the material in our wish to help you in every way the driver is requesting that you si this supplier from any responsibility to the premises and/or adiacet		H <sub>2</sub> 0 Ac	is Detrimental to Concr Ided By Request/Author	
TELEPHONED to the OFFICE The undersigned promises to any sums owed. All accounts not paid within 30 Not Responsible for Reactiv Material is Delivered.	E BEFORE LOADING STARTS. pay all costs, including reasonable attorn ) days of delivery will bear interest at the rate e Aggregate or Color Quality. No Claim Loss of the Cash Discount will be collect	neys' fees, incurred in collecting of 24% per annum. Allowed Unless Made at Time	also agree to help him remove mu that he will not litter the public stree tion, the undersigned agrees to ind of this truck and this supplier for a	Very of his material, and har yoo of the methods of his vehicle so et. Further, as additional considera- mithy and hold harmless the driver ny and all damage to the premises ay be claimed by anyone to have	NOTICE: MY SIGNATURE BEI NOTICE AND SUPPLIER WI WHEN DELIVERING INSIDE CI LOAD RECEIVED BY:	OW INDICATES THAT I HAVE F LL NOT BE RESPONSIBLE F JRB LINE.	IEAD THE HEALTH WARNING OR ANY DAMAGE CAUSED
QUANTITY	CODE	DESCRIPTION				UNIT PRICE	EXTENDED PRICE
11.50	WELL		O SACKS PEI	R. UNIT)	11.50		
12.50	TRUCKIN		G CHARGE	A President and a state	2.50		
11.50	MIX&HAU	MIXING	AND HAULING	9	11.50	1. 7.	
					KI	-22	
RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/C	YLINDER TEST TAKEN	TIME ALLOWED		
		146	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION	*	TAX 6.15	
LEFT PLANT	ARRIVED JOB	START UNLOADING	4. CONTRACTOR BROKE DOWN 5. ADDED WATER	9. OTHER	TIME DUE		
1240	135					ADDITIONAL CHARGE	
1		UNLOADING TIME			DELAY TIME	ADDITIONAL CHARGE	,
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME				Abbillolute of allong	

Building Materials Farm & Ranch Supplies Structural Steel Products Hardware & Paint



RETURN POLICY - within 30 days only merchandise must be in saleable condition and accompanied by invoice.

No refunds on Special Order non-stock items

Account due 10th of month following purchase. 1 1/2% interest per month added for an annual percentage rate of 18%.

SOLD TO MARK MORRISON MORRISON CONSTR 1651 50TH. RD. YATES CENTER, KS 66785-5141 620-537-6675 2103 S. SANTA FE CHANUTE, KS 66720 SHIP TO (620)431-6070 MORRISON CONST

MORRISON CONSTRUCTION 1651 50TH RD

YATES CENTER, KS 66783



Shipment #: 1

ACCOUNT #	CUSTIOM	51.203//	NET	TERMS 10TH	ORDER #	ORDER DATE 09/22/14	SLSMN BR	INVOICE # 857581	INVOICE DATE 09/22/14
ORDERED	BACKORDERED	SHIPPED	U/M		SERIPTION		PRIC		AMOUNT
5	0	5	Contractor and an	CEMENT STANDAR MONARCH STD PALLET ?		94LB	And a second and an and a second state of the second	1.250	56.25
	***			#K1 9-	-22 30-	- 14			
			3						.t 
September	22, 2014 (	)9:44:3 BF	RUCE F		0 /		MERCHA	NDISE	56.25
	*******			SHIP VIA FILLED	BY CHK'D BY	DRIVER	OTHER		0.00
	INVOICE *	r					TAX 8.4	00%	4.73
		10	.n_ 1389 <sup>80</sup>	PAGE 1 OF 1			FREIGHT		0.00
				22		8	TOTAL		60.98

MARK MORRISON 1651 50th Road Yates Center, KS 66783

# **WORK ORDER**

**KIMBERLIN LEASE** 

<u>DATE</u>	WELL	DESCRIPTION
9/30/2014	KI-22	mixed 5 sacks of cement to cement surface
10/7/2014	KI-22	established circulation; circulate 115 sacks of cement to surface