

Confidentiality Requested:

Yes No

Kansas Corporation Commission
Oil & Gas Conservation Division

1231247

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License # | API No. 15 | | | | |
|---|--|--|--|--|--|
| Name: | Spot Description: | | | | |
| Address 1: | SecTwpS. R 🗌 East 🗌 West | | | | |
| Address 2: | Feet from North / South Line of Section | | | | |
| City: State: Zip:+ | Feet from _ East / _ West Line of Section | | | | |
| Contact Person: | Footages Calculated from Nearest Outside Section Corner: | | | | |
| Phone: () | □NE □NW □SE □SW | | | | |
| CONTRACTOR: License # | GPS Location: Lat:, Long: | | | | |
| Name: | (e.g. xx.xxxxx) (e.gxxx.xxxxx) | | | | |
| Wellsite Geologist: | Datum: NAD27 NAD83 WGS84 | | | | |
| Purchaser: | County: | | | | |
| Designate Type of Completion: | Lease Name: Well #: | | | | |
| New Well Re-Entry Workover | | | | | |
| ☐ Oil ☐ WSW ☐ SWD ☐ SIOW | Producing Formation: | | | | |
| ☐ Gas ☐ D&A ☐ ENHR ☐ SIGW | Elevation: Ground: Kelly Bushing: | | | | |
| ☐ OG ☐ GSW ☐ Temp. Abd. | Total Vertical Depth: Plug Back Total Depth: | | | | |
| CM (Coal Bed Methane) | Amount of Surface Pipe Set and Cemented at: Feet | | | | |
| Cathodic Other (Core, Expl., etc.): | Multiple Stage Cementing Collar Used? | | | | |
| If Workover/Re-entry: Old Well Info as follows: | If yes, show depth set: Feet | | | | |
| Operator: | If Alternate II completion, cement circulated from: | | | | |
| Well Name: | feet depth to:w/sx cmt. | | | | |
| Original Comp. Date: Original Total Depth: | | | | | |
| ☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD | Drilling Fluid Management Plan | | | | |
| ☐ Plug Back ☐ Conv. to GSW ☐ Conv. to Producer | (Data must be collected from the Reserve Pit) | | | | |
| Commingled Paymit #: | Chloride content: ppm Fluid volume: bbls | | | | |
| Commingled Permit #: | Dewatering method used: | | | | |
| SWD Permit #: | Location of fluid disposal if hauled offsite: | | | | |
| ENHR Permit #: | · | | | | |
| GSW Permit #: | Operator Name: | | | | |
| | Lease Name: License #: | | | | |
| Spud Date or Date Reached TD Completion Date or | Quarter Sec TwpS. R | | | | |
| Recompletion Date Recompletion Date | County: Permit #: | | | | |

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

| KCC Office Use ONLY |
|---------------------------------|
| Confidentiality Requested |
| Date: |
| Confidential Release Date: |
| Wireline Log Received |
| Geologist Report Received |
| UIC Distribution |
| ALT I II III Approved by: Date: |

Page Two



| Operator Name: | | | Lease Name: | | | Well #: | |
|---|--|---|------------------------------------|---|---------------------|-----------------------------------|-------------------------------|
| Sec Twp | S. R | East West | County: | | | | |
| INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. | | | | | | | |
| | | tain Geophysical Data a r newer AND an image f | | gs must be ema | iled to kcc-well-lo | gs@kcc.ks.gov | v. Digital electronic log |
| Drill Stem Tests Taker (Attach Additional | | Yes No | | | on (Top), Depth an | | Sample |
| Samples Sent to Geo | logical Survey | ☐ Yes ☐ No | Nam | 9 | | Тор | Datum |
| Cores Taken Electric Log Run | | Yes No | | | | | |
| List All E. Logs Run: | | | | | | | |
| | | | | | | | |
| | | CASING Report all strings set-c | RECORD Ne conductor, surface, inte | | ion, etc. | | |
| Purpose of String | Size Hole Drilled | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | 5 | ADDITIONAL | CEMENTING / SQU | EEZE RECORD | | | |
| Purpose: Perforate | Top Bottom | | # Sacks Used | d Type and Percent Additives | | | |
| Protect Casing Plug Back TD | | | | | | | |
| Plug Off Zone | | | | | | | |
| | | | | | ¬ | | |
| | ulic fracturing treatment or otal base fluid of the hydra | n this well? aulic fracturing treatment ex | ceed 350,000 gallons | Yes ? Yes | | p questions 2 an p question 3) | d 3) |
| | | submitted to the chemical of | _ | Yes | | out Page Three | of the ACO-1) |
| Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type | | | | Acid, Fracture, Shot, Cement Squeeze Record | | | |
| Onots Fer Foot | Specify Fo | ootage of Each Interval Perf | orated | (Amount and Kind of Material Used) Depth | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| TUBING RECORD: | Size: | Set At: | Packer At: | Liner Run: | Yes No | | |
| Date of First, Resumed | Production, SWD or ENH | R. Producing Meth | nod: | | | | |
| | | Flowing | | Gas Lift C | Other (Explain) | | |
| Estimated Production Per 24 Hours | Oil BI | bls. Gas | Mcf Wate | er B | bls. G | as-Oil Ratio | Gravity |
| DISPOSITION | DISPOSITION OF GAS: METHOD OF COMPL | | | | | PRODUCTIO | N INTERVAL: |
| Vented Solo | | Open Hole | Perf. Dually | Comp. Cor | nmingled | | |
| (If vented, Sui | bmit ACO-18.) | Other (Specify) | (Submit A | (Sub | mit ACO-4) | | |

DRILLERS LOG

Company:

MARK MORRISON

Contractor: EK Energy LLC

License# 33977

Farm:

KIMBERLIN

County: WILSON

Well No:

KI-24

Sec: 3 TWP: 27 Range: 16E

API:

15-205-28276-00-00

Location: 1240' FSL

Surface Pipe: 20'

Location: 3476' FEL

Spot: NE-NW-SE-SW

| Thickness | Formation | Depth | Remarks |
|-----------|-------------|-------|---------------------------|
| | SOIL & CLAY | 7 | Drilled 9.875 Hole Set 7" |
| 31 | LIME | 38 | Drilled 5.875 HOLE |
| 112 | SHALE | 150 | |
| 23 | LIME | 173 | |
| 19 | SHALE | 190 | Started 10/9/2014 |
| 53 | LIME | 243 | Finished 10/17/2014 |
| 72 | SHALE | 315 | |
| 13 | LIME | 328 | |
| 8 | SHALE | 336 | T.D. Hole 939' |
| 184 | LIME | 520 | T.D. PIPE 927.75' |
| 111 | SHALE | 631 | |
| 10 | LIME | 641 | |
| 77 | SHALE | 718 | |
| 31 | LIME | 749 | |
| 28 | SHALE | 777 | |
| 17 | LIME | 794 | |
| 6 | SHALE | 801 | |
| 4 | LIME | 805 | |
| 126 | SHALE | 931 | 2 |
| 8 | OIL SAND | 939 | |
| | | | |
| | | | |
| | | | |
| | | | |

Building Materials Farm & Ranch Supplies Structural Steel Products Hardware & Paint



A Division of Cleaver Farm Supply, Inc.

2103 S. SANTA FE CHANUTE, KS 66720 (620)431-6070

SHIP TO

RETURN POLICY - within 30 days only - merchandise must be in saleable

condition and accompanied by invoice.

No refunds on Special Order non-stock

Account due 10th of month following purchase. 1 1/2% interest per month added for an annual percentage rate of 18%.

MORRISON CONSTRUCTION

1651 50TH RD

YATES CENTER, KS 66783

SOLD TO MARK MORRISON MORRISON CONSTR 1651 50TH. RD.

YATES CENTER, KS 66785-5141

620-537-6675

Shipment #: 1 INVOICE# INVOICE DATE ORDER# 01:10/21:60/21:1 SLSMN ACCOUNT # **CUSTOMER P.O.#** . Terms 857581 09/22/14 1295151 09/22/14 BR M1876 NET 10TH EU/M E PRICE ORDERED BACKORDERED SHIPPED AMOUNT DESCRIPTION

| BACKORDERED SHIPP | | | THE SUM | | | | |
|-----------------------------|------------|----------|-----------------------|--------------|--|--|--------|
| 5 0 | 5 EA | | STANDARD T | YPE 1 | 94LB | 11.250 | 56.25* |
| | | MONARCH | | | | | 81 |
| | | STD | | 100 | | | 段 |
| s | | PALLET | ? | | | 20 U | |
| - | | | ei) as | | | | 10 |
| | | | | | | 8 | |
| | | | | | | | |
| | 1 | | | | | N N | 9.7 |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| PLOSED BUT THE ELECTRIC FOR | | | | | | | |
| | | | | | Application and the second and the s | | |
| | | i f | | | ACCURATE AND ACCUR | | |
| | | ä, j | | | | And a control light of mind of processing of the control light of mind of the control light o | |
| | 27. Edit | | fillati ja | | | A STATE OF THE STA | - E |
| | | | | | | | |
| estradomente eministrativa | | 7 | - an interior desired | MAINTENNICHE | | and the second product and the second | |
| | | | | | | | |
| | | . / | | | 11 | | |
| | | 1 | VI. | _ 7 | 4 | | |
| | | 1 | | | / | 20 | |
| | | | K1- | | - | | |
| | | | 10. | 9 | 14 | | |
| 2 - 2 | | | 10- | 1- | 1.5 | | |
| | | | • | | / | Ø 4 | |
| | for the | | | | | | |
| | | | | | | | |
| | | | | | | 848 | |
| | | | | | | | |
| | | | | | e fo | | |
| September 22, 2014 09:44:3 | BRIICE E | 2 | | 0 / | 1 | MERCHANDISE | 56.25 |
| Deposition 22, 2011 07.11. | , DICOCH I | _ | L EULED DV | | | | |
| ********* | | SHIP VIA | FILLED BY | CHK,D B. | DRIVER | OTHER | 0.00 |
| * INVOICE * | | | | <u></u> | | TAY | |
| ******* | | | | | | TAX 8.400% | 4.73 |
| 1 | LO | PAGE | 1 OF 1 | | | | |
| 9 | | | | | | FREIGHT | 0.00 |
| n 14. | | | | | | | |
| 2 Z | | | | | er e | TOTAL | 60.98 |
| | | | 5.74 | | | | |

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588 NOTICE TO OWNER
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

Payless Concrete Products, Inc.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk, The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

Contractor must provide place for truck to wash out. A \$30 charge will be added per truck if contractor does not supply a place to wash truck out. Tow charges are buyers responsibility.

54 W TO YE S DN 75HWY TO 2400RD

MARK MORRISON 1651 50TH RD

| TIME | FORMULA | LOAD SIZE | YARDS ORDERED | | DRIVER/TRUCK | % Air | PLANT/TRANSACTION # |
|----------|-----------|-----------|---------------|--------|--------------|---------|---------------------|
| 10:34 A | N WELL | 11.50 | 11.50 | | TC | | WILCO |
| DATE | PO NUMBE | LOAD# | YARDS DEL. | BATCH# | WATER TRIM | SLUMP | TICKET NUMBER |
| 10/17/14 | MELL#K124 | 1 | 11.50 | 5 | 0.00 | 4.00 in | 38129 |

WARNING

IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prounged Contact With Skin. In Case of
Contact With Skin or Eyes, Flush. Thoroughly With Yater, If Imitation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT, ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$30 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$60/HR.

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
Dear Customer-The driver of this truck in presenting this RELEASE to
you for your signature is of the opinion that the size and weight of his
truck may possibly cause damage to the premises and/or adjacent
property if I places the material in this load where you desire it. It is
our wish to help your levery way that we can, but in order to do this
the driver is requised that you so this RELEASE releving, him and
this supplier from any responsibility from any damage that may occur
to the premises and/or adjacent property, buildings, sidewise,
driveways, curbs, etc., by the delivery of this material, and that you
also agree to help him remove mud from the wheels of his vehicle so
that he will not littler the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver
of this truck and this supplier for any and all damage to the premises
and/or adjacent property which may be claimed by anyone to have
arisin out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY

EXTENDED PRICE UNIT PRICE DESCRIPTION QUANTITY CODE

2.50 11.50

TRUCKING

MIXING AND HAULING

2.50

| RETURNED TO PLANT | LEFT JOB | FINISH UNLOADING | DELAY EXPLANATION/CYLINDER TEST TAKEN | TIME ALLOWED | |
|-------------------|--------------|------------------|---|--------------|---------------------|
| | | 1/58 | 1. JOB NOT READY 6. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION | 7/4 | TAX 6.15 |
| LEFT PLANT | ARRIVED JOB | START UNLOADING | CONTRACTOR BROKE DOWN 9. OTHER ADDED WATER | TIME DUE | |
| 1055 | 1/37 | | | | ADDITIONAL CHARGE 1 |
| TOTAL ROUND TRIP | TOTAL AT JOB | UNLOADING TIME | | DELAY TIME | ADDITIONAL CHARGE 2 |
| | | | | | GRAND TOTAL |

MARK MORRISON 1651 50th Road Yates Center, KS 66783

WORK ORDER

KIMBERLIN LEASE

| DATE | WELL | <u>DESCRIPTION</u> |
|------------|-------|--|
| 10/9/2014 | KI-24 | mixed 5 sacks of cement to cement surface |
| 10/17/2014 | KI-24 | established circulation; circulate 115 sacks of cement to surface |