

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	_
District #		_
SGA?	Yes No	

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1232442

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

#### NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
monun day year	
DPERATOR: License#	foot from   N /   S Line of Soction
lame:	feet from L E / W Line of Section
ddress 1:	Is SECTION: Regular Irregular?
ddress 2:	
ity:	County:
Contact Person:	Lease Name: Well #:
hone:	Field Name:
ONTRACTOR: License#	
ame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
	Ground Surface Elevation:feet MS
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary  Disposal Wildcat Cable	Public water supply well within one mile:
Seismic; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	( <b>Note:</b> Apply for Permit with DWR)
CC DKT #:	- Will Cores be taken? Yes N
	viii oores se taken:
	- Will Cores be taken?N  If Yes, proposed zone:
	viii cores be taken:
AF	If Yes, proposed zone:
AF The undersigned hereby affirms that the drilling, completion and eventual p	If Yes, proposed zone:
AF  The undersigned hereby affirms that the drilling, completion and eventual pet is agreed that the following minimum requirements will be met:	If Yes, proposed zone:
AF The undersigned hereby affirms that the drilling, completion and eventual p	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual parties agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be</i> see	If Yes, proposed zone:  FFIDAVIT  Idugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  In the set by circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual process is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone:  FFIDAVIT  Idugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  If yes proposed zone:  If yes, propose
he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t.  4. If the well is dry hole, an agreement between the operator and the discovered in	If Yes, proposed zone:  FFIDAVIT  Idugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  If yes proposed zone:  If Yes, propose
The undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill shall be settled by the settled in the settled intent to drill shall be settled by the settled intent inte	If Yes, proposed zone:  FFIDAVIT  Idugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig; If you circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  It is a surface pipe shall be set the underlying formation.  It is a surface pipe shall be set to the underlying formation.  It is a surface pipe shall be set to the underlying formation.  It is a surface pipe shall be set to the underlying formation.  It is a surface pipe shall be set to the underlying formation.  It is a surface pipe shall be set to the underlying formation.
he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t.  4. If the well is dry hole, an agreement between the operator and the di.  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement.	If Yes, proposed zone:  FFIDAVIT  Idugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig; If the top circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In the state of the set of the set of the set of the underlying formation.  In the set of the set of the set of the underlying formation.  In the set of the set of the set of the underlying formation.  In the set of the set of the set of the underlying formation.  In the set of the set of the set of the underlying formation is the underlying formation.  In the set of the set of the set of the set of the underlying formation.  In the set of the set of the set of the underlying formation is the underlying formation.  In the set of the set of the set of the underlying formation is the underlying formation.  In the set of the set of the set of the underlying formation is the underlying formation.  In the set of the set of the set of the underlying formation is the underlying formation.  In the set of the set of the underlying formation is the underlying formation.  In the set of the underlying formation is the underlying formation.  In the set of the underlying formation is th
The undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plus that an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order the set of the understand the set of the set o	If Yes, proposed zone:  FFIDAVIT  Idugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig; If you circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  It is a surface pipe shall be set the underlying formation.  It is a surface pipe shall be set to the underlying formation.  It is a surface pipe shall be set to the underlying formation.  It is a surface pipe shall be set to the underlying formation.  It is a surface pipe shall be set to the underlying formation.  It is a surface pipe shall be set to the underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual parties agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugible. The appropriate district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order for the surface of the surfa	If Yes, proposed zone:  FFIDAVIT  Idugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig; If the total comply with K.S.A. 55 et. seq.  Ich drilling rig; If the total comply with K.S.A. 55 et. seq.  Ich drilling rig; Ich drill
he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t.  4. If the well is dry hole, an agreement between the operator and the di.  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #	If Yes, proposed zone:  FFIDAVIT  Idugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig; If the top circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In the state of the set to the top in all cases surface pipe shall be set the underlying formation.  In the set to the top in all cases surface pipe shall be set the underlying formation.  In the set to the underlying formation is the underlying formation.  In the set to the underlying formation is the underlying formation in the underlying formation.  In the set to the underlying right be set to the underlying formation in the underlying formation.  In the set to the underlying right be set to the underlying formation in the underlying formation.  In the set to the underlying right be set to the underlying formation.  In the set to the underlying right be set to the underlying formation.  In the set to the underlying right be set to the underlying formation.  In the set to the underlying right be set to the underlying formation.  In the set to the underlying right be set to the underlying formation.  In the set to the underlying right be set to the underlying formation.  In the set to the underlying right be set to the underlying right
he undersigned hereby affirms that the drilling, completion and eventual prisagreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging to a proper shall be comented to a pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone:  FFIDAVIT  Idugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig; If the top circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In the state of the set to the top in all cases surface pipe shall be set the underlying formation.  In the set to the top in all cases surface pipe shall be set the underlying formation.  In the set to the underlying formation is the underlying formation.  In the set to the underlying formation is the underlying formation in the underlying formation.  In the set to the underlying right be set to the underlying formation in the underlying formation.  In the set to the underlying right be set to the underlying formation in the underlying formation.  In the set to the underlying right be set to the underlying formation.  In the set to the underlying right be set to the underlying formation.  In the set to the underlying right be set to the underlying formation.  In the set to the underlying right be set to the underlying formation.  In the set to the underlying right be set to the underlying formation.  In the set to the underlying right be set to the underlying formation.  In the set to the underlying right be set to the underlying right
he undersigned hereby affirms that the drilling, completion and eventual prisagreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging to a proper shall be comented to a pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone:  FFIDAVIT  Idugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In this is the underlying formation and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  If Yes, proposed zone:  If
he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t.  4. If the well is dry hole, an agreement between the operator and the di.  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be submitted Electronically	If Yes, proposed zone:  FFIDAVIT  Idugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; are from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
he undersigned hereby affirms that the drilling, completion and eventual prisagreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging the appropriate district office will be notified before well be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order and the district office will be set to the well shall be completed within 30 days of the spud date or the well shall be submitted Electronically  **For KCC Use ONLY**	If Yes, proposed zone:  FFIDAVIT  Idugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In this is the underlying formation and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  If Yes, proposed zone:  If
he undersigned hereby affirms that the drilling, completion and eventual prisagreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the drill approved in the search and the drill approved in the search and the drill appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for gursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15 -	If Yes, proposed zone:  FIDAVIT  Idugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification
he undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the drill approved in the search and the drill approved in the search and the drill appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the spud date or the well shall be appropriated within 30 days of the spud date or the well shall be appropriated before well is either plug of the spud date or the well shall be appropriated before the appropriate appropriate appropriate before the appropriate appropriat	If Yes, proposed zone:  FFIDAVIT  Idugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date.  If Yes, proposed zone:  If Yes,
he undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the drill approved in the search and the drill approved in the search and the drill appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the spud date or the well shall be the completed within 30 days of the spud date or the well shall be search the spud date or the well shall be search the spud date or the well shall be search to the spud date or the well shall be search to the spud date or the well shall be search to the spud date or the well shall be search to the spud date or the well shall be search to the spud date or the well shall be search to the spud date or the well shall be search to the spud date or the well shall be search to the spud date or the well shall be search to the spud date or the well shall be search to the spud date or the well shall be search to the spud date or the well shall be search to the spud date or the well shall be search to the spud date or the well shall be search to the spud date or the well shall be search to the spud date or the well shall be search to the spud date or the well shall be search to the spud date or the well shall be search to the spud date or the spud date or the well shall be search to the spud date or the spud d	If Yes, proposed zone:  FFIDAVIT  Idugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;
he undersigned hereby affirms that the drilling, completion and eventual prist agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the	If Yes, proposed zone:  If Yes
The undersigned hereby affirms that the drilling, completion and eventual provided is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging the state of the specific production of the specific provided within 30 days of the spudiate or the well shall be submitted Electronically  **For KCC Use ONLY**	If Yes, proposed zone:  FFIDAVIT  Idugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  At by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; goed or production casing is cemented in; goed from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);
he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set int	If Yes, proposed zone:  FFIDAVIT  Idugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

SEWARD CO. 3390' FEL

Location of Well: County: \_

For KCC Use ONLY	
API # 15	_

Operator:\_

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

ease:								feet from N / S Line of Section
Vell Number:								feet from E / W Line of Section
ield:						_ Se	c	Twp S. R
lumber of Acres attri QTR/QTR/QTR/QTR						_	Section:	Regular or Irregular
							Section is ction corne	Irregular, locate well from nearest corner boundary. er used: NE NW SE SW
	lti-		all Chaus	fa a ta a a ta	<i>tha manual</i>	PLAT		down line. Chan the musticated leastings of
				d electrica	l lines, as	required b	y the Kans	dary line. Show the predicted locations of sas Surface Owner Notice Act (House Bill 2032).
				You m	ay attach a	a separate	plat if desi 162	20 ft.
	: : : :	: : : :	:		:	:	:	LEGEND
				•••••	:		:	O Well Location Tank Battery Location
••••	· · · · · · · · · · · · · · · · · · ·	:		•••••	:	:	<u> </u>	Pipeline Location Electric Line Location Lease Road Location
	:  :	: : :	:  :		: : :	:	: :	Ecase Road Eccation
	:	<u>:</u> :	:		:	<u>:</u>	:	EXAMPLE : :
			6		:			
		:		••••	:	:		
	:  :	: :	:  :		:  :	: :	:  :	1980' FSL
		:				:		
	:	:	:		:	:	:	

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 1232442

Form CDP-1 May 2010 Form must be Typed

#### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:		Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:  Emergency Pit  Burn Pit  Settling Pit  Drilling Pit  Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water A	Pit is:  Proposed Existing  If Existing, date constructed:  Pit capacity:  (bbls)  Area? Yes No		SecTwp R East WestFeet from North / South Line of Section Feet from East / West Line of Section County Chloride concentration: mg/l mg/l mg/l reference from reference from mg/l mg/l mg/l reference from reference from mg/l reference from reference from mg/l reference from	
Is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee			
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining acluding any special monitoring.	
			Depth to shallowest fresh water feet. Source of information:	
feet Depth of water wellfeet		measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all s		Type of materia	over and Haul-Off Pits ONLY:  all utilized in drilling/workover:  king pits to be utilized:  procedure:	
flow into the pit? Yes No Drill pits must be closed within 365 days of spud date.  Submitted Electronically				
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS				
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No	

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form KSONA-1 January 2014 Form Must Be Typed Form must be Signed All blanks must be Filled

#### **CERTIFICATION OF COMPLIANCE WITH THE** KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed:C-1 (Intent)CB-	.1 (Cathodic Protection Borehole Intent)		
OPERATOR: License #	_ Well Location:		
Name:			
Address 1:	_ County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description o the lease below:		
Contact Person:			
Phone: ( ) Fax: ( )	_		
Email Address:	-		
Surface Owner Information:			
Name:			
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:			
City: State: Zip:+	_		
are preliminary non-binding estimates. The locations may be entered  Select one of the following:   I certify that, pursuant to the Kansas Surface Owner Notice	ank batteries, pipelines, and electrical lines. The locations shown on the plated on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  E. Act (House Bill 2032), I have provided the following to the surface be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form		
	m being filed is a Form C-1 or Form CB-1, the plat(s) required by this		
KCC will be required to send this information to the surface	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ess of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form C	ing fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.		
Submitted Electronically			
T.			

# IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 009-26060-00-00 Operator: F.G. Holl Company, L.L.C.	Location of Well: County: Barton		
Lease: ROBERTS/PHILLIPS UNIT	1620 feet from N / S Line of Section		
Well Number: 1-6	feet from N / S Line of Section  Sec. 6 T 10		
Field: Wildcat	Sec. 6 Twp. 19 S. R. 13 East W Wes		
Number of Acres attributable to well:	Is Section: Regular or 🗸 Irregular		
QTR / QTR / QTR of acreage: NE _ SE _ NE			
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: VNE NW SE SW		

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

A CONTRACTOR OF THE PROPERTY O	er i î
J/ man Don Jak Rand	
	35 K
Welnu Ke	1
Cont Of State (150)	4
ONE CONTRACTOR OF THE CONTRACT	15
	15

a Controlling data is been duest the best made what philoprobas available to us ord uson a requier secrion of land containing sep excess.

<sup>400</sup>rge (mote section lines were garantined using the normal standard of care of airliefs sur-eyers were nor necessarily improved the section corners, which establish the normal standard of care of airliefs sur-eyers were nor necessarily improved.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

November 19, 2014

Franklin R. Greenbaum F. G. Holl Company L.L.C. 9431 E CENTRAL STE 100 WICHITA, KS 67206-2563

Re: Drilling Pit Application API 15-009-26060-00-00 ROBERTS/PHILLIPS UNIT 1-6 NE/4 Sec.06-19S-13W Barton County, Kansas

#### Dear Franklin R. Greenbaum:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (785) 625-0550.

### **Summary of Changes**

Lease Name and Number: ROBERTS/PHILLIPS UNIT 1-6

API/Permit #: 15-009-26060-00-00

Doc ID: 1232442

Correction Number: 1

Approved By: Rick Hestermann 11/19/2014

Field Name	Previous Value	New Value
Feet to Nearest Water Well Within One-Mile of Pit	625	704
Irregular Section Corner Used		NE
Is Section Regular or Irregular?	Regular	Irregular
KCC Only - Approved By	Rick Hestermann 11/14/2014	Rick Hestermann 11/19/2014
KCC Only - Approved Date	11/14/2014	11/19/2014
KCC Only - Date Received	11/14/2014	11/19/2014
KCC Only - Regular Section Quarter Calls	SE NE SE NE	NE NE SE NE
Lease Name	PHILLIPS UNIT	ROBERTS/PHILLIPS UNIT
LocationInfoLink	https://kolar.kgs.ku.edu/kcc/detail/locationInform	https://kolar.kgs.ku.edu/kcc/detail/locationInform
Nearest Lease Or Unit Boundary	ation.cfm?section=6&to 412	ation.cfm?section=6&to 375

## Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
Number of Feet East or West From Section Line	160	285
Number of Feet East or West From Section Line	160	285
Number of Feet North or South From Section	1700	1620
Line Number of Feet North or South From Section	1700	1620
Line Quarter Call 4 - Smallest	E2	
Quarter Call 4 - Smallest	E2	
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=12	//kcc/detail/operatorE ditDetail.cfm?docID=12
Spot Description	31983 50' S. & 5' E. OF	32442 30' N. & 45' E. OF
Surface Owner Address Line 1	465 NW 10 Avenue	1501 Prairie Street
Surface Owner City	Great Bend	Emporia
Surface Owner Name	Dale R. Phillips & Rhonda S. Phillips	John P. Roberts, III
Surface Owner Zip	67530	66801

### **Summary of Attachments**

Lease Name and Number: ROBERTS/PHILLIPS UNIT 1-6

API: 15-009-26060-00-00

Doc ID: 1232442

Correction Number: 1

Approved By: Rick Hestermann 11/19/2014

**Attachment Name** 

Plat

Fluids 72hrs