

**Notice:** Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

the same are true and correct, so help me God.

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

#### 1233100

Form CP-4
March 2009
Type or Print on this Form
Form must be Signed
All blanks must be Filled

### WELL PLUGGING RECORD K.A.R. 82-3-117

OPERATOR: License #:				API No. 15				
			Spot Description:					
Address 1:				Sec Tv	vp S. R East West			
Address 2:				Feet from	North / South Line of Section			
City: State: Zip: +				Feet from East / West Line of Section				
Contact Person:		Footag	Footages Calculated from Nearest Outside Section Corner:					
Phone: ( )				NE NW	SE SW			
Type of Well: (Check one)	Oil Well Gas Well	OG D&A Cathod	ic County	<i>.</i>	_			
Water Supply Well	Other:	SWD Permit #:	1	County: Well #:   Date Well Completed:				
ENHR Permit #:	Gas Sto	orage Permit #:						
Is ACO-1 filed? Yes	No If not, is well	I log attached? Yes	1		oved on: (Date)			
Producing Formation(s): List	All (If needed attach another	r sheet)			(KCC <b>District</b> Agent's Name)			
Depth to	o Top: Botto	om: T.D			,			
Depth to	o Top: Botto	om: T.D		-				
Depth to	o Top: Botto	om:T.D	Fluggii	ig Completed				
Show depth and thickness of	all water, oil and gas forma	ations.						
Oil, Gas or Wate	r Records		Casing Record (S	Surface, Conductor & Produc	ction)			
Formation	Content	Casing	Size	Setting Depth	Pulled Out			
zement of other plugs were u	seu, state the Character Of	same depth placed from (bot	копт, ко (кор) тот е	acii piug set.				
Plugging Contractor License #:								
Address 1:			Address 2:					
•					Zip:+			
Phone: ( )								
Name of Party Responsible for	or Plugging Fees:							
State of	County, _		, SS.					
	(Drint Mana)			Employee of Operator or	Operator on above-described well,			
	(Delect Messes)			F , 0. Opolatol 01				

Submitted Electronically

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and

## QUALITY WELL SERVICE, INC. Federal Tax I.D. # 481187368

Home Office 324 Simpson St., Pratt, KS 67124

Office 620-727-3410 Fax 620-672-3663

Rich's Cell 620-727-3409 Brady's Call 620-727-6964

6205

1 dx 020-01 2-0000				Diauy	3 Cell 020-727-	0304		
Sec.	Twp. Range		County	State	On Location	Finish		
Date 09 04 14 22	285 23w	For	ed.	KS	5:00 Am	800/1 m		
Lease Hawes Kanch W	Vell No. 2-22	Locati	on Kings	boun 2N, 3W,	13/4 E & W/	into		
Contractor Val #	1	1	Owner					
Type Job Sunface			To Quality We You are here	ell Service, Inc. by requested to rent	cementing equipmen	t and furnish		
Hole Size 2/4	T.D. 644		cementer an	d helper to assist ow	ner or contractor to de	o work as listed.		
Csg. 854 23 Depth 644			Charge Vincent					
Tbg. Size	Depth	3, 1	Street					
Tool				City State				
Cement Left in Csg. 90	Cement Left in Csg. 40 Shoe Joint 40			The above was done to satisfaction and supervision of owner agent or contractor.				
Meas Line	Displace 36 ADDIS	nes	Cement Amount Ordered /25sx MDC + 14# Flose 4					
EQUIPM	1255xc	lass A + 2%9	el + 3%cc + 1	1期5				
Pumptrk 8 No. Sould		- 11	Common /	25				
Bulktrk 10 No. Dou'd B			Poz. Mix M	DE 125				
Bulktrk	Bulktrk 7 No. Mike 15			Gel. //				
Pickup No.	Calcium /O	= 18/100						
JOB SERVICES	& REMARKS		Hulls	A 1 - 1				
Rat Hole	1 11 11 11		Salt					
Mouse Hole	1/30/4"	_ 4	Flowseal 66.25					
Centralizers	n2 90	. 4	Kol-Seal					
Baskets	The state of	-	Mud CLR 48					
D/V or Port Collar Ray 15/15	8-9/8 (59)		CFL-117 or CD110 CAF 38					
Pipeon BHM, Breek	Cinc., Pump Spa	cen	Sand					
nix 125 x light 4	125 x to / Ce	neot	Handling 27/					
Stop-Release Pi	ug, Start D.	'sp.	Mileage 5	0	-	17		
W/FRESHHO, Wash	up on Plug, See		FLOAT EQUIPMENT					
Stendy increase in ps	t, Slow Rat	e	Guide Shoe					
Bump P	Centralizer							
Lotal Disp. From:	250 # 1600	) 1	Baskets					
Shut in Camen	to did Cinci		AFU Inserts	Baffle Pl	ete			
1/2	4	-	Float Shoe					
	Ad		Latch Down	Wooden Cupfi	Ug	HIFFE.		
	LMU	50	/	77				
7			Service	SUBBLUISEE				
			Pumptrk Cha	arge Surface		All of the		
(-	H.		Mileage 5	0 x 2	13	9 <sup>th</sup>		
	1		EA T	ev JP	Tax			
10/	10			1 414 13	Discount			
Signature Au /	*	2 £	Total Charge					
			11			Taylor Printing Inc		

### 6242

# QUALITY WELL SERVICE, INC. Federal Tax I.D. # 481187368

Home Office 324 Simpson St., Pratt, KS 67124

Office 620-727-3410 Fax 620-672-3663

Rich's Cell 620-727-3409 **Brady's Cell 620-727-6964** 

	0 1	_								
	Sec.	Twp. 28	Range 23	For	County	State KS	On Location	Finish 7:30		
Lease Hawes Ranch	We	ell No.	2.22	Location	on Kingsdon		, ZN, East.			
Contractor Va				Owner						
Type Job Rotwy Plug					To Quality We	ell Service, Inc. by requested to rent	cementing equipmen	at and furnish		
Hole Size 12'/4		T.D. (	044		cementer an	d helper to assist own	ner or contractor to d	o work as listed.		
Csg. 85/8		Depth	644		Charge Vincent					
Tbg. Size Depth					Street					
Tool	D. II			City State						
Cement Left in Csg.		Shoe Jo	oint		The above wa	s done to satisfaction ar	nd supervision of owner	agent or contractor.		
Meas Line		Displac	e		Cement Amo	ount Ordered Z20	sx 60/40 4	106 Gel		
	QUIPM	ENT			1/4 C.F.					
Pumptrk D	21ch				Common	35				
Bulktrk 10 No.	Dord			-	Poz. Mix 85					
Bulktrk No.					Gel. 8					
Pickup No.	Dard				Calcium					
JOB SER	VICES 8	REMA	RKS		Hulis					
Rat Hole 305x					Salt					
Mouse Hole ZOSk					Flowseal 55					
Centralizers		7			Kol-Seal					
Baskets					Mud CLR 48					
D/V or Port Collar					CFL-117 or CD110 CAF 38					
1st Pumped 50st	60/	40 4	% Gel 2		Sand					
1500'					Handling 228					
-					Mileage 50					
2nd Pumped 50sx	601	40 4	106 Gel a	9	FLOAT EQUIPMENT					
670					Guide Shoe					
					Centralizer					
318 Pumped 505x 60/40 4% 60/ 2				Baskets						
300'					AFU Inserts					
					Float Shoe					
4th Pumper 205x 60/40 4% 60/ 2				Latch Down						
60' to suface.				LMU	50					
				Service Supervision						
				Pumptrk Charge Rotery Plug						
				Mileage S	OXZ					
// /						Tax				
ST V						Discount				
Signature / G						Total Charge				