Confidentiality Requested: Yes No

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

1233235

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:, (e.gxxx.xxxxx)
Name:	Datum: NAD27 NAD83 WGS84
Wellsite Geologist:	
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
Gas D&A ENHR SIGW	Elevation: Ground: Kelly Bushing:
G G GSW Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Commingled Permit #: Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #:	Location of huid disposa in nation offsite.
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

	Page Two	
Operator Name:	Lease Name:	Well #:
Sec TwpS. R East West	County:	

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional She	eets)	Yes No		-	on (Top), Depth ai		Sample
Samples Sent to Geolog	ical Survey	Yes No	Name			Тор	Datum
Cores Taken Electric Log Run		Yes No					
List All E. Logs Run:							
			RECORD Nev		ion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQUE	EEZE RECORD			

Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
Protect Casing				
Plug Off Zone				

Did you perform a hydraulic fracturing treatment on this well?	Yes
Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?	Yes
Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?	Yes

(If No, skip questions 2 and 3) (If No, skip question 3)

No

No No

No

(If No, fill out Page Three of the ACO-1)

Shots Per Foot		PERFORATION Specify For		RD - Bridge F Each Interval		e			ement Squeeze Record I of Material Used)	Depth
TUBING RECORD:	Siz	ze:	Set At:		Packer	r At:	Liner R	un:	No	
Date of First, Resumed	Product	ion, SWD or ENHF	}.	Producing N		ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wat	er	Bbls.	Gas-Oil Ratio	Gravity
		l				1			1	
DISPOSITI	ON OF 0	BAS:			METHOD	OF COMPLE	ETION:		PRODUCTION IN	TERVAL:
Vented Solo	J 🗌 t	Jsed on Lease	(Open Hole	Perf.		Comp.	Commingled		
(If vented, Su	bmit ACC	9-18.)		Other (Specify)	(Submit)		(Submit ACO-4)		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

				TICKET NUME	BER <u>4</u>	<u>7489</u>
	DNSOLIDATED	269822	***	LOCATION	Ottawa	KS
	ii Well Services, LLC	for the first for an	<i>.</i>	FOREMAN	Fred M.	ader
		FIELD TICKET & TREA	TMENT REP			
0-431-9210 or	anute, KS 66720 r 800-467-8676	CEMEN				
DATE	and the second	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
7.22.14	2800 10-7	Allen 69-	14.10	34	14	mg
ISTOMER	ALLA OL		an month and the	£		
	1 4 0:1Ca %	Finny Drbg		DRIVER Fre Mad	TRUCK #	DRIVER
Do	3- 87		495	Harber		
<u>гү</u> . <u>и</u> . тү	STATE	ZIP CODE	675	Mixthe		
Way	DK OK	74083	503		to Hor	
B TYPE LOY	AGS Tring HOLE SIZE	598 HOLE DEPTH	720	CASING SIZE & W		
SING DEPTH_	715 C DRILL PIPE	TUBING			OTHER	
URRY WEIGHT	SLURRY V	OL WATER gal/s	k	CEMENT LEFT in	CASING	Plug
SPLACEMENT_	4.1588 DISPLACE	MENT PSI MIX PSI	•••••••••	RATE 434	m	<u></u>
MARKS: HO	1d Crew Safe	ety meeting Est	ablish ci	rculation	A. Mixx	Pump
100 # (Cel Flush.	Mix + Pump	108 SHS	50/50 P	or Mix (Coment
2% lug	1 5% Salt 5	* Kal Scal 1/2 #	henry Scal	2/ s/c. C.	mant th	٥
<u>Surf</u>	ace. Flush,	pump + Imes cle	ean. Dis	place 2	K Rubb	er
	a casmy Th). Pressvie +	0 800 P	ST. Pole	ose prc.	<u>ss 01 e</u>
4005	at that Val	lue. Shut in ca	sty.	1		· · · · · <u>· · · · · · · · · · · · · · </u>
				Mad		
<u>Mela</u>	nder Drilling	V	<i>[_</i>	WA MACU	<u>.</u>	
ACCOUNT	QUANITY or UNITS	DESCRIPTION of	SERVICES or PRO	DUCT	UNIT PRICE	тоты
CODE						TOTAL
5401		PUMP CHARGE		493		
5406	30mi	MILEAGE				10850
. 1				495		/26=
5402	715	Casing Foo	tage			126ª NIC
55024-	715 Shrs	80 BBC Va	tage - Truck	475	· · · · · · · · · · · · · · · · · · ·	/26ª N/C 500 00
	715	Casing Foo 80 BBL Va Ton Miles	tage C Truck			126ª NIC
55026	715 Shrs Minimum	FOBBL Va Ton Miles	e Truck	675 503		/26= N/C 500 = 36 5°
55024	715 56+5 Minimum 1085H	50 BBL Va Ton Miles 50/50 Por M	e Truck	675 503	/242 [®]	/26ª N/C 500 00
55024 5407 1124 1118B	715 5655 Minimum 1085K 282#	50 BBL Va Ton Miles is 50/50 Por M Premium Ca	c Truck lix Concert l	675 503	6204	/26= N/C 500 = 36 5°
55024 5407 1124 1118 1111	715 5655 Minimum 10854 282# 209#	50 BBL Va Ton Miles 50/50 Por M Premium la Granulated	c Truck lix Concert l	675 503	6204	/26= N/C 500 = 36 5°
55024 5407 1124 11188 1111 1110A	715 5655 Minimum 1085# 282# 209# 540#	50 BBL Va Ton Miles 50/50 Por Miles Premium la Granulated Kal Seal	c Truck lix Concert l	675 503	6204	/26= N/C 500 = 36 5°
55024 5407 1124 1118 1111	715 5655 Minimum 10854 282# 209#	50 BBL Va Ton Miles 50/50 Poz Mi Premium (m Granulated Kal Seal Phung Scal	c Truck lix Concert Salt	675 503	620¥ 8/5/ 248 4° 278 2° 278 2°	/26= N/C 500 = 36 5°
55024 5407 1124 11188 1111 1110A	715 5655 Minimum 1085# 282# 209# 540#	80 BBL Va Ton Miles 15 50/50 Por M Premium (m Granulated Kal Seal Phino Scal Mate	c Truck lix Concert Salt	675 503	620 <u>4</u> 81,51 248 - 728 728 1706 85	/26= N/C 500 = 36 5°
55024 5407 1124 11188 1111 1110A	715 5655 Minimum 1085# 282# 209# 540#	50 BBL Va Ton Miles 50/50 Por Miles Premium la Granulated Kal Seal Phino Scal Mate	c Truck lix Concert Salt salt	675 503	620¥ 8/5/ 248 4° 278 2° 278 2°	/26 ² N/C 500 ²⁰ 36 ²⁰ / 272 *
55024 5407 1124 1118 1111 1110A 1107A	715 5655 Minimum 1085# 282# 209# 540#	80 BBL Va Ton Miles 50/50 Por Miles Remium (m Granulated Kal Seal Phino Scal Mate	c Truck lix Concert Salt salt ss 30%	675 503	620 <u>4</u> 81,51 248 - 728 728 1706 85	/26° N/C 500 ° 36 ° /272°
55024 5407 1124 1118 1111 1110A 1107A	715 56+5 Minimum 1085+ 282# 209# 540# 540# 54 [#]	80 BBL Va Ton Miles 50/50 Por Miles Sol 50 Por Miles Granulated Kol Seal Ahmo Scal Mate Le	c Truck lix Concert Salt salt ss 30% Total plug	675 503	620 <u>4</u> 81,51 248 - 728 728 1706 85	/26° N/C 500° 36° /272°
55024 5407 1124 1118 1111 1110A 1107A	715 5655 Minimum 1085# 282# 209# 540#	80 BBL Va Ton Miles 50/50 Por Miles Sol 50 Por Miles Granulated Kol Seal Ahmo Scal Mate Le	c Truck lix Concert Salt salt ss 30% Total plug	675 503	6204 8151 248 - 7280 1706 85 - 51205	/26° N/C 500 ° 36 ° /272°
55024 5407 1124 1118 1111 1110A 1107A	715 56+5 Minimum 1085+ 282# 209# 540# 540# 54 [#]	80 BBL Va Ton Miles 15 50/50 Por Miles 15 50/50 Por Miles 15 Premium (miles 15 Premium (miles 15 Premium (miles 15 Por Miles 15 Por Mi	c Truck lix Concert Salt salt ss 30% Jotal plug	675 503	620 <u>4</u> 81,51 248 - 728 728 1706 85	/26° N/C 500° 36° /272°
55024 5407 1124 1118 1111 1110A 1107A	715 56+5 Minimum 1085+ 282# 209# 540# 540# 54 [#]	80 BBL Va Ton Miles 50/50 Por M Premium la Granulated Kal Seal Phimo Scal Mate 2/2° Rubber e City Wate	c Truck lix Conent Salt salt ss 30% Jo Yal Plug	475	6204 8151 248 - 7280 1706 85 - 51205 39779.23	/26° N/C 500 ° 36 ° /272° /272°
55024 5407 1124 1118 1111 1110A 1107A	715 56+5 Minimum 1085+ 282# 209# 540# 540# 54 [#]	80 BBL Va Ton Miles 15 50/50 Por Miles 15 50/50 Por Miles 15 Premium (miles 15 Premium (miles 15 Premium (miles 15 Por Miles 15 Por Mi	c Truck lix Concert Salt salt ss 30% Jotal plug	675 503	6204 8151 248 - 7280 1706 85 - 51205	/26° N/C 500° 36° /272°

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this for