Confidentiality Requested: Yes No

## KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

1233356

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License #   | API No. 15   |
|---|--|
| Name:   | Spot Description:  |
| Address 1:  |  |
| Address 2:  | Feet from  North / South Line of Section                 |
| City: State: Zip:+  | Feet from East / West Line of Section                    |
| Contact Person:   | Footages Calculated from Nearest Outside Section Corner: |
| Phone: ()   |  |
| CONTRACTOR: License #   | GPS Location: Lat:, Long:                                |
| Name:   | (e.g. xx.xxxx) (e.gxxx.xxxxx)                            |
| Wellsite Geologist:   | Datum: NAD27 NAD83 WGS84                                 |
| Purchaser:  | County:  |
| Designate Type of Completion:                                     | Lease Name: Well #:                                      |
| New Well Re-Entry Workover  | Field Name:  |
|   | Producing Formation:                                     |
| Gas D&A ENHR SIGW   | Elevation: Ground: Kelly Bushing:                        |
| OG   GSW   Temp. Abd.   | Total Vertical Depth: Plug Back Total Depth:             |
| CM (Coal Bed Methane)   | Amount of Surface Pipe Set and Cemented at: Feet         |
| Cathodic Other (Core, Expl., etc.):                               | Multiple Stage Cementing Collar Used?                    |
| If Workover/Re-entry: Old Well Info as follows:                   | If yes, show depth set: Feet                             |
| Operator:   | If Alternate II completion, cement circulated from:      |
| Well Name:  | feet depth to:w/sx cmt.                                  |
| Original Comp. Date: Original Total Depth:                        |  |
| Deepening Re-perf. Conv. to ENHR Conv. to SWD                     | Drilling Fluid Management Plan                           |
| Plug Back Conv. to GSW Conv. to Producer                          | (Data must be collected from the Reserve Pit)            |
|   | Chloride content: ppm Fluid volume: bbls                 |
| Commingled Permit #:  | Dewatering method used:                                  |
| Dual Completion         Permit #:           SWD         Permit #: | Logation of fluid dispaced if hould offeite:             |
| ENHR         Permit #:  | Location of fluid disposal if hauled offsite:            |
| GSW Permit #:   | Operator Name:   |
|   | Lease Name: License #:                                   |
| Spud Date or Date Reached TD Completion Date or                   | Quarter Sec TwpS. R East West                            |
| Recompletion Date Recompletion Date                               | County: Permit #:  |

## AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

## Submitted Electronically

| KCC Office Use ONLY             |
|---------------------------------|
| Confidentiality Requested       |
| Date:                           |
| Confidential Release Date:      |
| Wireline Log Received           |
| Geologist Report Received       |
| UIC Distribution                |
| ALT I II III Approved by: Date: |

|                |      |           | Page Two    | 1233356<br>Well #: |  |  |  |
|----------------|------|-----------|-------------|--------------------|--|--|--|
| Operator Name: |      |           | Lease Name: | Well #:            |  |  |  |
| Sec Twp        | S. R | East West | County:     |                    |  |  |  |

**INSTRUCTIONS:** Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

| Drill Stem Tests Taken                          | 4- )                     | Yes No                             | L                    | og Formatic       | on (Top), Depth and | d Datum          | Sample                        |
|---|--------------------------|------------------------------------|----------------------|-------------------|---------------------|------------------|-------------------------------|
| (Attach Additional Sh<br>Samples Sent to Geolog | ,                        | Yes No                             | Nam                  | e                 |                     | Тор              | Datum                         |
| Cores Taken<br>Electric Log Run                 |                          | Yes No                             |                      |                   |                     |                  |                               |
| List All E. Logs Run:                           |                          |                                    |                      |                   |                     |                  |                               |
|   |                          |                                    |                      |                   |                     |                  |                               |
|   |                          | CASING<br>Report all strings set-c | RECORD Ne            |                   | on, etc.            |                  |                               |
| Purpose of String Size Hole Drilled             |                          | Size Casing<br>Set (In O.D.)       | Weight<br>Lbs. / Ft. | Setting<br>Depth  | Type of<br>Cement   | # Sacks<br>Used  | Type and Percent<br>Additives |
|   |                          |                                    |                      |                   |                     |                  |                               |
|   |                          |                                    |                      |                   |                     |                  |                               |
|   |                          |                                    |                      |                   |                     |                  |                               |
|   | 1                        | ADDITIONAL                         | CEMENTING / SQL      | EEZE RECORD       |                     |                  |                               |
| Purpose:<br>Perforate                           | Depth<br>Top Bottom      | Type of Cement                     | # Sacks Used         |                   | Type and Pe         | ercent Additives |                               |
| Protect Casing Plug Back TD                     |                          |                                    |                      |                   |                     |                  |                               |
| Plug Off Zone                                   |                          |                                    |                      |                   |                     |                  |                               |
| Did you perform a hydraulic                     | c fracturing treatment   | on this well?                      |                      | Yes               | No (If No, skip     | o questions 2 an | d 3)                          |
| Does the volume of the tota                     | al base fluid of the hyd | ceed 350,000 gallons'              | ? Yes                | No (If No, skip   | question 3)         |                  |                               |
| Was the hydraulic fracturing                    | g treatment informatio   | n submitted to the chemical o      | Yes                  | No (If No, fill o | out Page Three o    | of the ACO-1)    |                               |

| (If vented, Su                       | ıbmit ACO   | D-18.)           |            | Other (Specify)                      |                   |          |                              |               |         |
|--------------------------------------|---|------------------|------------|--------------------------------------|-------------------|----------|------------------------------|---------------|---------|
| Vented Solo                          |   | Jsed on Lease    |            | Open Hole Perf.                      | Dually<br>(Submit |          | Commingled<br>(Submit ACO-4) |               |         |
| DISPOSITION OF GAS:                  |   |                  | METHOD     | METHOD OF COMPLETION: PRODUCTION INT |                   |          | PRODUCTION INTER             | RVAL:         |         |
|                                      |   | 1                |            | 1                                    | 1                 |          |                              |               |         |
| Estimated Production<br>Per 24 Hours |   | Oil Bb           | ls.        | Gas Mcf                              | Wat               | er       | Bbls.                        | Gas-Oil Ratio | Gravity |
| Date of First, Resumed               | I Producti  | ion, SWD or ENHF | <b>?</b> . | Producing Method:                    | nping             | Gas Lift | Other (Explain)              |               |         |
| TUBING RECORD:                       | Siz   | ze:              | Set At:    | : Pack                               | er At:            | Liner F  |                              | No            |         |
|                                      |   |                  |            |                                      |                   |          |                              |               |         |
|                                      |   |                  |            |                                      |                   |          |                              |               |         |
|                                      |   |                  |            |                                      |                   |          |                              |               |         |
|                                      |   |                  |            |                                      |                   |          |                              |               |         |
|                                      |   |                  |            |                                      |                   |          |                              |               |         |
| Shots Per Foot                       | PERFORATION RECORD - Bridge Plugs Set/Type<br>Specify Footage of Each Interval Perforated |                  |            |                                      |                   |          | Depth                        |               |         |

|  | and a second sec | CONSOLIDATED<br>oil well services, LLC<br>Dept. 970<br>P.O. Box 4346<br>Houston, TX 77210-4346 |  |   |  | MAIN OFFICE<br>P.O. Box 884<br>Chanute, KS 66720<br>620/431-9210 • 1-800/467-8676<br>Fax 620/431-0012 |  |  |
|--|--|--|--|---|--|---|--|--|
| INVO                                     | ICE  |  |  |   | Invoice #                                    | 271231  |  |  |
| Invo:                                    | ice Date: 09/22  | 2/2014 Terr  | ms: 0/30/10,n                                  | ======================================        | P  | age 1   |  |  |
|  |  |  |  |   |  |   |  |  |
|  | OWENS PETROLEUN<br>1274 202ND ROAL<br>YATES CENTER KS<br>(620)625-3607   | )  |  | REYNARD #14<br>1820000325<br>09/19/2014<br>KS |  |   |  |  |
| ·  | •  | •  |  |   | • ·  | •   |  |  |
|  |  |  |  |   |  |   |  |  |
| Part                                     | Number   | Description  | -  | Ota   | Unit Price                                   | motol   |  |  |
| 1127<br>11181<br>11072<br>11107<br>11181 | B<br>A<br>A  | 70/30 POZ 1<br>PREMIUM GEI<br>PHENOSEAL<br>KOL SEAL (S   | AIX<br>L / BENTONITE<br>(M) 40# BAG)           | 130.00<br>450.00<br>120.00<br>650.00          | 12.7000<br>.2200<br>1.3500<br>.4600          |   |  |  |
| 1123<br>4402                             |  | CITY WATER<br>2 1/2" RUBI  | •.   | . 3000.00                                     | .0173  | 51.90<br>59.00  |  |  |
|  |  |  |  | 2.00  | 29.5000                                      |   |  |  |
| Suble<br>9996-<br>9999-                  |  | Description<br>CEMENT MATH<br>5% DISCOUNT  | RIAL DISCOUNT                                  | e :   |  | Total<br>-676.50<br>-180.88   |  |  |
| 445<br>445<br>611<br>637                 | Description<br>CEMENT PUMP<br>EQUIPMENT MILE<br>MIN. BULK DELI<br>80 BBL VACUUM  | VERY   |  | Hours<br>1.00<br>30.00<br>1.00<br>2.00        | 4.20<br>368.00                               | Total<br>1085.00<br>126.00<br>368.00<br>180.00  |  |  |
|  |  | •  |  |   |  |   |  |  |
|  |  |  |  |   |  |   |  |  |
|  |  |  |  |   |  |   |  |  |
|  | - 44   |  |  |   | ч.<br>-                                      |   |  |  |
|  |  |  | Amount Due                                     | 4294.07 if pa                                 | id after 10/(                                | 02/2014   |  |  |
|  |  |  |  |   |  | -   |  |  |
| Parts<br>Labor<br>Sublt                  | c: .00 M   | 'reight:<br>lisc:  | .00 Tax:<br>.00 Tota<br>.00 Char               | <b>1:</b> 3388.                               | 80 AR  | 3388.32   |  |  |
|  |  |  |  | •   |  |   |  |  |
| 0 i                                      | . ·  |  |  |   | Date   |   |  |  |
| Signe                                    | •  |  |  |   | Date   | ··· <u>···</u>  |  |  |
| BARTLESV<br>918/338-                     |  | EUREKA, KS PON<br>620/583-7664 580   | CA CITY, OK OAKLEY, F<br>0/762-2303 785/672-88 | S OTTAWA, KS THA<br>22 785/242-4044 620/      | YER, KS GILLETTE, W<br>839-5269 307/686-4914 | Y CUSHING, OK<br>4 918/225-2650   |  |  |



Please Remit To: Superior Building Supply, Inc., 215 West Rutledge, Yates Center, KS 66783

620-625-2447

SOLD TO: Owens Scott

1274 202nd Rd. Yates Center, KS 66783

| Please Remit To: Sup<br>Terms |                | Cape    | erior Building Su<br>P.O.# | , ניקק | Order #     | Type        | SId.By | Cust.# | Slm.                                   |                                   |
|-------------------------------|----------------|---------|----------------------------|--------|-------------|-------------|--------|--------|--|-----------------------------------|
| Net 10th                      |                |         | Reynold 14                 |        | 106557      | House       | MED    | O36070 | AEO                                    |                                   |
| Quantity<br>20.000            | UM<br>EA<br>CD | MA1235  | Item #                     |        | tland Cemer | Description |        | 036070 | AEO<br>Price<br>13.50<br>5.79          | Extended Price<br>270.00<br>5.79  |
| LET US E-M                    |                | YOUR IN | VOICES & STA               | TEMI   | ENTS        |             |        |        | Taxable:<br>Tax:<br>Non-Tax:<br>Total: | 275.75<br>24.55<br>0.00<br>300.34 |