

<b>JOB SUMMARY</b>			PROJECT NUMBER <b>SOK 3975</b>	TICKET DATE <b>07/26/14</b>
COUNTY <b>Harper</b>	State <b>Kansas</b>	COMPANY <b>Bridge Exploration &amp; Produc</b>	CUSTOMER REP <b>0</b>	
LEASE NAME <b>Hughes 3408</b>	Well No. <b>1-22H</b>	JOB TYPE <b>Surface</b>	EMPLOYEE NAME <b>Rocky Anthis</b>	

EMP NAME	<b>Rocky Anthis</b>	<b>0</b>					
	<b>Louis Arney</b>						
	<b>Roy Morris</b>						
	<b>Chris Looney</b>						

Form. Name \_\_\_\_\_ Type: \_\_\_\_\_

Packer Type \_\_\_\_\_ Set At **0**

Bottom Hole Temp. **90** Pressure \_\_\_\_\_

Retainer Depth \_\_\_\_\_ Total Depth **800**

Date	Called Out <b>7/26/2014</b>	On Location <b>7/26/2014</b>	Job Started <b>7/26/2014</b>	Job Completed <b>7/26/2014</b>
Time	<b>4:00</b>	<b>7:00</b>	<b>10:00</b>	<b>1400</b>

Type and Size	Qty	Make
Auto Fill Tube	0	IR
Insert Float Va	0	IR
Centralizers	0	IR
Top Plug	0	IR
HEAD	0	IR
Limit clamp	0	IR
Weld-A	0	IR
Texas Pattern Guide Shoe	0	IR
Cement Basket	0	IR

	New/Used	Weight	Size	Grade	From	To	Max. Allow
Casing		36#	9 1/2"		Surface	793	1,500
Liner							
Liner							
Tubing			0				
Drill Pipe							
Open Hole			12 1/4"		Surface	798	Shots/Ft.
Perforations							
Perforations							
Perforations							

Materials			
Mud Type	WBM	Density	<b>9</b> Lb/Gal
Disp. Fluid	Fresh Water	Density	<b>8.33</b> Lb/Gal
Spacer type	Fresh Water	BBL.	<b>10</b> 8.33
Spacer type	BBL.		
Acid Type	Gal.	%	
Acid Type	Gal.	%	
Surfactant	Gal.	In	
NE Agent	Gal.	In	
Fluid Loss	Gal/Lb	In	
Gelling Agent	Gal/Lb	In	
Fric. Red.	Gal/Lb	In	
MISC.	Gal/Lb	In	
Perfpac Balls	Qty.		
Other			
Other			
Other			
Other			
Other			

Hours On Location		Operating Hours		Description of Job
Date	Hours	Date	Hours	
7/26	7.0	7/26	2.0	Surface
Total	7.0	Total	2.0	

Pressures			
MAX	2000 PSI	AVG.	150
Average Rates in BPM			
MAX	6 BPM	AVG	4'
Cement Left in Pipe			
Feet	46	Reason	SHOE JOINT

Cement Data						
Stage	Sacks	Cement	Additives	W/Rq.	Yield	Lbs/Gal
1	220	TEX Lite Premium Plus 65	(6% Gel) 2% Calcium Chloride - 1/2pps Cello-Flake - .4% C-41P	11.11	2.01	12.40
2	160	Premium Plus (Class C)	2% Calcium Chloride - 1/2pps Cello-Flake	6.32	1.32	14.80
3	*100	Premium Plus (Class C)	*2% Calcium Chloride on side to use if necessary	*6.32	*1.32	*14.8

Summary					
Preflush Breakdown	Type: _____	MAXIMUM	1,500 PSI	Preflush: BBI	10.00
	Lost Returns-#	NO/FULL		Load & Bkdn: Gal - BBI	N/A
	Actual TOC	SURFACE		Excess /Return BBI	28
Average	Bump Plug PSI:	700		Calc. TOC:	SURFACE
ISIP	5 Min.	700	15 Min	Final Circ. PSI:	250
				Cement Slurry BBI	116.4
				Total Volume BBI	184.37

CUSTOMER REPRESENTATIVE \_\_\_\_\_ SIGNATURE \_\_\_\_\_

42

<b>JOB SUMMARY</b>			PROJECT NUMBER <b>SOK 4019</b>	TICKET DATE <b>08/03/14</b>
COUNTY <b>Harper</b>	State <b>Kansas</b>	COMPANY <b>Sandridge Exploration &amp; Production</b>	CUSTOMER REP <b>0</b>	
LEASE NAME <b>HUGHES 3408</b>	Well No. <b>1-22H</b>	JOB TYPE <b>Intermediate</b>	EMPLOYEE NAME <b>Bryan Douglas</b>	

EMP NAME	Bryan Douglas	Frank Reeves			
Jared Green					
Cheryl Newton					
Donnie Brown					

Form. Name \_\_\_\_\_ Type: \_\_\_\_\_  
 Packer Type \_\_\_\_\_ Set At **0**  
 Bottom Hole Temp. **155** Pressure \_\_\_\_\_  
 Retainer Depth \_\_\_\_\_ Total Depth **5330**

	Called Out	On Location	Job Started	Job Completed
Date	<b>8/2/2014</b>	<b>8/2/2014</b>	<b>8/3/2014</b>	<b>8/3/2014</b>
Time	<b>2100</b>	<b>2400</b>	<b>0100</b>	<b>0400</b>

Type and Size	Qty	Make
Auto Fill Tube	0	IR
Insert Float Val	0	IR
Centralizers	0	IR
Top Plug	0	IR
HEAD	0	IR
Limit clamp	0	IR
Weld-A	0	IR
Texas Pattern Guide Shoe	0	IR
Cement Basket	0	IR

Well Data						
	New/Used	Weight	Size	Grade	From	To
Casing		26#	7"		Surface	
Liner						
Liner						
Tubing			0			
Drill Pipe						
Open Hole			8 1/2"		Surface	5,330
Perforations						Shots/Ft.
Perforations						
Perforations						


Materials			
Mud Type	WBM	Density	<b>9</b> Lb/Gal
Disp. Fluid	Fresh Water	Density	<b>8.33</b> Lb/Gal
Spacer type	Gel	BBL.	<b>30</b> 8.33
Spacer type		BBL.	
Acid Type		Gal.	%
Acid Type		Gal.	%
Surfactant		Gal.	ln
NE Agent		Gal.	ln
Fluid Loss		Gal/Lb	ln
Gelling Agent		Gal/Lb	ln
Fric. Red.		Gal/Lb	ln
MISC.		Gal/Lb	ln
Perfpac Balls		Qty.	
Other			
Other			
Other			
Other			

Hours On Location		Operating Hours		Description of Job
Date	Hours	Date	Hours	
<b>8/2</b>	<b>4.0</b>	<b>8/3</b>	<b>3.0</b>	Intermediate
				1 BBL BACK
Total	<b>4.0</b>	Total	<b>3.0</b>	

Pressures			
MAX	<b>5,000 PSI</b>	AVG.	<b>200</b>
Average Rates in BPM			
MAX	<b>8 BPM</b>	AVG	<b>5</b>
Cement Left in Pipe			
Feet	<b>45</b>	Reason	<b>SHOE JOINT</b>

Cement Data						
Stage	Sacks	Cement	Additives	W/Rq.	Yield	Lbs/Gal
<b>1</b>	<b>140</b>	<b>50/50 POZ PREMIUM</b>	<b>4% Gel - 0.2% FL-17 - 0.1% C-51 - 0.2% C-20 - 0.1% C-37 - 0.4% C-41P</b>	<b>6.93</b>	<b>1.43</b>	<b>13.60</b>
<b>2</b>	<b>190</b>	<b>Premium</b>	<b>0.2% FL-17 - 0.1% C-51 - 0.1% C-20 - 0.4% C-41P</b>	<b>0</b>	<b>0.00</b>	<b>0.00</b>
<b>3</b>	<b>0</b>	<b>0</b>				

Summary							
Preflush	<b>10</b>	Type:	Gel	Preflush:	BBI	<b>30.00</b>	Type:
Breakdown		MAXIMUM	<b>5,000 PSI</b>	Load & Bkdn:	Gal - BBI	<b>N/A</b>	Gel Spacer
		Lost Returns-N	<b>NO/FULL</b>	Excess /Return	BBI	<b>N/A</b>	Pad:Bbl -Gal
		Actual TOC	<b>2,560</b>	Calc. TOC:		<b>2,560</b>	Calc. Disp Bbl
Average		Bump Plug PSI:	<b>1,500</b>	Final Circ.	PSI:	<b>600</b>	Actual Disp.
IS: P	<b>5 Min.</b>	10 Min.		Cement Slurry:	BBI	<b>75.9</b>	Disp:Bbl
		15 Min.		Total Volume	BBI	<b>307.60</b>	<b>201.67</b>

CUSTOMER REPRESENTATIVE  SIGNATURE



<b>JOB SUMMARY</b>			PROJECT NUMBER <b>SOK 4047</b>	TICKET DATE <b>08/09/14</b>
COUNTY <b>Harper</b>	State <b>Kansas</b>	COMPANY <b>Bridge Exploration &amp; Produc</b>	CUSTOMER REP <b>JT Hunter</b>	
LEASE NAME <b>Hughes 3408</b>	Well No. <b>1-22H</b>	JOB TYPE <b>Misc Pumping</b>	EMPLOYEE NAME <b>Arthur Setzer</b>	

EMP NAME <b>Arthur Setzer</b>	<b>10</b>				
<b>Jared Green</b>					
<b>Frank Reeves</b>					
<b>0.00</b>					

Form. Name \_\_\_\_\_ Type: \_\_\_\_\_  
 Packer Type \_\_\_\_\_ Set At **0**  
 Bottom Hole Temp. **150** Pressure \_\_\_\_\_  
 Retainer Depth \_\_\_\_\_ Total Depth **9300**

Date	Called Out <b>8/8/2014</b>	On Location <b>8/9/2014</b>	Job Started <b>8/9/2014</b>	Job Completed <b>8/9/2014</b>
Time	<b>2000</b>	<b>0200</b>	<b>0350</b>	<b>0600</b>

Tools and Accessories		
Type and Size	Qty	Make
Auto Fill Tube	0	IR
Insert Float Vc	0	IR
Centralizers	0	IR
Top Plug	0	IR
HEAD	0	IR
Limit clamp	0	IR
Weld-A	0	IR
Texas Pattern Guide Shoe	0	IR
Cement Basket	0	IR

Well Data						
	New/Used	Weight	Size	Grade	From	To
Casing		11.6#	4 1/2"		Surface	9,300
Liner						1,500
Liner						
Tubing			4"			
Drill Pipe						
Open Hole			6 1/8"		Surface	9,300
Perforations						Shots/Ft.
Perforations						
Perforations						


Materials			
Mud Type	WBM	Density	<b>9</b> Lb/Gal
Disp. Fluid	Fresh Water	Density	<b>8.33</b> Lb/Gal
Spacer type	resh Water	BBL	<b>10</b> 8.33
Spacer type	BBL		
Acid Type	Gal.		%
Acid Type	Gal.		%
Surfactant	Gal.		In
NE Agent	Gal.		In
Fluid Loss	Gal/Lb		In
Gelling Agent	Gal/Lb		In
Fric. Red.	Gal/Lb		In
MISC.	Gal/Lb		In
Perfpac Balls	Qty.		
Other			
Other			
Other			
Other			

Hours On Location		Operating Hours		Description of Job
Date	Hours	Date	Hours	
8/9	4.0	8/9	2.0	Misc Pumping
Total	4.0	Total	2.0	

Pressures	
MAX	1,500 PSI
AVG.	10000
Average Rates in BPM	
MAX	6 BPM
AVG	
Cement Left in Pipe	
Feet	Reason SHOE JOINT

Cement Data						
Stage	Sacks	Cement	Additives	W/Rq.	Yield	Lbs/Gal
1	0	0		0	0.00	0.00
2	0	0		0	0.00	0.00
3	0	0		0	0.00	0.00

Summary			
Preflush Breakdown	Type: _____	Preflush: BBI	<b>10.00</b> Type: <b>0</b>
	MAXIMUM <b>1,500 PSI</b>	Load & Bkdn: Gal - BBI	<b>N/A</b> Pad:Bbl -Gal <b>N/A</b>
	Lost Returns: <b>NO/FULL</b>	Excess /Return BBI	Calc. Disp Bbl _____
	Actual TOC <b>SURFACE</b>	Calc. TOC:	<b>SURFACE</b> Actual Disp. _____
Average .SIP _____ 5 Min. _____ 10 Min. _____ 15 Min. _____	Bump Plug PSI: _____	Final Circ. PSI:	Disp:Bbl <b>4.00</b>
		Cement Slurry BBI	_____
		Total Volume BBI	<b>10.00</b>

CUSTOMER REPRESENTATIVE  J. T. Hunter  
 SIGNATURE