


FALCON EXPLORATION INC
DST1 "MORROW" 5102-5165"
Start Test Date: 2014/08/18
Final Test Date: 2014/08/18

N.JOSSERAND 1-8
Formation: DST1 "MORROW" 5102-5165"
Pool: WILDCAT
Job Number: A078

N.JOSSERAND 1-8



DIAMOND TESTING, LLC

TESTER : ANDY CARREIRA
CELL # 620-617-7202

General Information

Company Name	FALCON EXPLORATION INC	Job Number	A078
Contact	CYNDE WOLF	Representative	ANDY CARREIRA
Well Name	N.JOSSERAND 1-8	Well Operator	FALCON EXPLORATION
Unique Well ID	DST1 "MORROW" 5102-5165"	Report Date	2014/08/18
Surface Location	SEC 8-28S-30W GRAY, CNTY. KS	Prepared By	ANDY CARREIRA
Well License Number			
Field	WILDCAT		
Well Type	Vertical		

Test Information

Test Type	CONVENTIONAL
Formation	DST1 "MORROW" 5102-5165"
Well Fluid Type	01 Oil
Test Purpose	Initial Test

Start Test Date	2014/08/18	Start Test Time	01:55:00
Final Test Date	2014/08/18	Final Test Time	10:25:00

Gauge Name	5585
------------	------

Test Results

RECOVERY: 10' MUD

TOOL SAMPLE: MUD



DIAMOND TESTING
P.O. Box 157
HOISINGTON, KANSAS 67544
(800) 542-7313
DRILL-STEM TEST TICKET
FILE: N.JOSSERAND 1-8 DST1

TIME ON: 01:55
TIME OFF: 10:25

Company FALCON EXPLORATION INC Lease & Well No. N.JOSSERAND 1-8
Contractor STERLING 2 Charge to FALCON EXPLORATION INC
Elevation 2832 KB Formation MORROW Effective Pay _____ Ft. Ticket No. A078
Date 8-18-14 Sec. 8 Twp. 28 S Range 30 W County GRAY State KANSAS
Test Approved By DAVE WILLIAMS Diamond Representative ANDY CARREIRA

Formation Test No. 1 Interval Tested from 5102 ft. to 5165 ft. Total Depth 5165 ft.
Packer Depth 5097 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.
Packer Depth 5102 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.

Depth of Selective Zone Set _____

Top Recorder Depth (Inside) 5083 ft. Recorder Number 5585 Cap. 5000 P.S.I.
Bottom Recorder Depth (Outside) 5104 ft. Recorder Number 8471 Cap. 10000 P.S.I.
Below Straddle Recorder Depth _____ ft. Recorder Number _____ Cap. _____ P.S.I.

Mud Type CHEMICAL Viscosity 48 Drill Collar Length 216.34 ft. I.D. 2 1/4 in.
Weight 9.1 Water Loss 9.2 cc. Weight Pipe Length 0 ft. I.D. 2 7/8 in.
Chlorides 1900 P.P.M. Drill Pipe Length 4852.66 ft. I.D. 3 1/2 in.
Jars: Make STERLING Serial Number 09 Test Tool Length 33 ft. Tool Size 3 1/2-IF in.
Did Well Flow? NO Reversed Out NO Anchor Length 63 ft. Size 4 1/2-FH in.
Main Hole Size 7 7/8 Tool Joint Size 4 1/2 XH in. Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: WEAK SURFACE BLOW (NObb)
2nd Open: NO BLOW. FLUSHED, SURGED, NO BLOW (NObb)

Recovered 10 ft. of MUD
Recovered _____ ft. of _____
Recovered _____ ft. of _____
Recovered _____ ft. of _____

Recovered _____ ft. of _____	Price Job
Recovered _____ ft. of _____	Other Charges
Remarks: _____	Insurance
TOOL SAMPLE: <u>MUD</u>	Total

Time Set Packer(s) 4:53 AM A.M. P.M. Time Started Off Bottom 7:58 AM A.M. P.M. Maximum Temperature 121

Initial Hydrostatic Pressure..... (A) 2438 P.S.I.
Initial Flow Period..... Minutes 5 (B) 8 P.S.I. to (C) 11 P.S.I.
Initial Closed In Period..... Minutes 60 (D) 60 P.S.I.
Final Flow Period..... Minutes 30 (E) 12 P.S.I. to (F) 22 P.S.I.
Final Closed In Period..... Minutes 90 (G) 35 P.S.I.
Final Hydrostatic Pressure..... (H) 2405 P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.