

Kansas Corporation Commission Oil & Gas Conservation Division

1234226

Form CP-1
March 2010
This Form must be Typed
Form must be Signed
All blanks must be Filled

WELL PLUGGING APPLICATION

Form KSONA-1, Certification of Compliance with the Kansas Surface Owner Notification Act, MUST be submitted with this form.

OPERATOR: License #:		API No. 15			
Name:		If pre 1967,	supply original compl	etion date:	
Address 1:		Spot Descr	iption:		
Address 2:			Sec Tw	p S. R	East West
City: State:	. Zip: +		Feet from	North /	South Line of Section
Contact Person:			Feet from	East /	West Line of Section
Phone: ()		Footages C	alculated from Neares	st Outside Section	n Corner:
, , , , , , , , , , , , , , , , , , ,		County	INE INV		
Check One: Oil Well Gas Well OG	D&A Ca	athodic Water S	Supply Well O	ther:	
SWD Permit #:	ENHR Permit #: _		Gas Storage	Permit #:	
Conductor Casing Size:	Set at:	Ce	emented with:		Sacks
Surface Casing Size:	Set at:	Ce	emented with:		Sacks
Production Casing Size:	Set at:	Ce	emented with:		Sacks
Elevation: (G.L./K.B.) T.D.: Condition of Well: Good Poor Junk in Hole Proposed Method of Plugging (attach a separate page if additional additional actions of the separate page) Is Well Log attached to this application? Yes No If ACO-1 not filed, explain why:	Casing Leak at:ional space is needed):			Stone Corral Formation	n)
Plugging of this Well will be done in accordance with K.S. Company Representative authorized to supervise plugging of					
Address:		City:	State:	Zip:	+
Phone: ()					
Plugging Contractor License #:		Name:			
Address 1:		Address 2:			
City:			State:	Zip:	+
Phone: ()					
Proposed Date of Plugging (if known):					

Payment of the Plugging Fee (K.A.R. 82-3-118) will be guaranteed by Operator or Agent

Submitted Electronically



Kansas Corporation Commission Oil & Gas Conservation Division

1234226

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1	1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	3 · · · · · · · · · · · · · · · · · · ·
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	
City: State: Zip:+	
the KCC with a plat showing the predicted locations of lease roads, ta are preliminary non-binding estimates. The locations may be entered Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form	nodic Protection Borehole Intent), you must supply the surface owners and ank batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Act (House Bill 2032), I have provided the following to the surface elocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form to being filed is a Form C-1 or Form CB-1, the plat(s) required by this
KCC will be required to send this information to the surface of	acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ss of the surface owner by filling out the top section of this form and
If choosing the second option, submit payment of the \$30.00 handlin form and the associated Form C-1, Form CB-1, Form T-1, or Form Cl	ng fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.
Submitted Electronically	
r	

Form	CP1 - Well Plugging Application
Operator	Knighton Oil Company, Inc.
Well Name	KING EDITH 6
Doc ID	1234226

Perforations And Bridge Plug Sets

Perforation Top	Perforation Base	Formation	Bridge Plug Depth
3533	3854	Lansing, Marmaton	

KANSAS DRILL	ERS LOG	O .	Well	epeái	BEND	O .	 . 97 - m 1	20 = 21₩	X¥X
			y de la deservación de la constante de la cons	All France	- •	5	. <u>27 T. 1</u>		- W
API No. 15	195 County		673	AUG	28'89		oc. NW	NE NE	
Operator	County	Nu	mber	A Se	Ena C	- с	ounty	Trego	
		ľexaco. I		1.200				40 Acres	
Address		exaco. I			Čaranii an an			 	
	P.O. Box 2	2420. Tul	sa OK 7	4102			160	100	
Well No.	Leasa Namo								
// 6 Footage Location			<u>Edith Kir</u>	155		*****		(2)	4-4
330 feet from	(M) (16 than		990 4	from (E) XXX II	lu.				
rincipal Contractor	(14) Val IIIIe		telgo	from (E) TWEN	ine		-160	160	3
John O.	Farmer, Ir	ic.							口
pud Date		Tota	Depth -	P.B.T.D.			Locate	well correctly	
والمراجع والمراجع والمنافق والمراجع	-22-80		39001	3 3	872	- I	97.1 Gr		
late Completed	-30-80	- 1	urchaser			l DI	F	KB2	240
<u> </u>	-30-00	 	·····	*·*.	 				
	alater to the second		CASING	RECORD	· ·	· · · · · · · · · · · · · · · · · · ·	·		
	igs set - surface,						· · · · · · · · · · · · · · · · · · ·	**************************************	
Purpose of string	Size hole drilled	Sixe casing tat · (in O.D.)	Weight lbs/ft.	Softling depth	Type cen	nent	Sacke	Type and	
Surface	12-1/4"	8-5/8"	24	6171	Commo		365	2% ge	
ourrace	114-11	0-5/0		017	COnnio		30.3	3% CC 2% ge	
Production	7-7/8"	5-1/2"		39001	Commo	n	325	10% s	
								1	
			Manager		in the state of th				.
	.]				4			1	
	LINER RECOI	RD	.			PERFORAT	TION RECOR	D	
op, ft.	Bottom, ft.	Sacks co	ment	Shots p	· · · · · · · · · · · · · · · · · · ·		& type	Depth (u baryal
3				2			. () . ()	3533-	
			,				* F		
the second	TUBING RECO)KU		2	<u> </u>	,	{ *!	3836-	54
2 2/01	Setting depth	Packers	et at						
2-3/8"	3869					<u> </u>		<u> </u>	
	A	CID, FRACT	URE, SHOT,	CEMENT SQU	EEZE RECC	RD	,		
	Amou	int and kind of	moterial used		• •		Dep	th Interval tre	ated
14.000 G	al. 15% N	EA			,		353	3-3720	
	. 15% NEA	 				3		5-54	
JAVV Gal	· TAS MEN		·* ·				, 303	्रम् स	***
	·				· .				
			INITIAL PR	ODUCTION		,			Visit. Ann
ete of first production		Producing		lng, pumplng, ga Dummi na	s lift, atc.)				
	Oii		Gos .	Pumping	Water		Gas	-oil ratio	
RATE OF PRODUCTION PER 24 HOURS		13 ы	1	Trace M	CF	47	bbls.	-	
The same of the sa				······································		ng Interval (₹4, £7
isposition of gas (venter	a, used on lease or s	(10)	•				20; 38:	14	28 F E

以外,以外的人的人的人的人的一种情况就是不是情况的情况,但是我们的一个情况,也是是我们的一个时间的人就是我们的一个人的一个时间,一个一个女人的女子,我们也会有什么

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of thir Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

Show ell importent zones of porosity and cluding depth interval tested, cushion used FORMATION DESCRIPTION, CO Clay, Post Rock, & San Blue Shale Sand & Shale Shale Sand Red Bed Anhydrite Shale & Shells Shale & Lime Lime & Shale Lime Lime & Shale	, time fool open, flowing and NTENTS, ETC.	vals, and all delite	60 619 1050 1110 1330 1617 1664 1830 2560 3665 3825 3900		O11 MARKERS, LOGS AUN IPTIVE INFORMATION DEPTH
Show oil important zones of peresity and cluding depth interval tested, cushion used FORMATION DESCRIPTION, CO Clay, Post Rock, & San Blue Shale Shale Shale Shale Shale Sand Red Bed Anhydrite Shale & Shells Shale & Lime Lime & Shale Lime	contents thereof; cored inter, time fool open, flowing and NTENTS, ETC.	0 60 619 1050 1110 1330 1617 1664 1830 2560 3665	60 619 1050 1110 1330 1617 1664 1830 2560 3665 3825		
Clay, Post Rock, & San Blue Shale Shale Shale Sand Red Bed Anhydrite Shale & Lime & Shale Lime	contents thereof; cored inter, time fool open, flowing and NTENTS, ETC.	0 60 619 1050 1110 1330 1617 1664 1830 2560 3665	60 619 1050 1110 1330 1617 1664 1830 2560 3665 3825		
Clay, Post Rock, & San Blue Shale Shale Shale Sand Red Bed Anhydrite Shale & Lime & Shale Lime	, time fool open, flowing and NTENTS, ETC.	0 60 619 1050 1110 1330 1617 1664 1830 2560 3665	60 619 1050 1110 1330 1617 1664 1830 2560 3665 3825		
Clay, Post Rock, & San Blue Shale Shale Shale Sand Red Bed Anhydrite Shale & Shale Shale & Shale & Shale & Lime & Shale Lime & Shale Lime	NTENTS, ETC.	100 60 619 1050 1110 1330 1617 1664 1830 2560 3665	60 619 1050 1110 1330 1617 1664 1830 2560 3665 3825	NAME	DEPTH
Blue Shale Sand & Shale Shale Sand Red Bed Anhydrite Shale & Shells Shale & Limo Lime & Shale	nd	60 619 1050 1110 1330 1617 1664 1830 2560 3665	619 1050 1110 1330 1617 1664 1830 2560 3665 3825		
USE ADD	ITIONAL SHEETS, IF NE	ĈESSARY, TO	COMPLETE WE	LL RECORD.	

August 5, 1980

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

December 05, 2014

Earl M. Knighton, Jr Knighton Oil Company, Inc. 1700 N WATERFRONT PKY BLDG 100 STE A WICHITA, KS 67206

Re: Plugging Application API 15-195-20673-00-00 KING EDITH 6 NE/4 Sec.27-12S-21W Trego County, Kansas

Dear Earl M. Knighton, Jr:

The Conservation Division has received your Well Plugging Application (CP-1).

Under K.A.R. 82-3-113(b)(2), you must notify DISTRICT 4 of your proposed plugging plan at least 5 days before plugging the well. DISTRICT 4's phone number is (785) 625-0550. Failure to notify DISTRICT 4, or failure to file a Well Plugging Record (CP-4) after the well is plugged will result in a penalty recommendation.

Under K.A.R. 82-3-600, you must file an Application for Surface Pit (CDP-1) if you wish to use a workover pit while plugging the well. Failure to timely file a CDP-1, failure to timely remove fluids, or failure to timely file Closure of Surface Pit (CDP-4) or Waste Transfer (CDP-5) forms will result in a penalty recommendation.

This receipt does NOT constitute authorization to plug this well if you do not otherwise have the legal right to do so.

This receipt is VOID after June 05, 2015. If the well is not plugged by then, you will have to submit a new CP-1 if you wish to plug the well.

The June 05, 2015 deadline does NOT override any compliance deadline given to you by Legal, District, or other Commission Staff. Failure to comply with any given deadline will still result in the Commission assessing penalties, or taking other legal action.

Sincerely, Production Department Supervisor

cc: DISTRICT 4