

Confidentiality Requested:

Yes No

## Kansas Corporation Commission Oil & Gas Conservation Division

1234372

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #			API No. 15		
Name:			Spot Description:		
Address 1:			Sec	Twp S. R	East _ West
Address 2:			Fe	eet from	South Line of Section
City:	State: Z	ip:+	Fe	eet from East / V	West Line of Section
Contact Person:			Footages Calculated from N	Nearest Outside Section Co	orner:
Phone: ()			□ NE □ NW	/ □SE □SW	
CONTRACTOR: License #			GPS Location: Lat:	, Long:	
Name:				(e.g. xx.xxxxx)	(e.gxxx.xxxxx)
Wellsite Geologist:			Datum: NAD27	NAD83 WGS84	
Purchaser:			County:		
Designate Type of Completion:			Lease Name:	We	ell #:
	e-Entry	Workover	Field Name:		
	_		Producing Formation:		
☐ Oil ☐ WSW ☐ D&A	☐ SWD	∐ SIOW ∏ SIGW	Elevation: Ground:	Kelly Bushing: _	
	GSW	Temp. Abd.	Total Vertical Depth:	Plug Back Total De	epth:
CM (Coal Bed Methane)	dow	Temp. Abd.	Amount of Surface Pipe Se	et and Cemented at:	Feet
☐ Cathodic ☐ Other (Co	ore, Expl., etc.):		Multiple Stage Cementing (	Collar Used? Yes	No
If Workover/Re-entry: Old Well I			If yes, show depth set:		Feet
Operator:			If Alternate II completion, ce	ement circulated from:	
Well Name:			feet depth to:	w/	sx cmt.
Original Comp. Date:					
Deepening Re-perf	•	ENHR Conv. to SWD	Drilling Fluid Managemen	nt Dian	
☐ Plug Back	Conv. to G		(Data must be collected from the		
Commingled	Pormit #:		Chloride content:	ppm Fluid volume:	bbls
Dual Completion			Dewatering method used:_		
SWD			Location of fluid disposal if	hauled offsite:	
☐ ENHR					
GSW	Permit #:		Operator Name:		
_ <del>_</del>			Lease Name:	License #:	
Spud Date or Date R	eached TD	Completion Date or	Quarter Sec	TwpS. R	East _ West
Recompletion Date		Recompletion Date	County:	Permit #:	

## **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

Page Two



Operator Name:				_ Lease l	Name: _			Well #:		
Sec Twp	S. R	East V	West	County	:					
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ring and shut-in pres o surface test, along	sures, whether s with final chart(	shut-in pre s). Attach	ssure reac extra shee	hed stati t if more	c level, hydrosta space is neede	itic pressures, bot d.	tom hole temp	erature, flui	d recovery,
Final Radioactivity Lo- files must be submitte						gs must be ema	ailed to kcc-well-lo	gs@kcc.ks.go	v. Digital el	ectronic log
Drill Stem Tests Taker (Attach Additional S		Yes	No				on (Top), Depth ar			mple
Samples Sent to Geo	logical Survey	Yes	☐ No		Nam	e		Тор	Da	tum
Cores Taken Electric Log Run		☐ Yes ☐ Yes	☐ No ☐ No							
List All E. Logs Run:										
			CASING		☐ Ne					
	0: 11-1-	· ·		onductor, su Weig		ermediate, product		// OI	T	d Damasat
Purpose of String	Size Hole Drilled		Size Casing Set (In O.D.)		Ft.	Setting Depth	Type of Cement	# Sacks Used		d Percent itives
		AD	DITIONAL	CEMENTIN	NG / SQL	JEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Ce	ement	# Sacks	Used		Type and F	ercent Additives		
Perforate Protect Casing										
Plug Back TD Plug Off Zone										
Did you perform a hydrau	•					Yes	No (If No, ski	p questions 2 ar	nd 3)	
Does the volume of the to							= :	p question 3)	of the ACO	()
Was the hydraulic fractur	ing treatment information	on submitted to the	e chemicai d	isciosure re	gistry?	Yes	No (If No, fill	out Page Three	or the ACO-1	<i>)</i> 
Shots Per Foot		ION RECORD - I Footage of Each I					cture, Shot, Cement mount and Kind of Ma		d	Depth
TUBING RECORD:	Size:	Set At:		Packer A	i:	Liner Run:	Yes No			
Date of First, Resumed	Production, SWD or Ef	NHR. Prod	ducing Meth	ıod:		1				
			Flowing	Pumpin	g	Gas Lift C	Other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	er B	bls. (	Gas-Oil Ratio		Gravity
DISPOSITIO	ON OF GAS:		M	METHOD OF	COMPLE	ETION:		PRODUCTION	ON INTERVA	
Vented Sold		Open		Perf.	Dually	Comp. Cor	mmingled			
	bmit ACO-18.)		(Specify)		(Submit )	ACO-5) (Sub	mit ACO-4)			

MESA

PO/WO No. 10-13-2817 Date 8/2/2014 Client ONEOK Drilling Co.: GILES ENVIRONMENTAL DRILLING Location YAGGY #3 WEST N. TO-84 GPS: Lat: 38.10736 Long: 98.03469 Calibrated Instrument Used: FLUKE 87 III 79430055

	Logging Volts:	13.8			Logging	200					T	9	
Depth	Amps	Ohms	Geological Log	Depth	Volts:	13.8 Ohms	1	Geological Log		No.	Depth	No Coke	With
5			CASING	205			_			1	290	4.10	4.20
10			CASING	210	+	6.27	1		_	2	277	3.90	4.70
15			CASING	215			-		_	3	264	3.60	4.50
20			CASING	220		5.31			_	4	251	3.80	4.60
25			CASING	225	_		<del>                                     </del>		_	5	238	3.40	4.40
30			CASING	230	_	5.31			_	6	225	2.60	3.70
35			CASING	235	-					7	212	2.40	3.70
40			CASING	240		3.83			_	8	199	2.30	3.70
45			CASING	245	-		<del>                                     </del>			9	186	2.70	3.80
50			CASING	250	-	3.63				10	173	2.60	3.60
55			CASING	255	_					11	160	2.10	3.30
60			CASING	260	-	3.83			_	12	147	2.70	3.60
65			CASING	265	_	1.50				13	134	2.60	3.60
70			CASING	270	-	3.83				14	121	2.40	3.40
75			CASING	275	_					15	108	2.10	3.20
80			CASING	280	-	3.45				16	-	2	0.20
85			CASING	285	_					17			
90			CASING	290	2.000.000	3.37				18			_
95			CASING	295	_					19			
100			CASING	300	TD					20			
105			•	305						21			
110	2.10	6.57	-	310						22			
115				315						23			
120	2.40	5.75		320						24			
125				325						25			
130	2.50	5.52		330						26			
135				335						27			
140	2.70	5.11		340						28			
145				345						29			
150	2.70	5.11		350						30			
155				355						31			
160	2.10	6.57		360						32			
165				365					П	33			
170	2.50	5.52		370						34			
175				375						35			
180	2.70	5.11		380						36			
185				385						37			
190	2.80	4.93		390						V	olts	13.80	13.8
195				395						Amps		43.30	58.0
200	2.30	6.00		400							hms	0.32	0.2
ole Dia.	:	7.5"	Total Depth:	30	0'	Casing Feet: 100' Dia.		a.:	8" Type:		SDR21		
. Anod	es:	15	Size and Type:	3884Z CA		Anode Lead:			ze:			HALAR	
s. Coke	:	4500	Coke Type:	LORESC		Top of Coke Column:				105' Vent:		200'	
		1750	Plug Type:	BENTONITE		Top of Plug:					5'		