Confidentiality Requested: Yes No

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

1235080

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD ☐ SIOW □ Gas □ D&A □ ENHR □ SIGW	Elevation: Ground: Kelly Bushing:
□ Gas □ D&A □ ENHR □ SIGW □ OG □ GSW □ Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
Dual Completion Permit #: SWD Permit #:	
	Location of fluid disposal if hauled offsite:
	Operator Name:
GSW Permit #:	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec Twp S. R East West
Spud Date orDate Reached TDCompletion Date orRecompletion DateRecompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY							
Confidentiality Requested							
Date:							
Confidential Release Date:							
Wireline Log Received							
Geologist Report Received							
UIC Distribution							
ALT I II III Approved by: Date:							

		Page 1wo 1235	
Operator Name:		Lease Name:	Well #:
Sec Twp	S. R East West	County:	

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken Yes No (Attach Additional Sheets)				.og Formatio	n (Top), Depth and	d Datum	Sample	
Samples Sent to Geolog	,	Yes No	Nam	е		Тор	Datum	
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No						
List All E. Logs Run:								
		CASING Report all strings set-c	RECORD Ne		on, etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.			# Sacks Used	Type and Percent Additives	
		ADDITIONAL	CEMENTING / SQU	JEEZE RECORD				
Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used		Type and Pe	ercent Additives		
Protect Casing Plug Back TD								
Plug Off Zone								
Did you perform a hydraulic	fracturing treatment c	on this well?		Yes	No (If No. skip	questions 2 an	d 3)	
	0	raulic fracturing treatment ex	ceed 350,000 gallons			question 3)	,	

Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?

(If No, fill out Page Three of the ACO-1)

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated					e		Depth		
TUBING RECORD:	Siz	e:	Set At:		Packe	r At:	Liner R	un:	No	
Date of First, Resumed	Producti	on, SWD or ENHF	? .	Producing N		ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wate	ər	Bbls.	Gas-Oil Ratio	Gravity
									Ι	
DISPOSITION OF GAS:			METHOD OF COMPLE			TION:		PRODUCTION IN	TERVAL:	
Vented Sold	Vented Sold Used on Lease						Comp. Commingled			
(If vented, Sub	omit ACO	-18.)		Other (Specify)	(Submit)	,	(Submit ACO-4)		

Yes

No

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

				540.00	ORDER			_		
HE (ILE)	X step viv	Fills		5400 P Pt. P BAG CPPC	LUM	Customer #: 0000357	GARNETT, K\$ 65002	National : Sale rep #: MIKE sear To: BDATER KENT	Special :	GARNETT
iu i infitu i futio ta aj mi un un un un nu infitu i nu ingin nu ingin Au i infitu i futio ta aj mi un un un un ingin i nu ingin A	ANDERSCH COUNTY RECEIVED COMPLETS AND IN 8000 COMPTON	FILLED BY CHECKED BY DATE SHAPPED DRIVER		MONARCH PALLET PORFLAND CEMENT-848	ITEMN DESCRIPTION	Gustomer PO:	ID (785) 448 (785) 448	teo de cov		GARNETT TRUE VALUE HOMECENTER 410 N Maple Garnett, KS 66032 {785} 448-7106 FAX {785} 448-7135
LIOTAL U U U U U U U U U U U U U U U U U U U	Taxable 8204.90 Non-taxable 0.00 Tox #	Sales lotal	<u> </u>	10.9900 ma		Order By:	-6965 NOT FOR HOUSE USE -6965	Ship Date: Invoice Date: Due Date:	Invoice: TU215433	
<u>11.</u> \$8879.26		lotal \$6204.60		15.0000 10.99000 5934.00	X	1102		09/04/14 09/04/14 10/08/14	15433 15:19:55	Statement Copy INVOICE
		- T	<u> </u>							
		ľ	· · · · · · · · · · · · · · · · · · ·	14.00	ORDER					
			· · · · · · · · · · · · · · · · · · ·	14.00	ORDER SHIP L UM	Clinitomer #: 000035)	Sela To: ROGER KE 22062 NE N GARNETT,	Sele rep #: JIM	Page: 1	GARNE
	X SHP VA	Al came	· · · · · · · · · · · · · · · · · · ·	14.00 P BAG CPF	SHE	Customer 4: 0000357	SAUTO: ROGER KENT 22082 NE NEOSHO RD GARNETT, KS 66032		Page: 1	GARNETT TRU (785) 448-
3 - Statement Copy 例如 ####################################	P VA ANDERSON COUNTY RECEVED COMPLETE JND MOODD CONDITION	HANKS CAMPACINE AND A CHECKED BY DAVE SHIPPED DAVES	· · · · · · · · · · · · · · · · · · ·	550.00 P BAG CPFA FLY ASH M 14.00 P PL CPMP MONARCH	SHIP L UM	*: 0000357 Culioner	ROGER KENT Sup 10: 22082 NE NEOSHO RD (785) 446-6895 GARNETT, KS 66032 (785) 446-6935		Page 1	GARNETT TRUE VALUE HOMECEN 410 N Maple Garnett, KS 66032 (785) 448-7106 FAX (785) 448-7135
3 - Statement Copy	IP YA ANDERSON COUNTY RECENED COMPLETE AND INGOID CONDITION TRAVEL AND INFO TRAVEL 44	CHECKED BY DAVE SHIPPED DRIVER		560,00 P BAG OPFA . FLY ASH MIX 30 LBS PER BAG 14.00 P PL CPMP MONARCH PALLEY	SHIP L UM ITEMI	*: 0000357 Culioner	ROGEA KENT 22062 NE MEOSHO AD GARNETT, KS 66 032	JIM Acting code:		GARNETT TRUE VALUE HOMECENTER 410 N Maple Garnett, KS 66032 (785) 448-7106 FAX (785) 448-7135
3 - Statement Copy	IP VA ANDERSON COUNTY RECEVED CONRECT AND MOODE CONDITION TRAVAIDLE Non-taxable Tax #	CHECKED BY DATE SHIPPED		560,001 P. BAG (CPFA FLY ASH MIX 30 LES PER BAG 7.5000 MA 7.5000 M 15.0000 M 15.0000 M 15.0000 M 15.0000 M	SHIP L UM ITEMI DESCRIPTION	e: 0000357 Cuidomer PO: Order By:	ROGER KENT Sup 10: 22082 NE NEOSHO RD (785) 446-6895 GARNETT, KS 66032 (785) 446-6935	JIM Acting code:	1 Invoke: 102	GARNETT TRUE VALUE HOMECENTER 410 N Maple Garnett, KS 66032 (785) 448-7106 FAX (785) 448-7135 PLOSE REFECTO MODE NUMBER

R J Enterprises 22082 NE Neosho Rd Garnett, KS 66032

Frear #3

Start 9-24-14

~	*1	-	
2	soil	2	
1	clay/rock	3	
13	lime	16	
79	shale 	95	
8	lime	103	
7	shale	110	
42	lime	152	
5	shale	157	
5	lime	162	
5	shale	167	
25	lime	192	
185	shale	377	
15	lime	392	
52	shale	444	
32	lime	476	
26	shale	502	
9	lime	511	
15	shale	526	
8	lime	534	
9	shale	543	
4	lime	547	
30	shale	5 77	
13	sandy shale	590	
15	sand	605	
4	oil sand	609	
2	Dk sand	611	
100	shale	711	
10	Bkn sand	721	odor
4	Bkn sand	725	good show
22	oil sand	747	good show
4	Dk sand	751	show
25	shale	776	T.D.

set 20'7" ran 771' of 2 % cemented to surface 78 sxs

1