

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KC	C Use:			
Effective	Date:			
District #	#			
SGA?	Yes	No		

SGA?

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	year Spot Description:
monur day	Sec Twp S. R E
OPERATOR: License#	foot from N / S Line of Socti
Name:	feet from E / W Line of Secti
Address 1:	Is SECTION: Regular Irregular?
ddress 2:	
City: State: Zip:	
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	
lame:	Target Formation(s):
	Negroot Loops or unit boundary line (in feetage):
Well Drilled For: Well Class: Type Equip	Ground Surface Elevation:feet Ms
Oil Enh Rec Infield Mud F	Rotary Water well within one-quarter mile:
Gas Storage Pool Ext. Air Ro	ptary Public water supply well within one mile:
Disposal Wildcat Cable	
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: I II
	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	
Original Completion Date: Original Total Depth	
	Water Source for Drilling Operations:
	Yes No Well Farm Pond Other:
f Yes, true vertical depth:	DWR Permit #:
Sottom Hole Location:	(Note: Apply for Fermit with DWK
(CC DKT #:	vviii cores de takeri:
	If Yes, proposed zone:
	AFFIDAVIT
The undersigned hereby affirms that the drilling, completion a	and eventual plugging of this well will comply with K.S.A. 55 et. seq.
is agreed that the following minimum requirements will be m	
Notify the appropriate district office <i>prior</i> to spudding of	
2. A copy of the approved notice of intent to drill shall be	
.,	w shall be set by circulating cement to the top; in all cases surface pipe shall be set
through all unconsolidated materials plus a minimum o	
	ator and the district office on plug length and placement is necessary prior to plugging;
5. The appropriate district office will be notified before we	1 00 1
	hall be cemented from below any usable water to surface within 120 DAYS of spud date.
	casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
must be completed within 30 days of the spud date or t	
	the well shall be plugged. In all cases, North 1 district office prior to any cementing.
	The well shall be plugged. In an cases, NOTH 1 district office prior to any cementing.
	the well shall be plugged. In all cases, NOTH T district office phot to any cementing.
ubmitted Electronically	The well shall be plugged. In an cases, NOTH T district office phot to any cementing.
·	Remember to:
ubmitted Electronically For KCC Use ONLY	
·	Remember to:
For KCC Use ONLY API # 15 -	Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
For KCC Use ONLY API # 15	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
For KCC Use ONLY API # 15	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
For KCC Use ONLY API # 15	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
For KCC Use ONLY API # 15	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
API # 15feet Conductor pipe requiredfeet Minimum surface pipe requiredfeet per Al Approved by:	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _




For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwpS. R 🗌 E 🗍 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
DI A	T

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

165 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

235315

Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:				
Operator Address:							
Contact Person:			Phone Number:				
Lease Name & Well No.:			Pit Location (QQQQ):				
Type of Pit:	Pit is:						
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R				
Settling Pit Drilling Pit	If Existing, date co	nstructed:	Feet from North / South Line of Section				
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section				
		(bbls)	County				
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)				
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?				
Pit dimensions (all but working pits):	Length (fe	et)	Width (feet) N/A: Steel Pits				
Depth fro	om ground level to dee	epest point:	(feet) No Pit				
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		dures for periodic maintenance and determining cluding any special monitoring.				
Distance to nearest water well within one-mile of	of pit:	Depth to shallor Source of inforr	west fresh water feet.				
feet Depth of water well	feet	measured	well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	ver and Haul-Off Pits ONLY:				
Producing Formation:		Type of materia	al utilized in drilling/workover:				
Number of producing wells on lease:		Number of work	king pits to be utilized:				
Barrels of fluid produced daily:		Abandonment p	procedure:				
Does the slope from the tank battery allow all spilled fluids to			st be closed within 365 days of spud date.				
Submitted Electronically							
	ксс	OFFICE USE OI					
Date Received: Permit Numl	ber:	Permi	Liner Steel Pit RFAC RFAS t Date: Lease Inspection: Yes No				



Kansas Corporation Commission Oil & Gas Conservation Division

1235315


Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

OPERATOR: License #	Well Location:
Name:	
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	g
Contact Person:	the lease below:
Phone: () Fax: ()	-
Email Address:	-
Surface Owner Information:	
Name:	
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	and the second in the construction of the cons
City: State: Zip:+	-
	ank batteries, pipelines, and electrical lines. The locations shown on the plat I on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
owner(s) of the land upon which the subject well is or will be	e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this , and email address.
KCC will be required to send this information to the surface	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ss of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form.
KCC will be required to send this information to the surface task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the	owner(s). To mitigate the additional cost of the KCC performing this so of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form. If the fee is not received with this form, the KSONA-1
KCC will be required to send this information to the surface task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the If choosing the second option, submit payment of the \$30.00 handling fee.	owner(s). To mitigate the additional cost of the KCC performing this so of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form. If the fee is not received with this form, the KSONA-1



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

December 15, 2014

C.W. Roberts Magnum Exploration Kansas, LLC 8268 CR 262 CLYDE, TX 79150

Re: Notice of Intent to Drill Thrasher 9 SW/4 Sec.25-13S-20E Douglas County, Kansas

Dear Mr. Roberts:

Records indicate that a domestic water well is located less than 660 feet from this proposed location. Eastern Kansas Surface Casing Order #133,891-C for Area 3, paragraph 2 states, "No well shall be drilled closer than 660 feet of an existing domestic or municipal water well without written owner notification, a copy of which must be attached to the drilling intent form during filing. Special casing and cementing requirements may be imposed in those areas producing fresh and usable water."

Please provide us with a copy of the owner notification to further the processing of your notice of intent to drill. A copy of the water well record is attached.

I may be contacted at 316-337-6200 if you need additional information.

Rick Hestermann Production Department



Scan of WWC5 Form

ounty: D	N OF WA										
Stance an	h. 1/- 1 45		Fraction	SE 14 5W	, , Sec	ion Number	T	ship Nun	S	R	ge Number
			or city street a	ddress of well if located	within city?	45		1	8	Н	200W
77. h		S WEST.				-0404	lec				
100	MILE	NER: CHAO SL	AURC MI	LES SOUTH	OF E	DD014A	12-			_	
WATER	METT ON	NER: CARO SU	Mag DO								
R#, St. A	ddress, Bo	× + : 9335.	NO NO					-		Division of	Water Resource
ity, State,	ZIP Code	E UDONA	KS. 660 F	-5			App	dication N	Number:		
LOCATE AN "X" I	WELL'S L N SECTIO	OCATION WITH	DEPTH OF C	OMPLETED WELL water Encountered _1_	795	. ft. ELEVAT	ION:				
_		De	epth(s) Ground	water Encountered 1.	2				ft. 3.	//0	/99
		! w	ELL'S STATIC	WATER LEVEL . 3.8	1.4. ft. be	slow land surf	ace measu	ared on n	no/day/yr	6/0	/. //
	- NW	NE	Pump	test data: Well water	was	ft. af	lor		hours pur	mping	gpr
- 1	1	, Es	st. Yield . 97.3	gpm: Well water	was	ft. aft	er		hours pur	mping	gpr
* w -	1			nter 8:625 in. to .							
"	!	! ' w			Public water		B Air cond			Injection v	
L	_ sw	SE	Domestic		Oil field wat		9 Dewater				ecify below)
	1	ï	2 Irrigation								
L	_ i	l w	as a chemical/t	pacteriological sample su	bmitted to De						r sample was so
		mi	itted			Wat	er Well Dis	sinfected?	? Yes		No
TYPE O	F BLANK	CASING USED:		5 Wrought iron	8 Concre	te tile	CASI	NG JOIN	TS: Glued	X	Clamped
1 Stee	el	3 RMP (SR)		6 Asbestos-Cement	9 Other (specify below)		Welde	od be	
2 PVC	0	4 ABS		7 Fiberglass					Threa	ded	
lank casin	g diameter		10. 105	ft., Dia	in. to		tt., Dia			in. to	T
asing heig	ght above t	and surface ~/8		in., weight		lbs/f	. Wall thic	kness or	gauge No	SLREA	w sor 21
		R PERFORATION N			7 PV			10 Asbes	stos-ceme	nt RISE	R SOR 26
1 Stee	el	3 Stainless st	teel	5 Fiberglass	8 RM	P (SR)			(specify)		
2 Bras	SS	4 Galvanized	steel	6 Concrete tile	9 ABS				used (op-		
CREEN O	R PERFO	RATION OPENINGS	ARE		wrapped		8 Saw c				(open hole)
1 Con	ntinuous sk	MI 3 MII :	slot	6 Wire w	rapped		9 Drilled	holes			
2 Lou	wered shut		punched	7 Torch			10 Other	(specify)			
		ED INTERVALS:	From /	25 11 10	145	n From		, opo,			
O'ILLIA'	LIU OI OI	LD INTERIOR	From	ft. to							
G			rion						11. 10		
		CK INTERVALS:	Erom 3	9 " "							
	HAVEL PA	CK INTERVALS:	From 5	7 ft. to . /.		ft., From	1				
			From -	ft. to	45	ft., From		······	ft. to	•	
GROUT	MATERIA	.: 1 Neat cen	From	tt. to 2 Cement grout	9.5 3 Benjo	ft., From	Other		ft. k		
GROUT rout Interv	MATERIA vals: Fro	.: 1 Neat cen	From —	ft. to	9.5 3 Benjo	ft., From	Other		12. k	. ft. to	
GROUT frout Interv	MATERIAI vals: Fro	.: 1 Neat cen	rom nent 10.37.4	ft. to 2 Cement grout ft., From	9.5 3 Benjo	ft., From ft., From nite 4 (Other ft., F		ft. k	. ft. to	water well
GROUT frout Interv that is the	MATERIAL vals: Fro nearest so	.: 1 Neat cen m	From nent 10.37.4	ft. to 2 Cement grout F ft., From	3 Benjo	ft., From ft., From tt., From 10 Livest 11 Fuel s	Other Fock pens	rom	14 At 15 O	. ft. to .	water well
GROUT frout Interv that is the 1 Sep 2 Sev	MATERIAL vals: Fro nearest so ptic tank wer lines	.: 1 Neat cen m	From nent 10.37.4 Intamination:	ft. to 2 Cement grout F ft., From	3 Benjo	ft., From ft., From 10 Liveste 11 Fuel s 12 Fertiliz	Other T. ft., Fock pens torage ter storage	rom	14 At 15 O	. ft. to .	water well
GROUT frout Interv That is the 1 Sep 2 Sew 3 Wat	MATERIAL vals: Fro nearest s bic tank wer lines tertight sev	.: 1 Neat cen m	From nent 10.37.4 Intamination:	ft. to 2 Cement grout F ft., From	3 Benjo	ft, From ft, From 10 Livest 11 Fuel s 12 Fertiliz 13 Insect	Other	rom	14 At 15 O 16 O	. ft. to .	water well
GROUT frout Interv that is the 1 Sep 2 Sew 3 Wat direction fro	MATERIAL vals: Fro nearest so bic tank wer lines tertight sev om well?	1 Neat cen m. O ft. ource of possible co 4 Lateral I 5 Cess po ver lines 6 Seepage	rent 10.39 Action 10.30 Action	ft. to 2 Cement grout F ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Benjor	10 Liveste 11 Fuel s 12 Fertiliz 13 Insect	Other T. ft., Fock pens torage ter storage	rom	14 At 15 O 16 O	o ft. to obandoned if well/Gar	water well s well cify below)
GROUT frout Interv fhat is the 1 Sep 2 Sew 3 Wat irection fro	MATERIAL vals: Fro nearest so bic tank wer lines stertight sev om well?	1 Neat cen m. O ft. burce of possible co 4 Lateral I 5 Cess po ver lines 6 Seepage	From nent 10.37.4 Intamination:	ft. to 2 Cement grout F ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Benjo	ft, From ft, From 10 Livest 11 Fuel s 12 Fertiliz 13 Insect	Other	rom	14 At 15 O 16 O	o ft. to obandoned if well/Gar	water well s well cify below)
GROUT rout interv fhat is the 1 Sep 2 Sew 3 Wat irrection fro	MATERIAL vals: Fro nearest s otic tank wer lines tertight sev om well? TO	1 Neat cen m	reminent 10.39. Intermination: lines col e pit	ft. to 2 Cement grout F ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Benjor	10 Liveste 11 Fuel s 12 Fertiliz 13 Insect	Other	rom	14 At 15 O 16 O	o ft. to obandoned if well/Gar	water well s well cify below)
GROUT rout Interv that is the 1 Sep 2 Sew 3 Wat irrection for	MATERIAL vals: Fro nearest so otic tank wer lines tertight sev om well? TO	1 Neat cen m. O ft. ource of possible co 4 Lateral I 5 Cess po ver lines 6 Seepage FAST SoTL SANDSTONE	From nent to 39.44 ntamination: lines soil e pit LITHOLOGIC	ft. to 2 Cement grout F ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Benjor	10 Liveste 11 Fuel s 12 Fertiliz 13 Insect	Other	rom	14 At 15 O 16 O	o ft. to obandoned if well/Gar	water well s well cify below)
GROUT rout Interv fhat is the 1 Sep 2 Sew 3 Wat irrection fro	MATERIAL vals: Fro nearest so bic tank wer lines tertight sev om well? TO	1 Neat cen m. O ft. burce of possible co 4 Lateral I 5 Cess po ver lines 6 Seepage FAST SOTL SHAUE, BA	From nent to 39.44 ntamination: lines soil e pit LITHOLOGIC	ft. to 2 Cement grout F ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Benjor	10 Liveste 11 Fuel s 12 Fertiliz 13 Insect	Other	rom	14 At 15 O 16 O	o ft. to obandoned if well/Gar	water well s well cify below)
GROUT rout Interv fhat is the 1 Sep 2 Sew 3 Wat irrection for	MATERIAL vals: Fro nearest so to treatest set to tank wer lines stertight sev om well? TO	1 Neat cen m. O	From nent 10-37 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ft. to 2 Cement grout F ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Benjor	10 Liveste 11 Fuel s 12 Fertiliz 13 Insect	Other	rom	14 At 15 O 16 O	o ft. to obandoned if well/Gar	water well s well cify below)
GROUT rout Interv that is the 1 Sep 2 Sew 3 Wat irrection fro	MATERIAL vals: Fro nearest subto tank wer lines stertight sev om well? TO 6	1 Neat cen m. O	From nent 10-37 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ft. to 2 Cement grout F ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Benjor	10 Liveste 11 Fuel s 12 Fertiliz 13 Insect	Other	rom	14 At 15 O 16 O	o ft. to obandoned if well/Gar	water well s well cify below)
GROUT rout Interv fhat is the 1 Sep 2 Sew 3 Wat irrection for FROM 0 4 6 7 35	MATERIAL vals: Fro rearest subtor links tertight sev om well? TO 6 7 7 60 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	1 Neat cen m. O ft. burce of possible co 4 Lateral I 5 Cess po ver lines 6 Seepage EAST SOTL SHAUSTONE SHAUE, BA SHAUE, GE SHAUSTONE	From nent 10-37 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ft. to 2 Cement grout F ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Benjor	10 Liveste 11 Fuel s 12 Fertiliz 13 Insect	Other	rom	14 At 15 O 16 O	o ft. to obandoned if well/Gar	water well s well cify below)
GROUT irout intervirual is the 1 Sep 2 Sev 3 Wall intervirual intervirual is the 1 Sep 2 Sev 3 Wall intervirual in	MATERIAL vals: Fro rearest subic tank wer lines steertight ser from well?	I Neat cen m. O	From nent 10.39.44 ntamination: lines col e pit LITHOLOGIC BLOWN AV	ft. to 2 Cement grout F ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard LOG	3 Benjor	10 Liveste 11 Fuel s 12 Fertiliz 13 Insect	Other	rom	14 At 15 O 16 O	o ft. to obandoned if well/Gar	water well s well cify below)
GROUT irout intervirual is the 1 Sep 2 Sev 3 Wall intervirual inte	MATERIAL vals: Fro prearest subic tank wer lines tending the several months of the sever	I Neat cen m. O	From nent 10.39.44 notamination: lines bol e pit LITHOLOGIC BLOWN AY THOLOGIC AY THOLOGIC AY THOLOGIC	ft. to 2 Cement grout F ft., From	3 Benjor	10 Liveste 11 Fuel s 12 Fertiliz 13 Insect	Other	rom	14 At 15 O 16 O	o ft. to obandoned if well/Gar	water well s well cify below)
GROUT rout Interv frat is the 1 Sep 2 Sev 3 Wall irrection for FROM 0 4 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	MATERIAL value: Fro prearest subic tank wer lines teertight ser om well? 6 7 7 8 7 7 8 7 7 8 7 7 8 7 7	I Neat cen m. O	From nent 10.39.44 ntamination: lines pol e pit LITHOLOGIC BLOWN AV LITHOLOGIC AV THOW SA B. WHET	ft. to 2 Cement grout F ft., From	3 Benjor	10 Liveste 11 Fuel s 12 Fertiliz 13 Insect	Other	rom	14 At 15 O 16 O	o ft. to obandoned if well/Gar	water well s well cify below)
GROUT rout Intervention in the state of the	MATERIAL vals: Fro prearest subic tank wer lines tending the several months of the sever	I Neat cen m. O	From nent 10.39.44 ntamination: lines pol e pit LITHOLOGIC BLOWN AV LITHOLOGIC AV THOW SA B. WHET	ft. to 2 Cement grout F ft., From	3 Benjor	10 Liveste 11 Fuel s 12 Fertiliz 13 Insect	Other	rom	14 At 15 O 16 O	o ft. to obandoned if well/Gar	water well s well cify below)
GROUT rout Interview in the state of the sta	MATERIAL value: Fro prearest subic tank wer lines teertight ser om well? 6 7 7 8 7 7 8 7 7 8 7 7 8 7 7	I Neat cen m. O	From nent 10.39.44 ntamination: lines pol e pit LITHOLOGIC BLOWN AV LITHOLOGIC AV THOW SA B. WHET	ft. to 2 Cement grout F ft., From	3 Benjor	10 Liveste 11 Fuel s 12 Fertiliz 13 Insect	Other	rom	14 At 15 O 16 O	o ft. to obandoned if well/Gar	water well s well cify below)
GROUT rout Intervention in the state of the	MATERIAL value: Fro prearest subic tank wer lines teertight ser om well? 6 7 7 8 7 7 8 7 7 8 7 7 8 7 7	I Neat cen m. O	From nent 10.39.44 ntamination: lines pol e pit LITHOLOGIC BLOWN AV LITHOLOGIC AV THOW SA B. WHET	ft. to 2 Cement grout F ft., From	3 Benjor	10 Liveste 11 Fuel s 12 Fertiliz 13 Insect	Other	rom	14 At 15 O 16 O	o ft. to obandoned if well/Gar	water well s well cify below)
GROUT rout Interview in the state of the sta	MATERIAL value: Fro prearest subic tank wer lines teertight ser om well? 6 7 7 8 7 7 8 7 7 8 7 7 8 7 7	I Neat cen m. O	From nent 10.39.44 ntamination: lines pol e pit LITHOLOGIC BLOWN AV LITHOLOGIC AV THOW SA B. WHET	ft. to 2 Cement grout F ft., From	3 Benjor	10 Liveste 11 Fuel s 12 Fertiliz 13 Insect	Other	rom	14 At 15 O 16 O	o ft. to obandoned if well/Gar	water well s well cify below)
GROUT rout Interview in the state of the sta	MATERIAL value: Fro prearest subic tank wer lines teertight ser om well? 6 7 7 8 7 7 8 7 7 8 7 7 8 7 7	I Neat cen m. O	From nent 10.39.44 ntamination: lines pol e pit LITHOLOGIC BLOWN AV LITHOLOGIC AV THOW SA B. WHET	ft. to 2 Cement grout F ft., From	3 Benjor	10 Liveste 11 Fuel s 12 Fertiliz 13 Insect	Other	rom	14 At 15 O 16 O	o ft. to obandoned if well/Gar	water well s well cify below)
GROUT rout Interv frat is the 1 Sep 2 Sev 3 Wall irrection for FROM 0 4 6 7 7 7 08	MATERIAL value: Fro prearest subic tank wer lines teertight ser om well? 6 7 7 8 7 7 8 7 7 8 7 7 8 7 7	I Neat cen m. O	From nent 10.39.44 ntamination: lines pol e pit LITHOLOGIC BLOWN AV LITHOLOGIC AV THOW SA B. WHET	ft. to 2 Cement grout F ft., From	3 Benjor	10 Liveste 11 Fuel s 12 Fertiliz 13 Insect	Other	rom	14 At 15 O 16 O	o ft. to obandoned if well/Gar	water well s well cify below)
GROUT rout intervention in the control of the contr	MATERIAL vals: Fro rearest subic tank wer lines for the left of tank o	I Neat cen M. O	From nent 10.39.44 ntamination: lines sol e pit LITHOLOGIC BLOWN AV AV THOW SA E WILLIAM E	ft. to 2 Cement grout F ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard LOG	3 Benjor	ft, From ft,	Other t., Fock pens torage torage cide storage y feet?	see / PLU	14 At 15 OI 16 OI 16 OI 16 OI 17 OI	ft. to sandoned il well-Garther (spec	water well s well lify below)
GROUT irout interview of the second of the s	MATERIAL vals: Fro rearest subic tank wer lines for the left of tank o	I Neat cen M. O	From nent 10.39.44 ntamination: lines sol e pit LITHOLOGIC BLOWN AV AV THOW SA E WILLIAM E	ft. to 2 Cement grout F ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard LOG	3 Benjor	ft, From ft,	Dither t., F ock pens torage ter storage	pe Soo PLU	ft. k 14 At 15 O 16 O PLU S GGING II	ft. to sandoned il well-Garther (spec	water well s well sify below) S
GROUT rout intervented is the Sep 3 Was irrection for FROM 0 6 8 77 35 60 77 68 736 CONTRO	MATERIAL vals: Fro rearest solicitant wer lines stertight sev om well? TO 6 8 17 35 60 107 108 134 145 145 ACTOR'S on (molday	I Neat cen M. O	From nent 10-37 Ambients ines sool e pit LITHOLOGIC AV AV AV AV AV AV AV AV AV A	ft. to 2 Cement grout F ft., From	3 Benjor	ft, From ft,	Other ft., Footk pens torage ter storage icide storagy feet?	pe Soo / PLU	ft. k 14 At 15 O 16 O PLU S GGING II	ft. to sandoned il well-Garther (spec	water well s well sify below) S
GROUT rout intervental is the Sep 2 Sem 3 Wat irrection for FROM 0 6 8 72 35 60 77 68 736 CONTRUMPED TO THE CONTRUMPED T	MATERIAL vals: Fro e nearest solicitants wer lines tertight sev om well? TO 6 8 17 35 60 107 108 134 145 ACTOR'S on (molday Contractor	1 Neat cen M. O	From nent 10-37 Amenination: lines sool e pit LITHOLOGIC BLOWN AN AN AN AN AN AN AN AN AN	ft. to 2 Cement grout F. ft., From	3 Benjor	ft, From ft,	Dither The Foods part of	pe Soo / PLU	ft. k 14 At 15 O 16 O PLU S GGING II	ft. to sandoned il well-Garther (spec	water well s well lify below)
GROUT interview of the control of th	MATERIAL value: Fro e nearest subtic tank wer lines tertight sevor well? TO 6 8 17 35 60 107 108 134 YYS ACTOR'S on (molday Contractor susiness ne	I Neat cen O	From nent 10-37 Ambients notamination: lines sool e pit LITHOLOGIC BEOWN AN AN AN AN AN AN AN AN AN	ft. to 2 Cement grout F. ft., From	3 Benjor	ft, From ft,	Dither	or (3) plus the best	ft. k	t to bandoned if well-Gar ther (spec	water well s well s well sity below) S sediction and wand belief. Kansa

Kansas Geological Survey Comments to webadmin@kgs.ku.edu URL=http://www.kgs.ku.edu/Magellan/WaterWell/index.html Display Programs Updated July 2, 2014 Data added continuously.

Magnum Exploration Kansas, LLC 8268 County Rd 262 Clyde, TX 79510

Rick,

Terry Ballou our pumper GPS'd the location of the water well and made contact with the owner. This water well is 1.3 miles from our well locations. The GPS coordinates of the water well is:

N 38,87327 W095,14489

If you should have any questions, please do not hesitate to contact me at (817) 271-4282.

Regards,

C.W. Roberts