



Confidentiality Requested:

Yes  No

KANSAS CORPORATION COMMISSION 1234303  
OIL & GAS CONSERVATION DIVISION

Form ACO-1

August 2013

Form must be Typed  
Form must be Signed  
All blanks must be Filled

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # \_\_\_\_\_

Name: \_\_\_\_\_

Address 1: \_\_\_\_\_

Address 2: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ + \_\_\_\_\_

Contact Person: \_\_\_\_\_

Phone: ( \_\_\_\_\_ ) \_\_\_\_\_

CONTRACTOR: License # \_\_\_\_\_

Name: \_\_\_\_\_

Wellsite Geologist: \_\_\_\_\_

Purchaser: \_\_\_\_\_

Designate Type of Completion:

- New Well       Re-Entry       Workover
- Oil       WSW       SWD       SIOW
- Gas       D&A       ENHR       SIGW
- OG       GSW       Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic       Other (Core, Expl., etc.): \_\_\_\_\_

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_

Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_

- Deepening       Re-perf.       Conv. to ENHR       Conv. to SWD
- Plug Back       Conv. to GSW       Conv. to Producer
- Commingled      Permit #: \_\_\_\_\_
- Dual Completion      Permit #: \_\_\_\_\_
- SWD      Permit #: \_\_\_\_\_
- ENHR      Permit #: \_\_\_\_\_
- GSW      Permit #: \_\_\_\_\_

Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date
-----------------------------------	-----------------	---

API No. 15 - \_\_\_\_\_

Spot Description: \_\_\_\_\_

\_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

\_\_\_\_\_ Feet from  North /  South Line of Section

\_\_\_\_\_ Feet from  East /  West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE       NW       SE       SW

GPS Location: Lat: \_\_\_\_\_, Long: \_\_\_\_\_  
(e.g. xx.xxxxx) (e.g. -xxx.xxxxx)

Datum:  NAD27       NAD83       WGS84

County: \_\_\_\_\_

Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_

Field Name: \_\_\_\_\_

Producing Formation: \_\_\_\_\_

Elevation: Ground: \_\_\_\_\_ Kelly Bushing: \_\_\_\_\_

Total Vertical Depth: \_\_\_\_\_ Plug Back Total Depth: \_\_\_\_\_

Amount of Surface Pipe Set and Cemented at: \_\_\_\_\_ Feet

Multiple Stage Cementing Collar Used?  Yes  No

If yes, show depth set: \_\_\_\_\_ Feet

If Alternate II completion, cement circulated from: \_\_\_\_\_

feet depth to: \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: \_\_\_\_\_ ppm Fluid volume: \_\_\_\_\_ bbls

Dewatering method used: \_\_\_\_\_

Location of fluid disposal if hauled offsite:

Operator Name: \_\_\_\_\_

Lease Name: \_\_\_\_\_ License #: \_\_\_\_\_

Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

County: \_\_\_\_\_ Permit #: \_\_\_\_\_

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Confidentiality Requested  
Date: \_\_\_\_\_
- Confidential Release Date: \_\_\_\_\_
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT  I  II  III Approved by: \_\_\_\_\_ Date: \_\_\_\_\_

1234303

Operator Name: \_\_\_\_\_ Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_

Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West County: \_\_\_\_\_

**INSTRUCTIONS:** Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No  List All E. Logs Run: _____	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample  Name Top Datum
--	---

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Did you perform a hydraulic fracturing treatment on this well?  Yes  No *(If No, skip questions 2 and 3)*

Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?  Yes  No *(If No, skip question 3)*

Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?  Yes  No *(If No, fill out Page Three of the ACO-1)*

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No
----------------	-------	---------	------------	---

Date of First, Resumed Production, SWD or ENHR.	Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other <i>(Explain)</i> _____
---	--

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

<b>DISPOSITION OF GAS:</b> <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	<b>METHOD OF COMPLETION:</b> <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <input type="checkbox"/> Other <i>(Specify)</i> _____	<b>PRODUCTION INTERVAL:</b> _____ _____
--	--	---





CEMENT FIELD TICKET AND TREATMENT REPORT

Customer	Kraft Oil	State, County	Woodson , Kansas	Cement Type	CLASS A
Job Type	Long String	Section	9	Excess (%)	40%
Customer Acct #		TWP	23	Density	12.8
Well No.	Schneider Hannen #12	RGE	13E	Water Required	9.59
Mailing Address		Formation		Yield	1.81
City & State		Tubing		Sacks of Cement	240
Zip Code		Sub	6'	Slurry Volume	77
Contact		Casing Size	4.5 11.6#	Displacement	34.4
Email		Hole Size	6 3/4	Displacement PSI	800
Cell		Casing Depth	2217	MIX PSI	250
Dispatch Location	EUREKA	Hole Depth	2244	Rate	3.5
<b>Code</b>	<b>Cement Pump Charges and Mileage</b>	<b>Quantity</b>	<b>Unit</b>	<b>Price per Unit</b>	
5401	CEMENT PUMP (2 HOUR MAX)	1	2 HRS MAX	\$1,085.00	\$ 1,085.00
5406	EQUIPMENT MILEAGE (ONE-WAY)	32	PER MILE	\$4.20	\$ 134.40
5407	MIN. BULK DELIVERY (WITHIN 50 MILES)	1	PER LOAD	\$368.00	\$ 368.00
0		0	0	\$0.00	\$ -
0		0	0	\$0.00	\$ -
0		0	0	\$0.00	\$ -
0		0	0	\$0.00	\$ -
0		0	0	\$0.00	\$ -
0		0	0	\$0.00	\$ -
<b>EQUIPMENT TOTAL</b>					<b>\$ 1,587.40</b>
<b>Cement, Chemicals and Water</b>					
1131	60/40 POZMIX CEMENT W/ NO ADDITVES (40% POZ)	240	0	\$13.18	\$ 3,163.20
1118B	PREMIUM GEL/BENTONITE (50#)	1650	0	\$0.22	\$ 363.00
1107A	PHENOSEAL	240	0	\$1.35	\$ 324.00
1118B	PREMIUM GEL/BENTONITE (50#)	400	0	\$0.22	\$ 88.00
0		0	0	\$0.00	\$ -
0		0	0	\$0.00	\$ -
0	30% Discount	0	0	\$0.00	\$ (1,181.46)
0		0	0	\$0.00	\$ -
0		0	0	\$0.00	\$ -
0		0	0	\$0.00	\$ -
1123	CITY WATER (PER 1000 GAL)	3	0	\$17.30	\$ 51.90
<b>CHEMICAL TOTAL</b>					<b>\$ 2,808.64</b>
<b>Water Transport</b>					
5502C	80 BBL VACUUM TRUCK (CEMENT)	3	BL VACUUM TRUCK (CEM)	\$90.00	\$ 270.00
0		0	0	\$0.00	\$ -
0		0	0	\$0.00	\$ -
<b>TRANSPORT TOTAL</b>					<b>\$ 270.00</b>
<b>Cement Floating Equipment (TAXABLE)</b>					
<b>Cement Basket</b>					
4103	CEMENT BASKET 4 1/2"	2	PER UNIT	\$229.00	\$ 458.00
<b>Centralizer</b>					
4129	CENTRALIZER 4 1/2 "	3	PER UNIT	\$44.00	\$ 132.00
0		0	0	\$0.00	\$ -
<b>Float Shoe</b>					
4156	FLOAT SHOE 4 1/2" (FLAPPER)	1	PER UNIT	\$238.00	\$ 238.00
<b>Float Collars</b>					
0		0	0	\$0.00	\$ -
<b>Guide Shoes</b>					
0		0	0	\$0.00	\$ -
<b>Baffle and Flapper Plates</b>					
0		0	0	\$0.00	\$ -
<b>Packer Shoes</b>					
0		0	0	\$0.00	\$ -
<b>DV Tools</b>					
0		0	0	\$0.00	\$ -
<b>Ball Valves, Swedges, Clamps, Misc.</b>					
0		0	0	\$0.00	\$ -
0		0	0	\$0.00	\$ -
0		0	0	\$0.00	\$ -
<b>Plugs and Ball Sealers</b>					
4404	4' 1/2" RUBBER PLUG		PER UNIT	\$47.25	\$ -
0			0	\$0.00	\$ -
<b>CEMENT FLOATING EQUIPMENT TOTAL</b>					<b>\$ 828.00</b>
				<b>SUB TOTAL</b>	<b>\$ 5,494.04</b>
				<b>SALES TAX</b>	<b>\$ 344.49</b>
				<b>TOTAL</b>	<b>\$ 5,838.53</b>
				<b>DISCOUNT</b>	<b>\$ -</b>
<b>DISCOUNTED TOTAL</b>					<b>\$ 5,838.53</b>
<b>TRUCK#</b>	<b>DRIVER NAME</b>				
690	John Wade				
485	Zevi				
667	Jeff				
637	Renee				

AUTHORIZATION \_\_\_\_\_  
DATE \_\_\_\_\_

TITLE \_\_\_\_\_  
FOREMAN *[Signature]*

I ACKNOWLEDGE THAT THE PAYMENT TERMS, UNLESS SPECIFICALLY AMENDED IN WRITING ON THE FRONT OF THE FORM OR IN THE CUSTOMER'S ACCOUNT RECORDS, AT OUR OFFICE, AND CONDITIONS OF SERVICE ON THE BACK OF THIS FORM ARE IN EFFECT FOR SERVICES IDENTIFIED ON THIS FORM.



Skyy Drilling, L.L.C.  
Park Place – Becker Building  
11551 Ash Street, Suite # 205  
Leawood, Kansas 66211  
Office (913) 499-8373  
Fax (913) 766-1310

December 2, 2014

Company: Kraft Oil Company  
434 Iris Road SW  
Gridley, Kansas 66852

Lease: Schneider-Hannen – Well # 12  
County: Greenwood  
Spot: SW NW NE SE Sec 9, Twp 23, R 13 E  
Spud Date: November 19, 2014  
API: 15-073-24227-00-00  
TD: 2214'

11/18/14: Move in rig and rig up. Dig pits. Have water hauled.  
11/19/14: Spud 12 ¼ surface hole. Drill from 0' to 40' TD. Cir hole clean. Trip out bit. Rig and ran 40' of 8 5/8 casing. Cemented hole with 25 sacks cement.  
11/20/14: Start up. Nipple down. Trip in hole with 6 ¾ PDC bit. Drill out approx. 4' cement. Drill from 40' to 1396'.  
11/21/14: At 1396' jet pits. Mud up. Drill from 1396' to 1954'. Top of Miss approx. 1768'.  
11/22/14: Drill from 1954' to 2078' – Miss Lime.  
11/23/14: Drill from 2078' to 2214' TD. Cir hole – Simpson 2195 – Arbuckle 2219'.  
11/24/14: Rig & lay down drill pipe. Rig and ran 2215' of 4 ½ casing. Cemented.

# Geological Wellsite Report

By David Griffin, RG  
GGR, Inc.  
November 25, 2014

**Well Info:** Schneider-Hannen 12  
SW NW NE SE/4  
2280' fsl, 1040' fel  
Virgil North Field  
Section 9-T23S-R13E  
Greenwood County, KS  
API No. 15-073-24227-00-00  
GPS Coordinates: (WGS84)  
W-95.981158  
N38.061400,  
Google Earth, Est.  
Datum: KB, Elev. 1170'  
GL 1164'  
RTD: 2244', KB, 6 3/4" Bit  
Status: 4 1/2" Casing Set

**Operator:** Kraft Oil Company, LLC  
434 Iris Road SW  
Gridley, Kansas 66852  
Operator License No.: 6227  
Contact: Thomas Kraft

**Contractor:** Skyy Drilling, LLC  
Yates Center, Kansas, 66865  
Contractor License No.: 33557  
Owner: Mark Haas

**Objective:** Evaluate Ordovician Viola, Simpson and Arbuckle Rocks

## Geological Supervision:

David Griffin, RG, provided wellsite supervision on November 23 and 24, 2014. Drilling was witnessed from 2110' to TD at 2244'. Cuttings were examined from 1780' to 1815' and 2100' to 2244'.

## Geological Datums:

Top Miss Dol.	1780', (-610)
Osage Chert	1883', (-713)
Northview Shale	2066', (-896)
Kinderhook Shale	2116', (-946)
Viola Lime	2175', (-1005), 27' Thick
Simpson SS	2202', (-1032), 17' Thick
Arbuckle Dol	2219', (-1049)
RTD	2244', (-1074)

