



Confidentiality Requested:

Yes  No

KANSAS CORPORATION COMMISSION 1235264  
OIL & GAS CONSERVATION DIVISION

Form ACO-1

August 2013

Form must be Typed  
Form must be Signed  
All blanks must be Filled

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # \_\_\_\_\_

Name: \_\_\_\_\_

Address 1: \_\_\_\_\_

Address 2: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ + \_\_\_\_\_

Contact Person: \_\_\_\_\_

Phone: ( \_\_\_\_\_ ) \_\_\_\_\_

CONTRACTOR: License # \_\_\_\_\_

Name: \_\_\_\_\_

Wellsite Geologist: \_\_\_\_\_

Purchaser: \_\_\_\_\_

Designate Type of Completion:

- New Well       Re-Entry       Workover
- Oil       WSW       SWD       SIOW
- Gas       D&A       ENHR       SIGW
- OG       GSW       Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic       Other (Core, Expl., etc.): \_\_\_\_\_

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_

Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_

- Deepening       Re-perf.       Conv. to ENHR       Conv. to SWD
- Plug Back       Conv. to GSW       Conv. to Producer
- Commingled      Permit #: \_\_\_\_\_
- Dual Completion      Permit #: \_\_\_\_\_
- SWD      Permit #: \_\_\_\_\_
- ENHR      Permit #: \_\_\_\_\_
- GSW      Permit #: \_\_\_\_\_

Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date
-----------------------------------	-----------------	---

API No. 15 - \_\_\_\_\_

Spot Description: \_\_\_\_\_

\_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

\_\_\_\_\_ Feet from  North /  South Line of Section

\_\_\_\_\_ Feet from  East /  West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE       NW       SE       SW

GPS Location: Lat: \_\_\_\_\_, Long: \_\_\_\_\_  
(e.g. xx.xxxxx) (e.g. -xxx.xxxxx)

Datum:  NAD27       NAD83       WGS84

County: \_\_\_\_\_

Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_

Field Name: \_\_\_\_\_

Producing Formation: \_\_\_\_\_

Elevation: Ground: \_\_\_\_\_ Kelly Bushing: \_\_\_\_\_

Total Vertical Depth: \_\_\_\_\_ Plug Back Total Depth: \_\_\_\_\_

Amount of Surface Pipe Set and Cemented at: \_\_\_\_\_ Feet

Multiple Stage Cementing Collar Used?  Yes  No

If yes, show depth set: \_\_\_\_\_ Feet

If Alternate II completion, cement circulated from: \_\_\_\_\_

feet depth to: \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: \_\_\_\_\_ ppm Fluid volume: \_\_\_\_\_ bbls

Dewatering method used: \_\_\_\_\_

Location of fluid disposal if hauled offsite:

Operator Name: \_\_\_\_\_

Lease Name: \_\_\_\_\_ License #: \_\_\_\_\_

Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

County: \_\_\_\_\_ Permit #: \_\_\_\_\_

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Confidentiality Requested  
Date: \_\_\_\_\_
- Confidential Release Date: \_\_\_\_\_
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT  I  II  III Approved by: \_\_\_\_\_ Date: \_\_\_\_\_

1235264

Operator Name: \_\_\_\_\_ Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_

Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West County: \_\_\_\_\_

**INSTRUCTIONS:** Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No  List All E. Logs Run: _____	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample  Name Top Datum
--	---

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Did you perform a hydraulic fracturing treatment on this well?  Yes  No *(If No, skip questions 2 and 3)*  
 Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?  Yes  No *(If No, skip question 3)*  
 Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?  Yes  No *(If No, fill out Page Three of the ACO-1)*

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD: Size: \_\_\_\_\_ Set At: \_\_\_\_\_ Packer At: \_\_\_\_\_ Liner Run:  Yes  No

Date of First, Resumed Production, SWD or ENHR. \_\_\_\_\_ Producing Method:  
 Flowing  Pumping  Gas Lift  Other *(Explain)* \_\_\_\_\_

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

<b>DISPOSITION OF GAS:</b> <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	<b>METHOD OF COMPLETION:</b> <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <input type="checkbox"/> Other <i>(Specify)</i> _____	<b>PRODUCTION INTERVAL:</b> _____ _____
--	---	---



Johnson County, KS  
Well: Sugar Ridge NW  
Lease Owner: DZExploration

Town Oilfield Service, Inc.  
(913) 837-8400

Commenced Spudding:  
11/07/2014

WELL LOG

Thickness of Strata	Formation	Total Depth
0 - 8	Soil & Clay	8
18	Shale	26
4	Lime	30
5	Shale	35
17	Lime	52
10	Shale	62
8	Lime	70
7	Shale	77
20	Lime	97
18	Shale	115
23	Lime	138
6	Shale	144
53	Lime	197
19	Shale	216
9	Lime	225
18	Shale	243
7	Lime	250
6	Shale	256
9	Lime	265
31	Shale	296
1	Lime	297
11	Shale	308
28	Lime	336
8	Shale	344
21	Lime	365
4	Shale	369
2	Lime	371
7	Shale	378
6	Lime	384
171	Shale	555
5	Lime	560
32	Shale	592
3	Lime	595
7	Shale	602
3	Lime	605
3	Shale	608
2	Lime	610
105	Shale	715
2	Grey Sand	717
4	Broken Sand	721



# Short Cuts

## TANK CAPACITY

BBLS. (42 gal.) equals  $D^2 \times .14 \times h$

D equals diameter in feet.

h equals height in feet.

## BARRELS PER DAY

Multiply gals. per minute x 34.2

HP equals BPH x PSI x .0004

BPH - barrels per hour

PSI - pounds square inch

## TO FIGURE PUMP DRIVES

\* D - Diameter of Pump Sheave

\* d - Diameter of Engine Sheave

SPM - Strokes per minute

RPM - Engine Speed

R - Gear Box Ratio

\*C - Shaft Center Distance

D -  $RPM \times d$  over  $SPM \times R$

d -  $SPM \times R \times D$  over RPM

SPM -  $RPM \times D$  over  $R \times D$

R -  $RPM \times D$  over  $SPM \times D$

BELT LENGTH -  $2C + 1.57(D + d) + \frac{(D-d)^2}{4C}$

\* Need these to figure belt length

TO FIGURE AMPS:  $\frac{WATTS}{VOLTS} = AMPS$

746 WATTS equal 1 HP

# Log Book

Well No. NW

Farm Sugar Ridge

KS Johnson  
(State) (County)

29 14 22  
(Section) (Township) (Range)

For D+Z Exploration  
(Well Owner)

## Town Oilfield Services, Inc.

1207 N. 1st East

Louisburg, KS 66053

913-710-5400



Thickness of Strata	Formation	Total Depth	Remarks
8	soil & clay	8	
18	shale	26	
4	lime	30	
5	shale	35	
17	lime	52	
10	shale	62	
8	lime	70	
7	shale	77	
20	lime	97	
18	shale	115	
23	lime	138	
6	shale	144	
53	lime	197	
19	shale	216	
9	lime	225	
18	shale	243	
7	lime	250	
6	shale	256	
9	lime	265	
31	shale	296	
1	lime	297	
11	shale	308	
28	lime	336	
8	shale	344	
21	lime	365	
4	shale	369	
2	lime	371	







**REMIT TO**  
 Consolidated Oil Well Services, LLC  
 Dept. 970  
 P.O. Box 4346  
 Houston, TX 77210-4346

**MAIN OFFICE**  
 P.O. Box 884  
 Chanute, KS 66720  
 620/431-9210, 1-800/467-8676  
 Fax 620/431-0012

INOICE Invoice # 802100

---

Invoice Date: 11/24/2014 Terms: Net 30 Page 1

---

D & Z EXPLORATION  
 901 N. ELM ST.  
 ST. ELMO IL 62458  
 USA  
 6188293274

SUGAR RIDGE FARMS #NV

Part Number	Description	Qty	Unit Price	Discount(%)	Total
5401	Cement Pumper	1.00	1,085.00	0.00	1,085.00
5406	Mileage Charge	30.00	4.20	0.00	126.00
5402	Casing Footage	900.00	0.00	0.00	0.00
5407	Min. Bulk Delivery Charge	0.50	368.00	0.00	184.00
5502C	80 Vacuum Truck Cement	1.50	100.00	0.00	150.00
1124	Poz Cement Mix	121.00	11.50	30.00	974.05
1118B	Premium Gel / Bentonite	403.00	0.22	30.00	62.06
1111	Sodium Chloride (Granulated)	254.00	0.39	30.00	69.34
1110A	Kol Seal (50# BAG)	605.00	0.46	30.00	194.81
4402	2 1/2 Rubber Plug	1.00	29.50	0.00	29.50
Sub Total					3,432.02
Discounted Amount					557.26
SubTotal After Discount					2,874.76

Amount Due 3,571.19 if paid after 12/24/2014

---

Tax: 98.07  
 Total: 2,972.83

---



PO Box 884, Chanute, KS 66720  
620-431-9210 or 800-467-8676

TICKET NUMBER 50600

LOCATION Ottawa, KS

FOREMAN Case, Kennedy

Invoice # 802100

1053  
1021

**FIELD TICKET & TREATMENT REPORT  
CEMENT**

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
11/10/14	3392	Sugar Ridge Farms # NW	SE 29	14	22	JO
CUSTOMER D7 Exploration						
MAILING ADDRESS 901 N. Elm St						
CITY St Elmo		STATE IL	ZIP CODE 62458			
JOB TYPE <u>Logging</u>		HOLE SIZE <u>5 7/8"</u>	HOLE DEPTH <u>940'</u>	CASING SIZE & WEIGHT <u>2 7/8" EUE</u>		
CASING DEPTH <u>900'</u>		DRILL PIPE	TUBING	OTHER		
SLURRY WEIGHT		SLURRY VOL	WATER gal/sk	CEMENT LEFT in CASING		
DISPLACEMENT <u>5.21 bbls</u>		DISPLACEMENT PSI	MIX PSI	RATE <u>4.5 bpm</u>		

TRUCK #	DRIVER	TRUCK #	DRIVER
729	Carlen	✓	Safety meeting
666	Barman	✓	
510	Dustwick	✓	
675	KeiDet	✓	

REMARKS: held safety meeting, established circulation, mixed & pumped 200 # Premium Gel followed by 10 bbls fresh water, mixed & pumped 121 sks 89.50 Pozmix cement w/ 2% gel, 5% salt, & 5 # Kol seal per sk, cement to surface, flushed pump clean, pumped 2 1/2" rubber plug to casing ID w/ 5.21 bbls fresh water pressured to 800 PSI, well held pressure for 30 min MIT, released pressure, shut in casing.

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE		1085.00
5406	30 mi	MILEAGE		126.00
5402	900'	casing footage		
5407	1/2 minimum	ten mileage		184.00
5502c	1.5 hrs	80 Vac		150.00
1124	121 sks	89.50 Pozmix cement	1391.50	
1118B	403 #	Premium Gel	88.66	
1111	254 #	Salt	99.01	
110A	605 #	Kol seal	278.30	
		materials	1857.52	
		-30%	557.26	
		Subtotal		1300.26
4402	1	2 1/2" rubber plug		29.50
				3571.19
			7.375%	SALES TAX
				ESTIMATED
				TOTAL

Ravin 3737

**Completed**

AUTHORIZATION \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.

## TERMS

In consideration of the prices to be charged for Consolidated Oil Well Services, LLC (COWS) services, equipment and products and for the performance of services and supplying of materials, Customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices are payable within 30 days of the invoice date. On all invoices not paid within 30 days, Customer agrees to pay COWS interest at the rate of 18% per annum or the maximum rate allowed by law, whichever is higher. In the event COWS retains an attorney to pursue collection of any account, Customer agrees to pay all collection costs and attorney's fees incurred by COWS.

Any applicable federal, state or local sales, use occupation, consumer's or emergency taxes shall be added to the quoted price. All process license fees required to be paid to others will be added to the scheduled prices.

All COWS' prices are subject to change without notice.

## SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products and materials to be supplied by COWS. The Customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the Customer shall be present to specify depths, pressures, or materials used for any service which is to be performed.

(a) COWS shall not be responsible for any claim, cause of action or demand (hereinafter referred to as a 'claim') for damage to property, or injury to or death of employees and representatives, of Customer or the well owner (if different from Customer), unless such damage, injury or death is caused by the willful misconduct or gross negligence of COWS, including but not limited to sub-surface damage and surface damage arising from sub-surface damage.

(b) Unless a claim is the result of the sole willful misconduct or gross negligence of COWS, Customer shall be responsible for and indemnify and hold COWS harmless from any claim for: (1) reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout; (2) damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS; (3) injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole; and (4) well damage or reservoir damage caused by (i) loss of circulation, cement invasion, cement misplacement, pumping cement or cement plugs on wells with loss of circulation, including the failure to displace plug to proper depth, (ii) sub-surface pressure and resulting failure to complete pumping of cement or cement plug, including dehydration of cement slurry or flashing, plugged float shoe, annulus bridging or plugging, or (iii) down hole tools being lost or left in the well, or becoming stuck in the well for any reason and by any cause. COWS may furnish down hole tools and may supply supervision for the running and placement of such tools but will not be liable for any damage, loss or result caused by the use of such tools.

Furthermore, Customer will be responsible for the cost to replace such tools if they are lost or left in the well.

(c) COWS makes no guarantee of the effectiveness of any COWS' products, supplies or materials, or the results of any COWS' treatment or services.

(d) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS' personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS' gross negligence or willful misconduct in the preparation or furnishing of it.

(e) COWS may buy and re-sell to Customer down hole equipment, including but not limited to float equipment, DV tools, port collars, type A & B packers, and Customer agrees that COWS is not an agent or dealer for the companies who manufacture such items, and further agrees that Customer shall be solely responsible for and indemnify COWS against any claim with regard to the effectiveness, malfunction of, or functionality of such items.

## WARRANTIES - LIMITATION OF LIABILITY

COWS warrants title to the products, supplies and materials, and that the same are free from defects in workmanship and materials. THERE ARE NO OTHER WARRANTIES, EXPRESS OR IMPLIED, NOR ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR PURPOSE, WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and Customer's exclusive remedy in any claim (whether in contract, tort, breach of warranty or otherwise,) arising out of the sale or use of any COWS' products, supplies, materials or services is expressly limited to the replacement of such products, supplies, materials or services or their return to COWS or, at COWS' option, an allowance to Customer of credit for the cost of such items.

Customer waives and releases all claims against COWS for any special, incidental, indirect, consequential or punitive damages.