Confidentiality Requested: Yes No

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

1235280

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:, (e.gxxx.xxxxx)
Name:	Datum: NAD27 NAD83 WGS84
Wellsite Geologist:	County:
Purchaser:	Lease Name: Well #:
Designate Type of Completion:	Field Name:
New Well Re-Entry Workover	Producing Formation:
☐ Oil ☐ WSW ☐ SWD ☐ SIOW ☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Elevation: Ground: Kelly Bushing:
□ OG □ GSW □ Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD Plug Back Conv. to GSW Conv. to Producer	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #: Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #:	
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date Recompletion Date	Quarter Sec TwpS. R East West County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

	Page Two	1235280
Operator Name:	Lease Name:	Well #:
Sec TwpS. R East West	County:	
INCTRUCTIONS. Chow important tang of formations ponetrated	Dotail all cores Boport all	final conject of drill stoms tasts giving interval tasted, time tool

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	eets)	Yes No		-	on (Top), Depth a		Sample
Samples Sent to Geolog	gical Survey	Yes No	Nam	e		Тор	Datum
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No					
List All E. Logs Run:							
			RECORD Ne		ion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	L CEMENTING / SQL	JEEZE RECORD			
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used		Type and F	Percent Additives	

Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
Protect Casing				
Plug Off Zone				

Did you perform a hydraulic fracturing treatment on this well?	Yes
Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?	Yes
Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?	Yes

 No
 (If No, skip questions 2 and 3)

 No
 (If No, skip question 3)

No

(If No, fill out Page Three of the ACO-1)

Shots Per Foot		PERFORATION Specify Fo		RD - Bridge P Each Interval I		96			ement Squeeze Record d of Material Used)	Depth
TUBING RECORD:	Si	ze:	Set At:		Packer	r At:	Liner R		No	
Date of First, Resumed	I Product	ion, SWD or ENHI	٦.	Producing N	/lethod:	ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wat	er	Bbls.	Gas-Oil Ratio	Gravity
					METHOD					
DISPOSITI	d 🗌 I	Used on Lease		Open Hole Other <i>(Specify)</i>	Perf.	OF COMPLE	Comp.	Commingled (Submit ACO-4)	PRODUCTION IN	

Form	ACO1 - Well Completion
Operator	D & Z Exploration, Inc.
Well Name	East Gordon #24
Doc ID	1235280

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
SURFACE	9.825	7	20	20	PORTLAN D	10	NONE
PRODUC TION	5.625	2.825	6.2	945	50/50 POZ	130	NONE

and the second second	OLIDATED	REMI Consolidated Oil V Dept. P.O. Bo Houston, TX	Vell Service 970 x 4346		Chan 620/431-9210,1-{	MAIN OFFICE P.O. Box 884 ute, KS 66720 800/467-8676 620/431-0012
INOICE					Invoice #	80205
Invoice Date: 1	========================= 11/21/2014	Terms: Net 30			Page	
D & Z EXPLORA 901 N. ELM ST. ST. ELMO IL 624			E	GORDAN #2	24	
USA 6188293274 =======						
USA	 Dscription		Qty	Unit Price	Discount(%)	======= Total
USA 6188293274 =======	Dscription		Qty 1.00	Unit Price 1,085.00	Discount(%) 0.00	1,085.00
USA 6188293274 ======= Part Number 5401 5406						1,085.00 126.00
USA 6188293274 Part Number 5401 5406 5402	Cement Pumpe	e	1.00	1,085.00 4.20 0.00	0.00	1,085.00 126.00 0.00
USA 6188293274 Part Number 5401 5406 5402 5407	Cement Pumpe Mileage Charg Casing Footag Min. Bulk Deliv	e e ery Charge	1.00 30.00 945.00 0.50	1,085.00 4.20 0.00 368.00	0.00 0.00 0.00 0.00	1,085.00 126.00 0.00 184.00
USA 6188293274 ======== Part Number 5401 5406 5402 5407 5502C	Cement Pumpe Mileage Charge Casing Footag Min. Bulk Deliv 80 Vacuum Tru	e e ery Charge ick Cement	1.00 30.00 945.00 0.50 1.50	1,085.00 4.20 0.00 368.00 100.00	0.00 0.00 0.00 0.00 0.00	1,085.00 126.00 0.00 184.00 150.00
USA 6188293274 Part Number 5401 5406 5402 5407 5502C 1124	Cement Pumpe Mileage Charg Casing Footag Min. Bulk Deliv 80 Vacuum Tru Poz Cement M	e e ery Charge ick Cement ix	1.00 30.00 945.00 0.50 1.50 130.00	1,085.00 4.20 0.00 368.00 100.00 11.50	0.00 0.00 0.00 0.00 0.00 30.00	1,085.00 126.00 0.00 184.00 150.00 1,046.50
USA 6188293274 Part Number 5401 5406 5402 5407 5502C 1124 1118B	Cement Pumpe Mileage Charg Casing Footag Min. Bulk Deliv 80 Vacuum Tru Poz Cement M Premium Gel /	e e ery Charge ick Cement ix Bentonite	1.00 30.00 945.00 0.50 1.50 130.00 418.00	1,085.00 4.20 0.00 368.00 100.00 11.50 0.22	0.00 0.00 0.00 0.00 0.00 30.00 30.00	1,085.00 126.00 0.00 184.00 150.00 1,046.50 64.37
USA 6188293274 Part Number 5401 5406 5402 5407 5502C 1124 1118B 1111	Cement Pumpe Mileage Charge Casing Footag Min. Bulk Deliv 80 Vacuum Tru Poz Cement M Premium Gel / Sodium Chlorid	e ery Charge lick Cement ix Bentonite le (Granulated	1.00 30.00 945.00 0.50 1.50 130.00 418.00 273.00	1,085.00 4.20 0.00 368.00 100.00 11.50 0.22 0.39	0.00 0.00 0.00 0.00 0.00 30.00 30.00 30.00	1,085.00 126.00 0.00 184.00 150.00 1,046.50 64.37 74.53
USA 6188293274 Part Number 5401 5406 5402 5407 5502C 1124 1118B 1111 1110A	Cement Pumpe Mileage Charge Casing Footag Min. Bulk Deliv 80 Vacuum Tru Poz Cement M Premium Gel / Sodium Chloric Kol Seal (50# B	e ery Charge lick Cement ix Bentonite de (Granulated BAG)	1.00 30.00 945.00 0.50 1.50 130.00 418.00 273.00 650.00	1,085.00 4.20 0.00 368.00 100.00 11.50 0.22 0.39 0.46	0.00 0.00 0.00 0.00 30.00 30.00 30.00 30.00	1,085.00 126.00 0.00 184.00 150.00 1,046.50 64.37 74.53 209.30
USA 6188293274 Part Number 5401 5406 5402 5407 5502C 1124 1118B	Cement Pumpe Mileage Charge Casing Footag Min. Bulk Deliv 80 Vacuum Tru Poz Cement M Premium Gel / Sodium Chlorid	e ery Charge lick Cement ix Bentonite de (Granulated BAG)	1.00 30.00 945.00 0.50 1.50 130.00 418.00 273.00	1,085.00 4.20 0.00 368.00 100.00 11.50 0.22 0.39 0.46 29.50	0.00 0.00 0.00 0.00 30.00 30.00 30.00 30.00 30.00	1,085.00 126.00 0.00 184.00 150.00 1,046.50 64.37 74.53 209.30 29.50
USA 6188293274 Part Number 5401 5406 5402 5407 5502C 1124 1118B 1111 1110A	Cement Pumpe Mileage Charge Casing Footag Min. Bulk Deliv 80 Vacuum Tru Poz Cement M Premium Gel / Sodium Chloric Kol Seal (50# B	e ery Charge lick Cement ix Bentonite de (Granulated BAG)	1.00 30.00 945.00 0.50 1.50 130.00 418.00 273.00 650.00 1.00	1,085.00 4.20 0.00 368.00 100.00 11.50 0.22 0.39 0.46 29.50	0.00 0.00 0.00 0.00 30.00 30.00 30.00 30.00 30.00 0.00	1,085.00 126.00 0.00 184.00 150.00 1,046.50 64.37 74.53 209.30

Amount Due 3,716.05 if paid after 12/21/2014

=======================================		
	Tax:	105.04
	Total:	3,074.24

BARTLESVILLE, OK EL DORADO, KS EUREKA, KS PONCA CITY, OK OAKLEY, KS OTTAWA, KS THAYER, KS GILLETTE, WY CUSHING, OK 918/338-0808 316/322-7022 620/583-7554 580/762-2303 785/672-8822 785/242-4044 620/839-5269 307/686-4914 918/225-2650

	DNSOLIDA	TED	1010174	+900	157	TICKET NUM LOCATION FOREMAN (Ottawa, KS	602
							assigneene	ny
) Box 884, Cha 0-431-9210 or	anute, KS 6672 r 800-467-8676		LD HORE	CEMEN				
DATE	CUSTOMER #	WEL	L NAME & NUM		SECTION	TOWNSHIP	RANGE	COUNTY
luli4	3392	E. Goro	lon # 2	4	STATI SWOT	- 14	22	20
JSTOMER				1			TRUCK #	DRIVER
AILING ADDRES	Exploration	n		4	TRUCK #	DRIVER Caskon	Sala .	DRIVER
901	I Ela G	L			Idolo	Casher	V Saten p	reening
TY.	0.0443	STATE	ZIP CODE		548	Gaction	V	
St Elun	0	IL	62458		370	hitEFax	-	
DB TYPE LON		HOLE SIZE	55/8"		1980'	CASING SIZE &	WEIGHT 27	"ELE
ASING DEPTH		DRILL PIPE		TUBING			OTHER	
LURRY WEIGHT		SLURRY VOL		WATER gal/s	sk	CEMENT LEFT		
SPLACEMENT	5.4766	DISPLACEMEN	NT PSI	MIX PSI		RATE 4.54	m	
EMARKS: hel	d sately	Lating	establish	hed circu	bien, de	walta	mped 20	O # Preusi
el follows	eda by s	T bbls to	est water	- , mixe	d t pump	od 130	she 3750,	Portuix
errout	1 270 0	el, 54	salt,	+ 5#	Kolsen p	er Se, c	penent te	surface
tested pi	mis clear	pung	sed 2/2	"rebber	dig to	rasing T	Dur/ S.	7565
teshiva	tor, des	sured to	800 P.	SI, rele	ased pressu	re, shut	in casing	
				-	•		-	
				and a second	and the same the same of the s			
						A	A	
						$-\Lambda$	12	
						A	j.	
						A	2JS	1
	QUANITY	or UNITS		ESCRIPTION 0	f SERVICES or PR			TOTAL
CODE	QUANITY	or UNITS	DI PUMP CHARG		f SERVICES or PR			TOTAL
CODE		or UNITS			f SERVICES or PR			
CODE 5401 5406	30 4	or UNITS	PUMP CHARC	GE				1085.0 124.9
CODE 5401 5406 5402	30 u 945'	<u></u>	PUMP CHARG	GE footage		ODUCT		1085.0 126.4
CODE 5401 5406 5402 5402	30 u 945' 1/2 m	i Jaimen	MILEAGE	se footage		ODUCT		1085.0 124.9
CODE 5401 5406 5402	30 u 945'	i Jaimen	PUMP CHARG	GE Hootage Weage		ODUCT		1085.0 126.4
CODE 5401 5406 5402 5407 5502C	30 u 945' 1/2 m	i Jaimen	PUMP CHARGE	SE Howtage Wileage				1085.0 126.4
CODE 5401 5406 5402 5407 5502C	30 u 945' 1/2 m 1.5 h	i Jn:nen vrs ≠s	PUMP CHARGE	SE Howtage Wileage			UNIT PRICE	1085.0 126.4
CODE 5401 5406 5402 5407 5502C	30 u 945' 1/2 m 1.5 h	i Jn:nen vrs ≠s	PUMP CHARGE	SE footage ileage formix	ament		1495,00	1085.0 126.4
CODE 5401 5406 5402 5407 5502C	30 u 945' 1/2 m 1.5 h 130 u	ni Jaimen Urs \$5 #	PUMP CHARC MILEAGE Ton M Fon M SO (SE Howtage Wileage	ament		1495,00 91,96	1085.0 126.4
CODE 5401 5400 5402 5402 5402 5502C 1104 1104 1117B	30 u 945' 1/2 m 1.5 h 130 418 273 c	Linimun Linimun Lirs Lis Lis Lis Lis Lis Lis Lis Lis Lis Li	PUMP CHARC MILEAGE Ton m SO (SE fortage ileage ac Formix un Gol	ament		1495.00 91.96 106.47	1085.0 126.4
CODE 5401 5406 5402 5407 5502C	30 u 945' 1/2 m 1.5 h 130 u	Linimun Linimun Lirs Lis Lis Lis Lis Lis Lis Lis Lis Lis Li	PUMP CHARC MILEAGE Ton M Fon M SO (SE fortage ileage ac Formix un Gol	coursent?		1495,00 91,96 106.47 299,00	1085.0 126.4 184.00 150.00
CODE 5401 5400 5402 5402 5402 5502C 1104 1104 1117B	30 u 945' 1/2 m 1.5 h 130 418 273 c	Linimun Linimun Lirs Lis Lis Lis Lis Lis Lis Lis Lis Lis Li	PUMP CHARC MILEAGE Ton m SO (SE fortage ileage ac Formix un Gol	cement?	erials	1495,00 91.96 106.47 299.00 1992,43	1085.0 126.4 126.4 184.00
CODE 5401 5400 5402 5402 5402 5502C 1104 1104 1117B	30 u 945' 1/2 m 1.5 h 130 418 273 c	Linimun Linimun Lirs Lis Lis Lis Lis Lis Lis Lis Lis Lis Li	PUMP CHARC MILEAGE Ton m SO (SE fortage ileage ac Formix un Gol	cement met	erials 30%	1495,00 91,96 106.47 299,00	1085.0 126.4 126.4 184.00
CODE 5401 5400 5402 5402 5402 5502C	30 u 945' 1/2 m 1.5 h 130 418 273 c	Linimun Linimun Lirs Lis Lis Lis Lis Lis Lis Lis Lis Lis Li	PUMP CHARC MILEAGE Ton M SO (So Freni Solt Kolseol	SE fortage ileage ac Formix	cement mat	erials	1495,00 91.96 106.47 299.00 1992,43	1085.0 126.4 126.4 184.00
CODE 5401 5400 5402 5402 5402 5502C 1104 1104 1117B	30 u 945' 1/2 m 1.5 h 130 418 273 c	Linimun Linimun Lirs Lis Lis Lis Lis Lis Lis Lis Lis Lis Li	PUMP CHARC MILEAGE Ton M SO (SE fortage ileage ac Formix un Gol	cement mat	erials 30%	1495,00 91.96 106.47 299.00 1992,43	1085.0 126.4 126.4 184.00
CODE 5401 5400 5402 5402 5402 5502C	30 u 945' 1/2 m 1.5 h 130 418 273 c	Linimun Linimun Lirs Lis Lis Lis Lis Lis Lis Lis Lis Lis Li	PUMP CHARC MILEAGE Ton M SO (SE fortage ileage ac Formix	cement mat	erials 30%	1495,00 91.96 106.47 299.00 1992,43	1085.0 126.4 126.4 184.00
CODE 5401 5400 5402 5402 5402 5502C	30 u 945' 1/2 m 1.5 h 130 418 273 c	Linimun Linimun Lirs Lis Lis Lis Lis Lis Lis Lis Lis Lis Li	PUMP CHARC MILEAGE Ton M SO (SE fortage ileage ac Formix	cement mat	erials 30%	1495,00 91,96 106,47 299,00 1992,43 597,73	1085.0 126.4 126.4 126.4 150.5 150.4 150.5
CODE 5401 5400 5402 5402 5402 5502C	30 u 945' 1/2 m 1.5 h 130 418 273 c	Linimun Linimun Lirs Lis Lis Lis Lis Lis Lis Lis Lis Lis Li	PUMP CHARC MILEAGE Ton M SO (SE fortage ileage ac Formix	cement mat	erials 30%	1495,00 91.96 106.47 299.00 1992,43	1085.0 126.4 126.4 126.4 150.5 150.4 150.5

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form

TERMS

In consideration of the prices to be charged for Consolidated Oil Well Services, LLC (COWS) services, equipment and products and for the performance of services and supplying of materials. Customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices are payable within 30 days of the invoice C te. On all invoices not paid within 30 days, Customer agrees to pay COWS interest at the rate of 18% per annum or the maximum rate allowed by law, whichever is higher. In the event COWS retains an attorney to pursue collection of any account. Customer agrees to pay all collection costs and attorn \mathcal{J}^* lies incurred by COWS.

Any applicable federal, state or local sales, use occupation, consumer's or emergency taxes shall be added to die quoted price. All process license fees required to be paid to others will be added to the scheduled prices.

All COWS' prices are subject to change without notice.

SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products and materials to be supplied by COWS. The Customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the Customer shall be present to specify depths, pressures, or materials used for any service which is to be performed.

(a) COWS shall not be responsible for any claim, cause of action or demand (hereinafter referred to as a 'claim') for damage to property, or injury to or death of employees and representatives, of Customer or the well owner (if different from Customer), unless such damage, injury or death is caused by the willful misconduct or gross negligence of COWS, including but not limited to sub-surface damage and surface damage arising from sub-surface damage.

(b) Unless a claim is the result of the sole willful misconduct or gross negligence of COWS. Customer shall be responsible for and indemnify and hold COWS harmless from any claim for. (1) reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout; (2) damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS; (3) injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole; and (4) well damage or reservoir damage caused by (i) loss of circulation, cement invasion, cement misplacement, pumping cement or cement plugs on wells with loss of circulation. including the failure to displace plug to proper depth, (ii) subsurface pressure and resulting failure to complete pumping of cement or cement plug, including dehydration of cement slurry or flashing, plugged float shoe, annulus bridging or plugging, or (iii) down hole tools being lost or left in the well, or becoming stuck in the well for any reason and by any cause. COWS may furnish down hole tools and may supply supervision for the running and placement of such tools but will not be liable for any damage, loss or result caused by the use of such tools.

Furthermore, Customer will be responsible for the cost to replace such tools if they are lost or left in the well.

(c) COWS makes no guarantee of the effectiveness of any COWS products, supplies or materials, or the results of any COWS treatment or services.

(d) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others. COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS' personnel will use their best efforts in gathering such information and then best judgement in interpreting it, but Customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS' gross negligence or willful misconduct in the preparation or furnishing of it.

(c) COWS may buy and re-sell to Customer down hole equipment, including but not limited to float equipment, DV tools, port collars, type A & B packers, and Customer agrees that COWS is not an agent or dealer for the companies who manufacture such items, and further agrees that Customer shall be solely responsible for and indemnify COWS against any claim with regard to the effectiveness, multimetion of, or functionality of such items.

WARRANTIES - LIMITATION OF LIABILITY

COWS warrants title to the products, supplies and materials, and inal the same are free from defects in workmanship and materials THERE ARE NO OTHER WARRANTIES, FXPRESS OR IMPLIED, NOR ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR PURPOSE. WHICH ENTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and Customer's exclusive remedy in any claim (whether in contract, tort, breach of warranty or otherwise,) arising out of the sale or use of any COWS' products, supplies, materials or services is expressly limited to the replacement of such products, supplies, materials or services or their return to COWS or, at COWS' option, an allowance to Customer of credit for the cost of such items.

Customer waives and releases all claims against COWS for any special, incidental, indirect, consequential or punitive damages.



Oil & Gas Well Drilling Water Wells Geo-Loop Installation

> Phone: 913-557-9083 Fax: 913-557-9084

Paola, KS 66071

WELL LOG D & Z Exploration, Inc. East Gordon # 24 API # 15-091-24,354 November 10 - November 11, 2014

Thickness of Strata	Formation	Total
8 7	soil & clay	8
	sandstone	15
49	shale	64
4	lime	68
8	shale	76
17	lime	93
8	shale	101
10	lime	111
7	shale	118
20	lime	138
15	shale	153
17	lime	170
9	shale	179
59	lime	238
20	shale	258
9	lime	267
20	shale	287
20	lime	307
45	shale	352
25	lime	377
7	shale	384
24	lime	408
5	shale	413
15	lime	428 base of the Kansas City
170	shale	598
6	lime	604
3	shale	607
3	lime	610
8	shale	618
8	lime	626
1	shale	627
3	lime	630
24	shale	654
2	lime	656
4	shale	660
3	lime	663
29	shale	962
3	lime	695
60	shale	755
1	lime	756
10	shale	766
4	badly broken sand	770 broken sand-grey shale, oil sand

East Gordon #24

Page 2

108	shale	878
1	lime	879
7	shale	886
4	oil sand	890 good, clean bleeding
2	white silt	892 few bleeding seams
4	oil sand	896 good, clean bleeding
2	broken sand	898 oil sand & grey shale
82	shale	980 TD

Drilled a 9 7/8" hole to 24' Drilled a 5 5/8" hole to 980'

Set 24' of 7" surface casing, cemented with 6 sacks of cement.

Set a total of 945.45' of 2 7/8" 8 round upset tubing including 3 centralizers, 1 float shoe, 1 clamp, and 1 seating nipple