


RJM CO  
DST2 ARBUCKLE 3334-3371  
Start Test Date: 2014/12/09  
Final Test Date: 2014/12/09

URBAN-WALKER 1  
Formation: DST2 ARBUCKLE 3334-3371  
Pool: WILDCAT  
Job Number: A133

# URBAN-WALKER 1



8:00  
2014/12/9

11:00  
5585 Time

14:00

# DIAMOND TESTING, LLC

TESTER : ANDY CARREIRA  
CELL # 620-617-7202

## General Information

Company Name	RJM CO	CHRIS HOFFMAN	Job Number	A133
Contact		URBAN-WALKER 1	Representative	ANDY CARREIRA
Well Name		DST2 ARBUCKLE 3334-3371	Well Operator	RJM CO
Unique Well ID		SEC 26-16S-12W BARTON CNTY,KS	Report Date	2014/12/09
Surface Location			Prepared By	ANDY CARREIRA
Well License Number				
Field		WILDCAT		
Well Type		Vertical		

## Test Information

Test Type	CONVENTIONAL
Formation	DST2 ARBUCKLE 3334-3371
Well Fluid Type	01 Oil
Test Purpose	Initial Test

Start Test Date	2014/12/09	Start Test Time	08:40:00
Final Test Date	2014/12/09	Final Test Time	13:10:00

Gauge Name	5585
------------	------

## Test Results

RECOVERY: 5' OCM 20%OIL, 80%MUD

TOOL SAMPLE: 40%OIL, 60%MUD



**DIAMOND TESTING**  
 P.O. Box 157  
 HOISINGTON, KANSAS 67544  
 (800) 542-7313

TIME ON: 08:40  
 TIME OFF: 13:10

**DRILL-STEM TEST TICKET**  
 FILE: URBAN WALKER 1 DST2

Company RJM CO. Lease & Well No. URBAN WALKER 1  
 Contractor ROYAL 2 Charge to RJM CO  
 Elevation 1917 KB Formation ARBUCKLE Effective Pay \_\_\_\_\_ Ft. Ticket No. A133  
 Date 12-9-14 Sec. 26 Twp. 16 S Range 12 W County BARTON State KANSAS  
 Test Approved By WYATT URBAN Diamond Representative ANDY CARREIRA

Formation Test No. 2 Interval Tested from 3334 ft. to 3371 ft. Total Depth 3371 ft.  
 Packer Depth 3329 ft. Size 6 3/4 in. Packer depth \_\_\_\_\_ ft. Size 6 3/4 in.  
 Packer Depth 3334 ft. Size 6 3/4 in. Packer depth \_\_\_\_\_ ft. Size 6 3/4 in.

Depth of Selective Zone Set \_\_\_\_\_  
 Top Recorder Depth (Inside) 3324 ft. Recorder Number 5585 Cap. 5000 P.S.I.  
 Bottom Recorder Depth (Outside) 3336 ft. Recorder Number 8471 Cap. 10000 P.S.I.  
 Below Straddle Recorder Depth \_\_\_\_\_ ft. Recorder Number \_\_\_\_\_ Cap. \_\_\_\_\_ P.S.I.

Mud Type CHEMICAL Viscosity 57 Drill Collar Length 0 ft. I.D. 2 1/4 in.  
 Weight 9.2 Water Loss 8.8 cc. Weight Pipe Length 0 ft. I.D. 2 7/8 in.  
 Chlorides 7000 P.P.M. Drill Pipe Length 3309 ft. I.D. 3 1/2 in.  
 Jars: Make STERLING Serial Number N/A Test Tool Length 25 ft. Tool Size 3 1/2-IF in.  
 Did Well Flow? NO Reversed Out NO Anchor Length 37 ft. Size 4 1/2-FH in.  
 Main Hole Size 7 7/8 Tool Joint Size 4 1/2 XH in. Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: DEAD IN 7 MIN. FLUSHED, SURGED, NO BLOW. (NObb)  
 2nd Open: NO BLOW (NObb)

Recovered <u>5</u> ft. of <u>OCM 20% OIL, 80%MUD</u>	
Recovered _____ ft. of _____	
Recovered _____ ft. of _____	
Recovered _____ ft. of _____	
Recovered _____ ft. of _____	Price Job
Recovered _____ ft. of _____	Other Charges
Remarks: _____	Insurance
TOOL SAMPLE: <u>40% OIL, 60% MUD</u>	Total

Time Set Packer(s) 9:50 AM A.M. P.M. Time Started Off Bottom 11:50 AM A.M. P.M. Maximum Temperature 99  
 Initial Hydrostatic Pressure..... (A) 1600 P.S.I.  
 Initial Flow Period..... Minutes 30 (B) 6 P.S.I. to (C) 9 P.S.I.  
 Initial Closed In Period..... Minutes 30 (D) 105 P.S.I.  
 Final Flow Period..... Minutes 30 (E) 7 P.S.I. to (F) 8 P.S.I.  
 Final Closed In Period..... Minutes 30 (G) 141 P.S.I.  
 Final Hydrostatic Pressure..... (H) 1575 P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.