Confidentiality Requested: Yes No

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

1239598

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15		
Name:	Spot Description:		
Address 1:			
Address 2:	Feet from Dorth / South Line of Section		
City: State: Zip:+	Feet from East / West Line of Section		
Contact Person:	Footages Calculated from Nearest Outside Section Corner:		
Phone: ()			
CONTRACTOR: License #	GPS Location: Lat:, Long:		
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)		
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84		
Purchaser:	County:		
Designate Type of Completion:	Lease Name: Well #:		
New Well Re-Entry Workover	Field Name:		
	Producing Formation:		
	Elevation: Ground: Kelly Bushing:		
Gas D&A ENHR SIGW	Total Vertical Depth: Plug Back Total Depth:		
G OG GSW Temp. Abd.	Amount of Surface Pipe Set and Cemented at: Feet		
CM (Coal Bed Methane)	Multiple Stage Cementing Collar Used?		
	If yes, show depth set: Feet		
If Workover/Re-entry: Old Well Info as follows:			
Operator:	If Alternate II completion, cement circulated from:		
Well Name:	feet depth to:w/sx cmt.		
Original Comp. Date: Original Total Depth:			
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Drilling Fluid Management Plan		
Plug Back Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)		
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls		
Dual Completion Permit #:	Dewatering method used:		
SWD Permit #:	Location of fluid disposal if hauled offsite:		
ENHR Permit #:	Location of huid disposa in natied offsite.		
GSW Permit #:	Operator Name:		
	Lease Name: License #:		
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West		
Recompletion Date Recompletion Date	County: Permit #:		

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

				Page Iwo	12395	
Operator Name:	:			Lease Name:		Well #:
Sec Tw	vp	S. R	East West	County:		

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sheets)		Yes No	L	og Formatio	n (Top), Depth and	d Datum	Sample
Samples Sent to Geological Survey		Yes No	Nam	е		Тор	Datum
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No					
List All E. Logs Run:							
		CASING Report all strings set-o			on, etc.		
Purpose of String	Size Liele Size		Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQL	JEEZE RECORD			
Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used		Type and Pe	ercent Additives	
Protect Casing Plug Back TD							
Plug Off Zone							
Did you perform a hydraulic	fracturing treatment	on this well?		Yes	No (If No, skip	o questions 2 an	d 3)
Does the volume of the tota	l base fluid of the hyd	Iraulic fracturing treatment ex	ceed 350,000 gallons'	?Yes	No (If No, skip	o question 3)	
Was the hydraulic fracturing	treatment informatio	n submitted to the chemical of	lisclosure registry?	Yes	No (If No, fill c	out Page Three o	of the ACO-1)

		PERFORATION		RD - Bridge Pl	uge Set/Tur	00		Acid Fracture Shot C	ement Squeeze Record	
Shots Per Foot				Each Interval P					d of Material Used)	Depth
TUBING RECORD:	Si	ze:	Set At:		Packe	r At:	Liner F		No	
Date of First, Resumed	I Product	ion, SWD or ENHF	۶.	Producing M	ethod:	ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wate	er	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITION OF GAS:			METHOD OF COMPLETION:			PRODUCTION INT	FERVAL:			
Vented Sold Used on Lease				Open Hole	Perf.	Uually		Commingled (Submit ACO-4)		
(If vented, Su	bmit ACC)-18.)		Other (Specify)						

	ONSOLIDATED	26898	7	LOCATION		305
A. (Dil Well Services, LLC	000010		FOREMAN		cl.
		FIELD TICKET & T	DEATMENT DED	had one	- Penn	any
Box 884, Ci	hanute, KS 66720 pr 800-467-8676					
DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
19/14	7752 Bo	Ker # I-9	NW26	18	22	MI
STOMER		110	TRUCK#	DRIVER	TRUCK #	DRIVER
	Resources	LLC	2.29	Cacker	16 Ld	Madina
861		Dr	0000	160000	V	- and
TY	STATE	ZIP CODE	495	Her Bec	~	
Howst	on TX	< 7705S	558	Mattoc	VILA	MikHaal
B TYPE /ou	Aring HOLE SU	ZE 💁 💪 📜 HOLI	E DEPTH 420	CASING SIZE & V	WEIGHT 270	"EVE
SING DEPTH	dille DRILL PI				OTHER	
URRY WEIGH		and the state of the	ER gal/sk	CEMENT LEFT In		
	T 2.41645 DISPLAC	EMENT PSI MIXI	PSI	RATE 9 6pr	in card	m#
MARKS: Ag	to sater maetin	A LA LA LA	lad with	Lixed of	aupea	lat the
enjou	Get tollower	1 52 00 660	- sk, cemen	tto since	o And	ed auro
SO TOP	and rement	where due the	asing TD	w/ 2.4/1	ble frost	inster
ean p	A for hel	wall had a	essure for 3	O win A	UT. rol	asad .
COSS UCOD	shut in asing	, a contraction pr				
resource	LINKE AN LEAST					
	1000	<i>y</i> .		\wedge	\cap	
		<i>y</i> .		$-\Lambda$	JC.	
		<i>,</i> .		A	fg-	
				(7	f-	
		3 DESCRI	PTION of SERVICES or P			TOTAL
CODE 2401	QUANITY or UNITS	B DESCRI PUMP CHARGE	PTION of SERVICES or P	RODUCT		TOTAL
5401 5406	QUANITY or UNITS	B DESCRI PUMP CHARGE MILEAGE				
CODE 5401 5406 5402	QUANITY or UNITS	B DESCRI PUMP CHARGE MILEAGE	taoe	RODUCT		1085.00
CODE 5401 5406 5402 5407A	QUANITY or UNITS	B DESCRI PUMP CHARGE MILEAGE	taoe	RODUCT		1085.00
CODE 5401 5406 5402 5407A	QUANITY or UNITS	B DESCRI PUMP CHARGE MILEAGE	taoe			
CODE 5401 5406 5402 5407A	QUANITY or UNITS	B DESCRI PUMP CHARGE MILEAGE	taoe			1085.00
CODE 5401 5406 5402 5407A 5502C	QUANITY or UNITS / Con lease 4Ke' ///, 85 1.5 hrs	B DESCRI PUMP CHARGE MILEAGE Caring for Yom mile SO Vac	taoe		770.50	1085.00
CODE 5401 5406 5402 5402 5402 5502C	QUANITY or UNITS / Our lease 4Ke ' 111, 85 1.5 hrs 67 sks	B DESCRI PUMP CHARGE MILEAGE Caring for Yom mile SO Vac	age age mix cement Gel		770.50	1085.00
CODE 5401 5406 5402 5407A 5502C	QUANITY or UNITS / Con lease 4Ke' ///, 85 1.5 hrs	B DESCRI PUMP CHARGE MILEAGE Caring for Yom mile SO Vac	age age mix cement Gel	ncterials	770.50 416.860 817.30	1085.00
CODE 5401 5406 5402 5402 5402 5502C	QUANITY or UNITS / Our lease 4Ke ' 111, 85 1.5 hrs 67 sks	B DESCRI PUMP CHARGE MILEAGE Caring for Yom mile SO Vac	age age mix cement Gel	ncterials	770.50	1085.00
CODE 5401 5406 5402 5402 5402 5502C	QUANITY or UNITS / Our lease 4Ke ' 111, 85 1.5 hrs 67 sks	B DESCRI PUMP CHARGE MILEAGE Casing for Yon wile SO Vac 53/60 Por Prouniou	age age mix cement Gel		770.50 416.860 817.30	1085.00
CODE 5401 5406 5402 5402 5402 5502C	QUANITY or UNITS / Our lease 4Ke ' 111, 85 1.5 hrs 67 sks	B DESCRI PUMP CHARGE MILEAGE Casing for Yon wile SO Vac 53/60 Por Prouniou	age age mix cement Gel	ncterials	770.50 416.860 817.30	1085.00
CODE 5401 5406 5402 5407A 5502C 1124 1118B	QUANITY or UNITS / Our lease 4Ke ' 111, 85 1.5 hrs 67 sks	B DESCRI PUMP CHARGE MILEAGE Caring for Yom mile SO Vac	age age mix cement Gel	ncterials	770.50 416.860 817.30	1085.00
CODE 5401 5406 5402 5407A 5502C 1124 1118B	QUANITY or UNITS / Our lease 4Ke ' 111, 85 1.5 hrs 67 sks	B DESCRI PUMP CHARGE MILEAGE Casing for Yon wile SO Vac 53/60 Por Prouniou	stage age mix cement Gel r plug	ncterials	770.50 416.860 817.30	1085.00
CODE 5401 5406 5402 5407A 5502C 1124 1118B	QUANITY or UNITS / Our lease 4Ke ' 111, 85 1.5 hrs 67 sks	B DESCRI PUMP CHARGE MILEAGE Casing for Yon wile SO Vac 53/60 Por Prouniou	age age mix cement Gel	ncterials	770.50 46.86 817.36 245.21	1085.00 157.71 150.00 572.15 29.50
CODE 5401 5406 5402 5407A 5502C 1124 1118B	QUANITY or UNITS / Our lease 4Ke ' 111, 85 1.5 hrs 67 sks	B DESCRI PUMP CHARGE MILEAGE Casing for Yon wile SO Vac 53/60 Por Prouniou	stage age mix cement Gel r plug	ncterials - 30% Subtote	770.50 416.860 817.30	1085.00 157.71 150.00 572.15 29.50
CODE 5401 5406 5402 5407A 5502C 1124 1118B	QUANITY or UNITS / Our lease 4Ke ' 111, 85 1.5 hrs 67 sks	B DESCRI PUMP CHARGE MILEAGE Casing for Yon wile SO Vac 53/60 Por Prouniou	stage age mix cement Gel r plug	nderials - 30% Subtotal	770.50 46.86 817.36 245.21	1085.00 157.71 150.00 572.15 29.50
CODE 5401 5406 5402 5407A 5502C 1124 1118B	QUANITY or UNITS / Our lease 4Ke ' 111, 85 1.5 hrs 67 sks	B DESCRI PUMP CHARGE MILEAGE Casing for Yon wile SO Vac 53/60 Por Prouniou	stage age mix cement Gel r plug	ncterials - 30% Subtote	770.50 46.86 817.36 245.21	1085.00 157.71 150.00 572.15 29.50

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form

	Operator License # Operator Address City Contractor Contractor License # T.D. T.D. of pipe Surface pipe size	34897 SCZ Resources 8614 Cedarspur Driv Houston, TX 77055 JTC Oil, Inc. 32834 420 416 7"	e
	Surface pipe depth	20'	
	Well Type	Injection	
Thielenase	Driller's	0	Та
Thickness	Strata	From	To
2	soil	0	2
6	clay	2	8
18	lime	8	26
27	shale	26	53
6	lime	53	59
41	shale	59	100
11	lime	100	111
9	shale	111	120
29 6	lime black shale	120	149 155
26	lime	149 155	155 181
20 4	coal	181	181
4 14	lime	181	185
14	shale	185	311
6	sandy/shale	311	317
21	shale	317	338
21	oil sand	338	340
3	oil sand	340	343
3	oil sand	343	346
3	oil sand	346	349
3	oil sand	349	352
3	oil sand	352	355
3	oil sand	355	358
2	lime	358	360
5	shale	360	365
11	lime	365	376
44	shale	376	420

API # Lease Nam Well #	ne	15-121-301 Baker SCZ I-9	93-00-0	0
Spud Date Cement Da		6/2/2014		
Location		Sec 26	T 18	R 22
	330	feet from	Ν	line
	990	feet from	W	line
County		Miami		