

Confidentiality Requested:

Yes No

### Kansas Corporation Commission Oil & Gas Conservation Division

1239677

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15					
Name:	Spot Description:					
Address 1:	SecTwpS. R East West					
Address 2:	Feet from North / South Line of Section					
City: State: Zip:+	Feet from East / West Line of Section					
Contact Person:	Footages Calculated from Nearest Outside Section Corner:					
Phone: ()	□NE □NW □SE □SW					
CONTRACTOR: License #	GPS Location: Lat:, Long:					
Name:	(e.g. xx.xxxxxx) (e.gxxx.xxxxxx)					
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84					
Purchaser:	County:					
Designate Type of Completion:	Lease Name: Well #:					
☐ New Well ☐ Re-Entry ☐ Workover	Field Name:					
☐ Oil         ☐ WSW         ☐ SIOW           ☐ Gas         ☐ D&A         ☐ ENHR         ☐ SIGW           ☐ OG         ☐ GSW         ☐ Temp. Abd.           ☐ CM (Coal Bed Methane)         ☐ Cathodic         ☐ Other (Core, Expl., etc.):           ☐ If Workover/Re-entry: Old Well Info as follows:         Operator:           ☐ Well Name:         ☐ Well Name:	Producing Formation: Kelly Bushing: Total Vertical Depth: Plug Back Total Depth: Feet Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: Feet If Alternate II completion, cement circulated from: sx cmt.					
Original Comp. Date: Original Total Depth:						
□ Deepening     □ Re-perf.     □ Conv. to ENHR     □ Conv. to SWD       □ Plug Back     □ Conv. to GSW     □ Conv. to Producer	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)					
Commingled Permit #:  Dual Completion Permit #:  SWD Permit #:	Chloride content: ppm Fluid volume: bbls  Dewatering method used:  Location of fluid disposal if hauled offsite:					
☐ ENHR         Permit #:           ☐ GSW         Permit #:	Operator Name:					
Spud Date or Date Reached TD Completion Date or Recompletion Date	Quarter Sec.         TwpS. R East West           County:         Permit #:					

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received						
Geologist Report Received						
UIC Distribution						
ALT I II Approved by: Date:						

Page Two



Operator Name:				_ Lease I	Name: _			Well #:			
Sec Twp	S. R	East	West	County	:						
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ring and shut-in press o surface test, along v	ures, whe	ther shut-in pre chart(s). Attach	ssure reac extra shee	hed stati	c level, hydrosta space is neede	tic pressures, b	ottom hole temp	erature, fluid recov		
Final Radioactivity Lo files must be submitted						ogs must be ema	liled to kcc-well-	logs@kcc.ks.go	v. Digital electronic		
Drill Stem Tests Taken Yes No (Attach Additional Sheets)			es No		Log Formation (Top), De				Sample		
Samples Sent to Geo	logical Survey	Y	es No		Nam	е		Тор	Datum		
Cores Taken Electric Log Run			es  No								
List All E. Logs Run:											
				RECORD	Ne						
	0: 11.1					ermediate, product		" 0 1	T 15		
Purpose of String	Size Hole Drilled		ze Casing t (In O.D.)	Weig Lbs.		Setting Depth	Type of Cement	# Sacks Used	Type and Percer Additives		
			ADDITIONAL	CEMENTI	NG / SQL	JEEZE RECORD					
Purpose:	Depth Top Bottom	Туре	of Cement	# Sacks	Used	Type and Percent Additives					
Perforate Protect Casing	Perforate										
Plug Back TD Plug Off Zone											
1 lug 0 li 20 lio											
Did you perform a hydrau	ulic fracturing treatment	on this well	?			Yes	No (If No, s	skip questions 2 a	nd 3)		
Does the volume of the t			-		-		_ ` `	skip question 3)			
Was the hydraulic fractur	ing treatment informatio	n submitted	to the chemical of	disclosure re	gistry?	Yes	No (If No, 1	ill out Page Three	of the ACO-1)		
Shots Per Foot			RD - Bridge Plug Each Interval Perl			Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)  Depth					
Specify Footage of Each Interval Perforated (Amount and Kind of Material Used)					200						
TUBING RECORD:	Size:	Set At:		Packer A	t·	Liner Run:					
		0017111				[	Yes N	o			
Date of First, Resumed	Production, SWD or EN	HR.	Producing Meth	nod:	g 🗌	Gas Lift (	Other (Explain)				
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er B	bls.	Gas-Oil Ratio	Gravity		
DIODOCITI	01.05.040			4ETUOD 05	. 00145/	TION:		DDOD! ICT!			
DISPOSITION Solo	ON OF GAS:  Used on Lease		N Open Hole	∥ETHOD OF Perf.			nmingled	PRODUCTION	ON INTERVAL:		
	bmit ACO-18.)		Other (Specify)		(Submit		mit ACO-4)				

# GLOBAL CEMENTING, L.L.C.

REMIT TO

18048 170RD

RUSSELL, KS 67665

SERVICE POINT:

DATE 1- 11-2017	SEC.	TWP.	RANGE	CALLED OUT	L O	N LOCATION	JOB START	JOB FINISH
LEASE FOSTER	WELL#.	1 .	LOCATION				COUNTY	STATE
OLD OR NEW (CIRC	LE ONE)					• • • • • • • • • • • • • • • • • • • •	SUFFERDAM	1 ~ 3
707						· .		
THE OF YOU		(N16117) PLUB -		OWN	ER	·		
HOLE SIZE TYKE	2.04.01	T.1	D.	 CEME	NT .			•
CASING SIZE TUBING SIZE			EPTH	AMOU	NT ORDER	ED_240	54 60/4	5 POZ
DRILL PIPE			EPTH		· ·	4 4/0 6	EC - 1/2/16	FIC SHAC
TOOL			EPTH EPTH	- <u> </u>				-
PRES. MAX	· · · · · · · · · · · · · · · · · · ·		NIMUM		1037		•-	-
MEAS. LINE	····		IOE JOINT	COMN	IUN	-	@	
CEMENT LEFT IN CSG.				_ FOZM	LA		@	
PERFS								
DISPLACEMENT							@	
	EQUIPME	NT					@	
							@	
PUMP TRUCK CEM	ENTER	Dran					@	
# 1 HEL BULK TRUCK	PER 👆	<u>&gt;</u>		<u> </u>			@	
	VER A	and the		<del> </del>			@	
BULK TRUCK	VER FIJ	<u>, " / 15 nJ</u>			<del></del>		@	-
# DRI	VER						@	
	, <u>DIC</u>					<del></del>	@	· .
				HANDI MILEA	LING GE		@	
131 - 2500' - 5 240 - 1600'	REMA	6188n V	4-3mins mun	· •	*	SER	TOTAL VICE	
				- <u>———</u> - DEPTH	OF JOB			<u> </u>
380 - 320' -	<u> 3038</u>	<u> </u>	6 HZ4		RUCK CHAI	RGE		*
1/42-4/0 - 10	\	· · · · · · · · · · · · · · · · · · ·			FOOTAGE_		@	
74 70 10	/ <u>)                                   </u>	KANIGER	305x	MILEAG	GE <u></u>		<u>@</u>	
· · · · · · · · · · · · · · · · · · ·	************			MANIF	OLD	<u>.</u>	@	
			•	<del></del> _			@	
HARGE TO:	ti d	PERM	and the same				@	<del></del>
TREET				e e e e e e e e e e e e e e e e e e e			TOTAL	-
TITYS	STATE	ZIP						
					PL	UG & FLOA	T EQUIPMEN	Γ
Global Cementing, L.I	L.C.,		· · · · · · · · · · · · · · · · · · ·			<u></u>	~	
ou are hereby reque	sted to r	ent cement	ing equipment and					
urnish cementer and l	nelper(s) 1	to assist ow	ner or contractor to				@ @	
lo work as is listed.	ne above	work was	done to satisfaction				@ @	
nd supervision of ow nderstand the "GEN	ner agent	OF COURTECT	or. I have read and	·			@	
sted on the reverse side	enal i	DIM CIMIN	D CONDITIONS.,		•			
OI WIO TOVOIDO SI	area .						TOTAL	
DINITUTE NAME OF THE PARTY OF T	erra n		s <u>.</u>					:
RINTED NAME		<u> </u>	7	SALES T	AX (If Any)_			
IGNATURE	ORAM	11.14	Millianne	· TATELON	TELADORO			
GIAIUAL	<u> </u>	02011	Ser Ser	TOTAL	.narges		-	
and the same of th	11			DISCOU	NT		TE	DATE: 1NI 20 DANG

## 1587

# GLOBAL CEMENTING, L.L.C.

REMIT TO 18048 170RD SERVICE POINT: RUSSELL, KS 67665 TWP. SEC. RANGE CALLED OUT ON LOCATION JOB START JOB FINISH DATE 1-6-2015 COUNTY STATE LEASE FOSTE WELL#. LOCATION 9-14-5-1718 大三 OLD OR NEW (CIRCLE ONE) CONTRACTOR WHITE KNIGHT OWNER TYPE OF JOB SURVEY HOLE SIZE 12 1/4 T.D. 264 CEMENT CASING SIZE 55 DEPTH 262.09 AMOUNT ORDERED TUBING SIZE DEPTH DRILL PIPE DEPTH TOOL DEPTH PRES. MAX MINIMUM \_\_ @ \_ MEAS. LINE SHOE JOINT POZMIX\_\_\_\_\_\_@\_\_ CEMENT LEFT IN CSG. PERFS CHLORIDE \_\_\_\_\_\_@\_ DISPLACEMENT / 5 151565 \_\_\_\_\_\_@ EQUIPMENT \_\_\_\_\_\_ @ \_\_\_\_\_\_@ CEMENTER TOPAGE PUMP TRUCK # 71 HELPER S BULK TRUCK \_\_\_\_\_ @ <u>\_</u> # 154 DRIVER JASON \_\_\_\_\_ @ \_ BULK TRUCK \_\_\_\_\_@\_\_ DRIVER \_ @ \_ HANDLING\_\_\_\_ \_ @ \_ MILEAGE TOTAL REMARKS: Row IN 6 you will 8 99 00 500 - PUT ON SWEGGE-175 EX - WASH UP + DISPLACE WISS PROLHE **SERVICE** SHUT IN W/ 200 PSI - CEMENT DO CIRCULATE DEPTH OF JOB \_\_ PUMP TRUCK CHARGE \_\_\_\_ EXTRA FOOTAGE \_\_\_\_\_@ \_\_ MILEAGE ..... MANIFOLD \_\_\_ \_\_\_\_\_ @<sub>\_</sub> \_\_ \_ @ \_ CHARGE TO: CASTLE RESOURCE \_ @ -TOTAL -\_\_\_\_\_\_STATE \_\_\_\_\_\_ ZIP \_\_\_ PLUG & FLOAT EQUIPMENT Global Cementing, L.L.C., You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and \_ @ \_ understand the "GENERAL TERMS AND CONDITIONS" \_ @ \_ listed on the reverse side. TOTAL PRINTED NAME \_ SALES TAX (If Any)\_\_\_\_ SIGNATURE Zeard TOTAL CHARGES

DISCOUNT

\_\_\_\_\_ IF PAID IN 30 DAYS