Confidentiality Requested: Yes No

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

1240512

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15					
Name:	Spot Description:					
Address 1:						
Address 2:	Feet from Dorth / South Line of Section					
City: State: Zip:+	Feet from East / West Line of Section					
Contact Person:	Footages Calculated from Nearest Outside Section Corner:					
Phone: ()						
CONTRACTOR: License #	GPS Location: Lat:, Long:					
Name:	(e.g. xx.xxxx) (e.gxxx.xxxxx)					
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84					
Purchaser:	County:					
Designate Type of Completion:	Lease Name: Well #:					
New Well Re-Entry Workover	Field Name:					
	Producing Formation:					
	Elevation: Ground: Kelly Bushing:					
Gas D&A ENHR SIGW	Total Vertical Depth: Plug Back Total Depth:					
G OG GSW Temp. Abd.	Amount of Surface Pipe Set and Cemented at: Feet					
CM (Coal Bed Methane)	Multiple Stage Cementing Collar Used?					
Cathodic Other (Core, Expl., etc.):						
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet					
Operator:	If Alternate II completion, cement circulated from:					
Well Name:	feet depth to:w/sx cmt.					
Original Comp. Date: Original Total Depth:						
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Drilling Fluid Management Plan					
Plug Back Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)					
	Chloride content: ppm Fluid volume: bbls					
Commingled Permit #: Dual Completion Permit #:	Dewatering method used:					
SWD Permit #:	Location of fluid disposal if hauled offsite:					
ENHR Permit #:	Location of huid disposal if natied offsite.					
GSW Permit #:	Operator Name:					
	Lease Name: License #:					
Spud Date or Date Reached TD Completion Date or	Quarter Sec Twp S. R East West					
Recompletion Date Reached TD Recompletion Date of Recompletion Date	County: Permit #:					

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

				Page 1wo 1240512					
Operator Nar	ne:			Lease Name:		_ Well #:			
Sec	Twp	_S. R	East West	County:					

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional She	pets)	Yes No		.og Formatio	n (Top), Depth and	d Datum	Sample
Samples Sent to Geolog	,	Yes No	Nam	е		Тор	Datum
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No					
List All E. Logs Run:							
		CASING Report all strings set-c	RECORD Ne		on, etc.		
Purpose of String Size Hole Drilled		Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQU	JEEZE RECORD			
Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used		Type and Pe	ercent Additives	
Protect Casing Plug Back TD							
Plug Off Zone							
Did you perform a hydraulic	fracturing treatment of	on this well?		Yes	No (If No. skip	o questions 2 an	d 3)
	0	raulic fracturing treatment ex	ceed 350,000 gallons			question 3)	/

Wa

Nas the hydraulic fractur	ing treat	ment information s	ubmitted	to the chemic	al disclosure	registry?	Yes	No (If I	No, fill out Page Three of the A	ICO-1)
			N RECORD - Bridge Plugs Set/Type lotage of Each Interval Perforated				Acid,	Depth		
TUBING RECORD:	Si	ze:	Set At:		Packe	r At:	Liner Run:	Yes	No	
Date of First, Resumed	Product	ion, SWD or ENH	۹.	Producing M	lethod:	ping	Gas Lift [Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wate	ər	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITI		248.			METHOD				PRODUCTION INT	
Vented Solo		Used on Lease		Dpen Hole Dther <i>(Specify)</i>	Perf.		Comp.	Commingled (Submit ACO-4)		
		,		Juliel (Specily)						



250 N. Water, Ste 200 - Wichita, Ks 67202

HURRICANE SERVICES INC

104 Prairie Plaza Parkway - Garnett, Ks 66032

Customer	Burris, J	e TBA	-61		Customer No.:			Ticket No.:		50126	5
Address:	1				AFE No.:			P.O. No.:			
City, State, Zip:	Ì				Job type	Cement long	string 4.5 c	asing 63/4 h	ole		
Service District:	Garnett				Well Details:	4 1/2 casing	@ 1395 6 3	3/4 hole @ 15	02		
Well name & No.	Sutherlan	d SWD #1			Well Location:		County:	Allen	State:	Kansa	S
Equipment #	Driver	Equipment #	Driver	Equipment #	Hours	TRUCK CALL	.ED			AM PM	TIME
26	Joe					ARRIVED AT	JOB			AM PM	
231	Tom			6		START OPER	RATION			AM PM	
240	Troy					FINISH OPER	RATION			AM PM	
111	Tyler		¥.			RELEASED				AM PM	
108	Jeff					MILES FROM	STATION TO	OWELL		-	

Hooked plug container to 4 1/2 casing and pumped type A packer shoe ball to bottom and set packer at 900 psi.. Achieved circulation and pumped 5 bbl water spacer and 117 sks of 50/50 poz mix 4% gel switched to 50 sks of Thick set cement. Flushed pump and pumped plug to bottom and set shoe at 850 psi.. Closed in at 0 psi.. Circulated 5 bbl slurry to pit.. CEMENT TO SURFACE..

Product/Service Code	Description	Unit of Measure	Quantity	List Price/Unit	Gross Amount	ltem Discount	Net Amo		
00101	Heavy Equip. One Way	mi	20.00	\$3.25	\$65.00	10.00%	\$5		
00102	Light Equip. One Way	mi	20.00	\$1.50	\$30.00	10.00%	\$2		
23103	Cement Pump (Multiple wells)	ea	1.00	\$675.00	\$675.00	10.00%	\$60		
10800	Vacuum Truck 80 bbl	ea	3.00	\$84.00	\$252.00	10.00%	\$22		
11100	Vacuum Truck 80 bbl	ea	3.00	\$84.00	\$252.00	10.00%	\$22		
24200	Cement Bulk Truck	tm	115.00	\$1.30	\$149.50	10.00%	\$13		
01604	50/50 Pozmix Cement	sack	117.00	\$11.30	\$1,322.10	10.00%	\$1,18		
01606	Quick Set Cement	sack	50.00	\$18.60	\$930.00	10.00%	\$83		
01607	Bentonite Gel	lb	468.00	\$0.30	\$140.40	10.00%	\$12		
01653	Type "A" Packer Shoe - 4 1/2"	ea	1.00	\$1,125.00	\$1,125.00	10.00%	\$1,01		
02000	H2O	gal	4,600.00	\$0.01	\$59.80	10.00%	\$5		
01633	Rubber 4 1/2	ea	1.00	\$38.00	\$38.00	10.00%	\$3		
01656	Cement Baskets - 4 1/2"	ea	1.00	\$135.00	\$135.00	10.00%	\$12		
01659	Centralizers - 4 1/2"	ea	2.00	\$30.00	\$60.00	10.00%	\$5		
	• •								
	ance unless Hurricane Services Inc has approved credit prior to sale. or approved accounts are total invoice due on or before the 30th day from			Gross:	\$ 5,233.80	Net:	\$ 4,710		
e date of invoice. P	ast due accounts may pay interest on the balance past due at the rate of 1	Total	Taxable	\$3,429.27	Tax Rate:	7.400%	\geq		
	maximum allowable by applicable state or federal laws if such laws limit nount. In the event it is necessary to employ an agency and/or attorney to		ervice treatments de			Sale Tax:	\$ 253		
fect the collection o	f said account, Customer hereby agrees to pay all fees directly or	to increase p	roduction on newly d wells are not taxabl			Total:	\$ 4.964		
ndirectly incurred for such collection. In the event that Customer's account with HSI becomes lelinquent, HSI has the right to revoke any and all discounts previously applied in arriving at net nvoice price. Upon revocation, the full invoice price without discount will become immediately ue and owing and subject to collection.									
ue and owing and st		HSI Representative: Joe Blanchard							
x		Custome	er Representative:		R	chard Bur	ris		
	CUSTOMER AUTHORIZED AGENT								

Hurricane Services appreciates any Comments, Concerns or Criticism's from our valuable customers as Safety and Customer Satisfaction are our Number 1 goal. All Comments are confidential and will be used in a constructive manner to improve our Safety and Job Performance.