

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1240676

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R 🗌 East 🗌 West
Address 2:	Feet from North / South Line of Section
City:	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxxx) (e.gxxx.xxxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
Oil WSW SWD SIOW	Producing Formation:
Gas D&A ENHR SIGW	Elevation: Ground: Kelly Bushing:
☐ OG ☐ GSW ☐ Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #:	·
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or Recompletion Date	Quarter Sec TwpS. R East West Countv: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
Wireline Log Received					
Geologist Report Received					
UIC Distribution					
ALT I II III Approved by: Date:					

Page Two



Operator Name:				_ Lease I	Name: _			Well #:	
Sec Twp	S. R	East	West	County	:				
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ring and shut-in press o surface test, along v	ures, whe	ther shut-in pre chart(s). Attach	ssure reac extra shee	hed stati	c level, hydrosta space is neede	tic pressures, b	ottom hole temp	erature, fluid recov
Final Radioactivity Lo files must be submitted						ogs must be ema	liled to kcc-well-	logs@kcc.ks.go	v. Digital electronic
Drill Stem Tests Taker (Attach Additional		Y	es No			J	on (Top), Depth		Sample
Samples Sent to Geo	logical Survey	Y	es No		Nam	е		Тор	Datum
Cores Taken Electric Log Run			es No						
List All E. Logs Run:									
				RECORD	Ne				
	0: 11.1					ermediate, product		" 0 1	T 15
Purpose of String	Size Hole Drilled		ze Casing t (In O.D.)	Weig Lbs.		Setting Depth	Type of Cement	# Sacks Used	Type and Percer Additives
			ADDITIONAL	CEMENTI	NG / SQL	JEEZE RECORD			
Purpose:	Depth Top Bottom	Туре	of Cement	# Sacks	Used		Type and	Percent Additives	
Perforate Protect Casing	Top Dottern								
Plug Back TD Plug Off Zone									
1 lug 0 li 20 lio									
Did you perform a hydrau	ulic fracturing treatment	on this well	?			Yes	No (If No, s	skip questions 2 a	nd 3)
Does the volume of the t			-		-		_ ` `	skip question 3)	
Was the hydraulic fractur	ing treatment informatio	n submitted	to the chemical of	disclosure re	gistry?	Yes	No (If No, 1	ill out Page Three	of the ACO-1)
Shots Per Foot			RD - Bridge Plug Each Interval Perl				cture, Shot, Ceme	nt Squeeze Recor	rd Depth
						(* *			200
TUBING RECORD:	Size:	Set At:		Packer A	t·	Liner Run:			
		0017111				[Yes N	o	
Date of First, Resumed	Production, SWD or EN	HR.	Producing Meth	nod:	g 🗌	Gas Lift (Other (Explain)		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er B	bls.	Gas-Oil Ratio	Gravity
DIODOCITI	01.05.040			4ETUOD 05	. 00145/	TION:		DDOD! ICT!	
DISPOSITION Solo	ON OF GAS: Used on Lease		N Open Hole	∥ETHOD OF Perf.	_		nmingled	PRODUCTION	ON INTERVAL:
	bmit ACO-18.)		Other (Specify)		(Submit		mit ACO-4)		

BIRK PETROL	EUM SFR	EVIÇE TICKET
874 12 TH RD SV	VELL CEMENTENIC	AVICE TICKET
BURLINGTON	, KS 66839	10/10/11
020-304-1311 - (OFFICE, 620-364-6646 - CELL DAT	
CHARGE TO	Sirk pholeum county to c	ITY / /
ADDRESS	C. L. L. L. CITY ST ZIP	
LEASE & WELL	ANO. VITOPI DIX #37 CONTRACTOR	
KIND OF JOB	ement long String SECTWPRG	
DIR. TO LOC		LD NEW
QUANTITY	MATERIAL USED	CEDY CHC
141) Sx	Partland Consent	SERV. CHG
	TOTAL CENTRAL	
	BULK CHARGE	
	BULK TRK. MILES	
	PUMP TRK. MILES	
	PLUGS	
	1000	
	TOTAL -	
	TOTAL	
T.D. 1/35	· line ·	
1.D. 1100		MB
SIZE HOLE 5	TBG SET AT 2 VOLU	
	671	IVIE
MAX. PRESS	SIZE PIPE 2 1/8"	
PLUG DEPTH	PKER DEPTH PLUGUSE	
	PKER DEPTH PLUG USE	ED
TIME FINISHED:		
REMARKS:	nnect to pipe. Hump ament into	Wall Orand
Urc 4	Surface Joh Complete Surent 11110	Well- 5000
	THE WINET	
NAME		
	_	
CEMENTED OF	TREATER TO THE STATE OF THE STA	
CEMENTER OR	TREATER OWNER'S REP.	

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, Inc.

NOTICE TO OWNER
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

BROOM

6

B & B COOPERATIVE VENTURES 1044 HWY 75

BURLINGTON

KS 66839

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum altotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contents correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at outsomer's request.

Contractor must provide place for truck to weach out. A \$30 charge will be added per truck it contractor does not supply a place to wash truck out. Tow charges are buyers responsibility.

LEASE NAME: SUTHERLAND

50 W OF LERUY 4 MI TO OXEN RD N TO ATH LN E 1/4MI SSD AT TANKS

			% Air				
TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
2:44 PM	WELL PO NUMBE	14. 鄭原 2	16.90		*35		corco
DATE		LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
10/20/1	WELL	1.	14,00	ie j	8,80	4.80 in	38147

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Flush Thoroughly With Water, If Initiation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT, ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable atterneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quelity. No Claim Allowed Unless Made at Time Material is Delivered. A \$30 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$60/HR.

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
Dear Castomer-The driver of this truck in presenting this RELEASE to
you for your signature is of the opinion that the size and weight of his
truck may possibly cause damage to the premises and/or adjacent
properly if a please the malerial in this load where you desire it, is
our wish to help you in every welly that we can but in order to do this
the driver is requesting that you sign this RELEASE relieving him and
this supplier from any responsibility from any damage that may occur
to the premises and/or adjacent property, buildings, sciewaks,
ordineways, ouths, etc., by the delivery of his material, and that you
also agree to help him memore mud from the whoels of his webicle so
that he will not little the public street. Further, as additional consideration, the undersigned agrees to indemaily and hold harmless the driver
that the will not this supplier for any and at damage to the premises
and/or adjacent property which may be claimed by anyone to have
arisin out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER

L	QUANTITY	CODE	DESCRIPTION		UNIT PRICE EXTENDED PRICE
	14:00	WELL	WELL (10 SACKS PER UNIT)	14,00	
•	2.50	TRUCKING	TRUCKING CHARGE	2.50	08409
	14.00	. JUHHAKIM.	MIXIMG AND HAULING	14,00	War.
					1350°
					4 0 - 50
			•		×13752

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	e all of
527	450	4438	1, JOB NOT READY 6. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION	· %	TAX 6.15 \$ 8/60
LEFT PLANT	ARRIVED JOB	START UNLOADING	4. CONTRACTOR BROKE DOWN 9. OTHER 5. ADDED WATER	TIME DUE	
306	346	2128			ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2
2.5					GRAND TOTAL > \$ 140914

والأن الأساء فيها في الساء وفي القوليم وقالات المساعد في المساعد في الكا