

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1240720

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #			API No. 15		
Name:			Spot Description:		
Address 1:			Sec.	TwpS. R	East _ West
Address 2:			F6	eet from North /	South Line of Section
City:	State: Z	ip:+	Fe	eet from East /	West Line of Section
Contact Person:			Footages Calculated from	Nearest Outside Section C	Corner:
Phone: ()			□ NE □ NW	V □SE □SW	
CONTRACTOR: License #			GPS Location: Lat:	, Long:	
Name:				(e.g. xx.xxxxx)	(e.gxxx.xxxxx)
Wellsite Geologist:			Datum: NAD27	NAD83 WGS84	
Purchaser:			County:		
Designate Type of Completion:			Lease Name:	W	ell #:
	e-Entry	Workover	Field Name:		
	_		Producing Formation:		
☐ Oil ☐ WSW ☐ D&A	☐ SWD	∐ SIOW ∏ SIGW	Elevation: Ground:	Kelly Bushing:	
	GSW	Temp. Abd.	Total Vertical Depth:	Plug Back Total D	epth:
CM (Coal Bed Methane)	dow	Temp. Abd.	Amount of Surface Pipe Se	et and Cemented at:	Feet
☐ Cathodic ☐ Other (Co	ore. Expl., etc.):		Multiple Stage Cementing	Collar Used? Yes	No
If Workover/Re-entry: Old Well I			If yes, show depth set:		
Operator:			If Alternate II completion, c	cement circulated from:	
Well Name:			feet depth to:	w/	sx cmt.
Original Comp. Date:					
Deepening Re-perf	J	ENHR Conv. to SWD	Drilling Fluid Managemer	nt Plan	
Plug Back	Conv. to G		(Data must be collected from to		
Commingled	Permit #		Chloride content:	ppm Fluid volume	: bbls
Dual Completion			Dewatering method used:_		
SWD			Location of fluid disposal if	hauled offsite:	
ENHR	Permit #:				
GSW	Permit #:		Operator Name:		
			Lease Name:		
Spud Date or Date R	eached TD	Completion Date or	Quarter Sec	TwpS. R	East West
Recompletion Date		Recompletion Date	County:	Permit #:	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II Approved by: Date:

Page Two



Operator Name:				_ Lease I	Name: _			Well #:	
Sec Twp	S. R	East	West	County	:				
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ring and shut-in press o surface test, along v	ures, whe	ther shut-in pre chart(s). Attach	ssure reac extra shee	hed stati	c level, hydrosta space is neede	tic pressures, b	ottom hole temp	erature, fluid recov
Final Radioactivity Lo files must be submitted						ogs must be ema	liled to kcc-well-	logs@kcc.ks.go	v. Digital electronic
Drill Stem Tests Taker (Attach Additional		Y	es No			J	on (Top), Depth		Sample
Samples Sent to Geo	logical Survey	Y	es No		Nam	е		Тор	Datum
Cores Taken Electric Log Run			es No						
List All E. Logs Run:									
				RECORD	Ne				
	0: 11.1					ermediate, product		" 0 1	T 15
Purpose of String	Size Hole Drilled		ze Casing t (In O.D.)	Weig Lbs.		Setting Depth	Type of Cement	# Sacks Used	Type and Percer Additives
			ADDITIONAL	CEMENTI	NG / SQL	JEEZE RECORD			
Purpose:	Depth Top Bottom	Туре	of Cement	# Sacks	Used		Type and	Percent Additives	
Perforate Protect Casing	Top Dottern								
Plug Back TD Plug Off Zone									
1 lug 0 li 20 lio									
Did you perform a hydrau	ulic fracturing treatment	on this well	?			Yes	No (If No, s	skip questions 2 a	nd 3)
Does the volume of the t			-		-		_ ` `	skip question 3)	
Was the hydraulic fractur	ing treatment informatio	n submitted	to the chemical of	disclosure re	gistry?	Yes	No (If No, 1	ill out Page Three	of the ACO-1)
Shots Per Foot			RD - Bridge Plug Each Interval Perl				cture, Shot, Ceme	nt Squeeze Recor	rd Depth
						(* *			200
TUBING RECORD:	Size:	Set At:		Packer A	t·	Liner Run:			
		0017111				[Yes N	o	
Date of First, Resumed	Production, SWD or EN	HR.	Producing Meth	nod:	g 🗌	Gas Lift (Other (Explain)		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er B	bls.	Gas-Oil Ratio	Gravity
DIODOCITI	01.05.040			4ETUOD 05	. 00145/	TION:		DDOD! ICT!	
DISPOSITION Solo	ON OF GAS: Used on Lease		N Open Hole	∥ETHOD OF Perf.	_		nmingled	PRODUCTION	ON INTERVAL:
	bmit ACO-18.)		Other (Specify)		(Submit		mit ACO-4)		

BULLINGTON, KS 66839 20-364-1311-0PEFICE, 620-364-6646-CELL COUNTY CITY ADDRESS LEASE & WELLIND SITHER FOR ST ST SIP LEASE & WELLIND SITHER SEC TWP RG DIR TO LOC QUANTITY MATERIAL USED SERV. CHG 440 SX 100 Hard Count	BIRK PETROL 874 12 TH RD SW		ICE TICKET
CHARGE TO BIRL PETROLEUM COUNTY CT. CITY ADDRESS LEASE & WELL NO STROKE AND ATT CONTRACTOR KIND OF 108 Liment BUSINING. SEC. TWP. RG DIR. TO LOC. QUANTITY MATERIAL USED SERV. CHG HOUR TO LOC. HOW HAVE A COUNTY COUNTY RG HOUR TRACE	BURLINGTON,	, KS 66839	10/0////
CHARGE TO PATE PATIOLAL ST. ZIP LEASE & WELL NO. ST. ATT. LEASE & WELL NO			
LEASE & WELLAND THE TOTAL SEC TWP RG OLD NEW QUANTITY MATERIAL USED SERV, CBG QUANTITY MATERIAL USED SERV, CBG BULK CHARGE BULK TRK. MILES PUMP TRK. MILES PLUGS TOTAL T.D. 1/35 CSG. SET AT 1/27' VOLUME SIZE HOLE 5 1/8" TBG SET AT VOLUME MAX PRESS. SIZE PIPE 2 1/8" PLUG DEPTH PKER DEPTH PLUG USED TIME FINISHED REMARKS. A MECL TO DOE DUMP COMPAT INTO WELL. GOOD CITC. NAME		retrojeum	
RIND OF JOB CHART OF SET TWP RG OLD NEW QUANTITY MATERIAL USED SERV. CHG /40 SX POPHAM CHART BULK CHARGE BULK TRK. MILES PUMP TRK. MILES PLUGS TOTAL T.D 1/35 CSG. SET AT 1/27' VOLUME SIZE HOLE 5 78" TBG SET AT VOLUME MAX PRESS. SIZE PIPE 2 78" PLUG DEPTH PKER DEPTH PLUG USED TIME FINISHED: REMARKS: GARCA TO ORD CHART INTO WELL. GOOD CITC. NAME	LEASE & WELL	ANO. YITHER AM #39 CONTRACTOR	
QUANTITY MATERIAL USED SERV. CHG PUND SX POPPLAND BULK CHARGE BULK CHARGE BULK TRK. MILES PUMP TRK. MILES PLUGS TOTAL T.D. 1/35 CSG. SET AT 1/27' VOLUME SIZE HOLE 5 78" TBG SET AT VOLUME MAX PRESS. SIZE PIPE 2 78" PLUG DEPTH PKER DEPTH PLUG USED TIME FINISHED: REMARKS: OWNER TO ONE TEMPO CEMENT INTO WELL COOL CIRC. NAME		ent long string sectwpRG	
BULK CHARGE BULK TRK. MILES PUMP TRK. MILES PLUGS TOTAL T.D. 1/35 CSG. SET AT 1/27' VOLUME SIZE HOLE 5 1/8" TBG SET AT VOLUME MAX. PRESS. SIZE PIPE 2 1/8" PLUG DEPTH PKER DEPTH PLUG USED. TIME FINISHED: REMARKS: CANCAL TO CONFIDENCE INTO WELL COOL CITC. NAME NAME	DIK. TO LOC	OLI	NEW
BULK CHARGE BULK TRK. MILES PUMP TRK. MILES PLUGS TOTAL T.D//35 CSG. SET AT//27' VOLUME SIZE HOLE 578" TBG SET AT VOLUME MAX. PRESS SIZE PIPE 278" PLUG DEPTH PKER DEPTH PLUG USED TIME FINISHED: REMARKS: GARCA ON CARACTERS AND CAMACTERS AND CAMACTERS AND CAMACTERS	QUANTITY	MATERIAL USED	SERV, CHG
BULK TRK. MILES PUMP TRK. MILES PLUGS TOTAL T.D//35	140 SX	Portland Ciment	
BULK TRK. MILES PUMP TRK. MILES PLUGS TOTAL T.D//35			
BULK TRK. MILES PUMP TRK. MILES PLUGS TOTAL T.D//35			
BULK TRK. MILES PUMP TRK. MILES PLUGS TOTAL T.D//35			
BULK TRK. MILES PUMP TRK. MILES PLUGS TOTAL T.D//35			
BULK TRK. MILES PUMP TRK. MILES PLUGS TOTAL T.D//35		BILL K CHADGE	
PLUGS TOTAL T.D//35			
PLUGS TOTAL T.D. //35			
TOTAL T.D. 1/35 CSG. SET AT 1/27' VOLUME SIZE HOLE 578" TBG SET AT VOLUME MAX. PRESS. SIZE PIPE 278" PLUG DEPTH PKER DEPTH PLUG USED TIME FINISHED: REMARKS: CONOCA to pice. Pump Cement into Well. Good Circ. TO SUPPLIE Job Complete.			
T.D. 1/35 CSG. SET AT 1/27 VOLUME SIZE HOLE 578" TBG SET AT VOLUME MAX. PRESS. SIZE PIPE 278" PLUG DEPTH PKER DEPTH PLUG USED TIME FINISHED: REMARKS: Onect to pick Pump Cement Into Well. Good Circ. NAME NAME		PLUGS	
T.D. 1/35 CSG. SET AT 1/27 VOLUME SIZE HOLE 578" TBG SET AT VOLUME MAX. PRESS. SIZE PIPE 278" PLUG DEPTH PKER DEPTH PLUG USED TIME FINISHED: REMARKS: Onect to pick Pump Cement Into Well. Good Circ. NAME NAME			
SIZE HOLE 578" TBG SET AT VOLUME MAX. PRESS. SIZE PIPE 278" PLUG DEPTH PKER DEPTH PLUG USED TIME FINISHED: REMARKS: OMEC to pice Pump Cement Into Well. Good Circ. NAME NAME		TOTAL	
SIZE HOLE 578" TBG SET AT VOLUME MAX. PRESS. SIZE PIPE 278" PLUG DEPTH PKER DEPTH PLUG USED TIME FINISHED: REMARKS: Onect to pice Pump Coment into well. Good Circ. NAME NAME	T.D	S CSG. SET AT //27' VOLUM	/IR
MAX. PRESS. SIZE PIPE 278" PLUG DEPTH PKER DEPTH PLUG USED TIME FINISHED: REMARKS: GANCA to proc. Pump amont into well. Good arc. NAME NAME	SIZE HOLE	= 1/2"	
PLUG DEPTH PKER DEPTH PLUG USED TIME FINISHED: REMARKS: OMEG TO DICE Pump Cement Into Well. Good Circ. NAME NAME		07/24	1E
TIME FINISHED: REMARKS: CONPOL to pice Pemp Cement into Well. Good Circ. To Surface. Job complete. NAME REMARKS: CONFOL TO PICE Pemp Cement into Well. Good Circ. Barra Characteristics of the pice of the pi	MAX. PRESS	SIZE PIPE 2 18	
NAME REMARKS: Connect to pice Plemp Cement into Well. Good Circ. TO SURFACE: Job Complete: REMARKS: Connect to pice Plemp Cement into Well. Good Circ. To Surface: Job Complete: REMARKS: Connect to pice Plemp Cement into Well. Good Circ.	PLUG DEPTH	PKER DEPTH PLUG USE	D
NAME REMEDIATE SOUTHPIETE. STATE SOUTHPIETE.	TIME FINISHED:		
Ener Olympia	REMARKS: 6	nned to give Plemp Cement into we	11. Good circ.
Ener Olympia			
Ener Olympia	NAME		
Enlo OBIA	INAIVIE		
CEMENTER OR TREATER OWNER'S REP.	CEMENTER OF	R TREATER OWNER'S REP.	

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749

SOLD 70:



CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, ciriveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mis indicated. We do not assume responsibility for strength test when water is added at customer's request.

Contractor must provide place for truck to wash out. A \$30 charge will be added per truck it contractor does not supply a place to wash truck out. Tow charges are buyers responsibility.

GRAND TOTAL

BBØ01 B & B COOPERATIVE VENTURES LEASE NAME: SUTHERLAND

BU	RLINGTO N *	KE	66839		W OF LEROY 4TH LN E		
TIME	FORMULA	LOAD SIZE	YARDS ORDERED*		DRIVER/TRUCK	% Air	PLANT/TRANSACTION #
12:09 P		. 14.00	14.00		TC 35		COFCO
DATE	PO NUMBE	R LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
10/6/14	WELL#39	1	14.00	£	Ø. ØØ	4.00 in	38082
CAUSE BURNS, Avoid Co	WARNING ING TO THE SKIN A Wear Rubber Boots and Gloves. I ntact With Eyes and Prolonged C	PROLONGED CONTACT MAY	(TO BE SIGNED IF DELIVERY TO Dear Customer-The driver of this truc you for your signature so if the opinic truck may possibly cause damage i property if it places the material in the	BE MADE INSIDE CURB LINE) * in presenting this RELEASE to	Excessive Water H₂0 Ad GAL X	is Detrimental to Conc ded By Request/Autho	rete Performance rized By
	, Flush Thoroughly With Water, If I I AWAY."		properly if it places the material in the our wish to help you in every way the the other is requesting that you sign this supplier from any responsibility to		WEIGHMASTER		
LEAVING the PLANT. ANY CI TELEPHONED to the OFFICE	COMMODITY and BECOMES the PROF HANGES OR CANCELLATION of ORK	PERTY Of the PURCHASER UPON SINAL INSTRUCTIONS MUST be	to the premises and/or adjacent driveways, curbs, etc., by the deliver	property, buildings, sidewalks,	' .		
any sums owed. All accounts not paid within 30 o Not Responsible for Reactive Material is Delivered.	pay all costs, including reasonable also lays of delivery will bear interest at the rat Aggregate or Color Quality. No Claim less of the Cash Discount will be collec-	e of 24% per annum. Allowed Unless Made at Time	uneways, curts, set, of the newest also agree to help him remove mud if that he will not litter the public street, iton, the undersigned agrees to indem of this truck and this supplier for any and/or adacent properly which may arisin out of delivery of this order. SIGNED	from the wheels of his vehicle so. Further, as additional considera- mily and hold harmless the driver	HOTICE: MY SIGNATURE BELL MOTICE AND SUPPLIER WITH WHEN DELIVERING INS DE CU LOAD RECEIVED BY:	DW INDICATES THAT HAVE L NOT BE RESPONSIBLE S RB LINE	READ THE HEALTH WARNING FOR ANY DAMAGE CAUSED
All accounts not paid within 30 or Not Responsible for Reactive Material is Delivered. A \$30 Service Charge and Lo	pay all costs, including reasonable also lays of delivery will bear interest at the rat Aggregate or Color Quality. No Claim less of the Cash Discount will be collec-	e of 24% per annum. Allowed Unless Made at Time	also agree to help him remove mud it that he will not liker the public street, tion, the undersigned agrees to indem of this truck and this supplier for any and/or adjacent property which may arkin out of delever of this ourier	from the wheels of his vehicle so. Further, as additional considera- mily and hold harmless the driver		UNIT PRICE	PEAD THE HEALTH WARMING FOR ANY DAMAGE CAUSED
any sums owed. All accounts not paid within 30 of Not Responsible for Reactive Material is Delivered. A \$30 Service Charge and Lo Excess Delay Time Charged @	pay all costs, including reasonable also yes of delivery will bear interest at the rat Aggregate or Color Quality. No Claim ess of the Cash Discount will be color 800/HR.	e of 24% per annum. Allowed Unless Made at Time ted on all Returned Checks. DESCRIPTION WELL (1) G TRUCKINI	also agree to help him remove mud it that he will not liker the public street, tion, the undersigned agrees to indem of this truck and this supplier for any and/or adjacent property which may arkin out of delever of this ourier	from the wheels of his vehicle so. Further, sea additional considera- mily and hold hismales the driver and all damage to the premises be claimed by anyone to have			
any sums owed. All accounts not paid within 30 c Not Responsible for Reactive Material is Delivered. A \$30 Service Charge and Lo Eucoss Delay Time Charged @: QUANTITY	pay all costs, including reasonable also tays of delivery will bear interest at the rat Aggregate or Color Quality. No Calain ass of the Cash Discount will be color teophia. CODE WELL TRUCKIN	e of 24% per annum. Allowed Unless Made at Time ted on all Returned Checks. DESCRIPTION WELL (1) G TRUCKINI	also agree to help him remove must in that he will not like the public steet, ion, the undersigned agrees to indem of this truck and this supplier for any and/or adjacent property which may arisin out of delivery of this order. X BACKS PER CHARSE	from the wheels of his vehicle so. Further, sea additional considera- mily and hold hismales the driver and all damage to the premises be claimed by anyone to have	14.00 2.50		
any sums owed. All accounts not paid within 30 c Not Responsible for Reactive Material is Delivered. A \$30 Service Charge and Lo Eucoss Delay Time Charged @: QUANTITY	pay all costs, including reasonable also tays of delivery will bear interest at the rat Aggregate or Color Quality. No Calain ass of the Cash Discount will be color teophia. CODE WELL TRUCKIN	e of 24% per annum. Allowed Unless Made at Time ted on all Returned Checks. DESCRIPTION WELL (1) G TRUCKINI	also agree to help him remove must in that he will not like the public steet, ion, the undersigned agrees to indem of this truck and this supplier for any and/or adjacent property which may arisin out of delivery of this order. X BACKS PER CHARSE	from the wheels of his vehicle so. Further, sea additional considera- wildy and hold hismaless the driver and all damage to the permises be claimed by anyone to have	14.00 2.50		
ary sums owed. All accounts not paid within 30 o Not Responsible for Reactive Material is Delivered. A \$30 Service Charge and Lo Excess Delay Time Charged @: QUANTITY 1 4 QUA 1 4 QUA ETURNED TO PLANT	pay all costs, including reasonable also lays of delivery will beer interest at the rat Aggregate or Color Quality. No Claim es of the Cash Discount will be color 1904HR. CODE WELL. TRUCKIN MIX&HAU LEFT JOB	a of 24% per annum. Adowed Unless Made at Time sted on all Returned Checks. DESCRIPTION WELL (1) G TRUCKING MIXING FINISH UNLOADING	also agree to help him remove must into the wife not like the public street, ion, the undersigned agrees to indem of this truck and this supplier for any and/or adjacent property which may arisin out of delivery of this order. X DELAY EXPLANATION/CYL 1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK ALEAD ON JOB	INDER TEST TAKEN 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CTRUCK 9. CTRUC	14.00 2.50 14.00		# 00 00 00 00 00 00 00 00 00 00 00 00 00
any sums owed. All accounts not paid within 30 o. Not Responsible for Reactive Material is Delivered. A \$30 Service Charge and Lo Excess Delay Time Charge of @1 QUANTITY	pay all costs, including reasonable also lays of delivery will bear interest at the rat Aggregate or Color Quality. No Calain ass of the Cash Discount will be color BOOPE WELL TRUCKIN MIXSHAU	e of 24% per annum. Allowed Unless Made at Time sted on all Returned Checks. DESCRIPTION WELL (1) G TRUCKING L MIXING	also agree to help him remove must intel the life will be the public street in the life will be the public street in the life will be the public street in the must be the life will be the life	INDER TEST TAKEN 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	14. ØØ 2. 5Ø 14. ØØ	UNIT PRICE	# CO 00
ary sums owed. All accounts not paid within 30 o Not Responsible for Reactive Material is Delivered. A \$30 Service Charge and Lo Excess Delay Time Charged @: QUANTITY 1 4 QUA 1 4 QUA ETURNED TO PLANT	pay all costs, including reasonable also lays of delivery will beer interest at the rat Aggregate or Color Quality. No Claim es of the Cash Discount will be color 1904HR. CODE WELL. TRUCKIN MIX&HAU LEFT JOB	a of 24% per annum. Adowed Unless Made at Time sted on all Returned Checks. DESCRIPTION WELL (1) G TRUCKING MIXING FINISH UNLOADING	also agree to help him remove must in that he will not like the public street ion, the undersigned agrees to indem of this truck and this supplier for any and/or adjacent property which may arisin out of delivery of this order. X DELAY EXPLANATION/CYL 1. JOB NOT READY 2. SLOW FOUR OR PUMP 3. TRUCK ANEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER	INDER TEST TAKEN 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	LOAD RECEIVED BY: X 14.00 2.50 14.00 TIME ALLOWED ** TIME DUE	UNIT PRICE	\$\\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\