

Confidentiality Requested:

Yes No

## Kansas Corporation Commission Oil & Gas Conservation Division

1240729

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License #  | API No. 15   |  |  |  |
|--|--|--|--|--|
| Name:  | Spot Description:  |  |  |  |
| Address 1:   | SecTwpS. R 🗌 East 🗌 West                                 |  |  |  |
| Address 2:   | Feet from North / South Line of Section                  |  |  |  |
| City: State: Zip:+   | Feet from _ East / _ West Line of Section                |  |  |  |
| Contact Person:  | Footages Calculated from Nearest Outside Section Corner: |  |  |  |
| Phone: ()  | □NE □NW □SE □SW  |  |  |  |
| CONTRACTOR: License #  | GPS Location: Lat:, Long:                                |  |  |  |
| Name:  | (e.g. xx.xxxxx) (e.gxxx.xxxxx)                           |  |  |  |
| Wellsite Geologist:  | Datum: NAD27 NAD83 WGS84                                 |  |  |  |
| Purchaser:   | County:  |  |  |  |
| Designate Type of Completion:                                    | Lease Name: Well #:                                      |  |  |  |
| New Well Re-Entry Workover                                       | Field Name:  |  |  |  |
| ☐ Oil ☐ WSW ☐ SWD ☐ SIOW   | Producing Formation:                                     |  |  |  |
| ☐ Gas ☐ D&A ☐ ENHR ☐ SIGW  | Elevation: Ground: Kelly Bushing:                        |  |  |  |
| ☐ OG ☐ GSW ☐ Temp. Abd.  | Total Vertical Depth: Plug Back Total Depth:             |  |  |  |
| CM (Coal Bed Methane)  | Amount of Surface Pipe Set and Cemented at: Feet         |  |  |  |
| Cathodic Other (Core, Expl., etc.):                              | Multiple Stage Cementing Collar Used? Yes No             |  |  |  |
| If Workover/Re-entry: Old Well Info as follows:                  | If yes, show depth set:Feet                              |  |  |  |
| Operator:  | If Alternate II completion, cement circulated from:      |  |  |  |
| Well Name:   | feet depth to:w/sx cmt.                                  |  |  |  |
| Original Comp. Date: Original Total Depth:                       |  |  |  |  |
| ☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD            | Drilling Fluid Management Plan                           |  |  |  |
| ☐ Plug Back ☐ Conv. to GSW ☐ Conv. to Producer                   | (Data must be collected from the Reserve Pit)            |  |  |  |
| Commingled Permit #:   | Chloride content: ppm Fluid volume: bbls                 |  |  |  |
| ☐ Commingled     Permit #:       ☐ Dual Completion     Permit #: | Dewatering method used:                                  |  |  |  |
| SWD Permit #:  | Location of fluid disposal if hauled offsite:            |  |  |  |
| ENHR Permit #:   | ·  |  |  |  |
| GSW Permit #:  | Operator Name:   |  |  |  |
|  | Lease Name: License #:                                   |  |  |  |
| Spud Date or Date Reached TD Completion Date or                  | Quarter Sec TwpS. R                                      |  |  |  |
| Recompletion Date Recompletion Date                              | County: Permit #:  |  |  |  |

## **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

| KCC Office Use ONLY             |  |  |  |  |  |
|---------------------------------|--|--|--|--|--|
| Confidentiality Requested       |  |  |  |  |  |
| Date:                           |  |  |  |  |  |
| Confidential Release Date:      |  |  |  |  |  |
| Wireline Log Received           |  |  |  |  |  |
| Geologist Report Received       |  |  |  |  |  |
| UIC Distribution                |  |  |  |  |  |
| ALT I II III Approved by: Date: |  |  |  |  |  |

Page Two



Operator Name: Lease Name: \_ \_ Well #: \_ County: \_ INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF). **Drill Stem Tests Taken** No Loa Formation (Top), Depth and Datum Sample | Yes (Attach Additional Sheets) Name Top Datum No Samples Sent to Geological Survey Yes ☐ No Yes
 Yes
 ■
 Yes
 ■
 Yes
 ■
 Nes
 Nes Cores Taken Electric Log Run \_\_\_ Yes No List All E. Logs Run: CASING RECORD New Used Report all strings set-conductor, surface, intermediate, production, etc. Size Hole Size Casing Weight Setting Type of # Sacks Type and Percent Purpose of String Drilled Set (In O.D.) Lbs. / Ft. Depth Cement Used Additives ADDITIONAL CEMENTING / SQUEEZE RECORD Purpose: Depth Type of Cement # Sacks Used Type and Percent Additives Top Bottom Perforate **Protect Casing** Plug Back TD Plug Off Zone Did you perform a hydraulic fracturing treatment on this well? Yes No (If No, skip questions 2 and 3) No Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? Yes (If No, skip question 3) Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? (If No, fill out Page Three of the ACO-1) Yes PERFORATION RECORD - Bridge Plugs Set/Type Acid, Fracture, Shot, Cement Squeeze Record Shots Per Foot Specify Footage of Each Interval Perforated Depth (Amount and Kind of Material Used) TUBING RECORD: Size: Set At: Packer At: Liner Run: Yes No Date of First, Resumed Production, SWD or ENHR. Producing Method: Flowing Pumping Gas Lift Other (Explain) **Estimated Production** Oil Bbls Gas Mcf Water Bbls. Gas-Oil Ratio Gravity Per 24 Hours METHOD OF COMPLETION: **DISPOSITION OF GAS:** PRODUCTION INTERVAL: Open Hole Perf. Dually Comp. Commingled Vented Sold Used on Lease (Submit ACO-5) (Submit ACO-4)

Other (Specify)

(If vented, Submit ACO-18.)

| BIRK PETROLI<br>874 12 <sup>TH</sup> RD SW<br>BURLINGTON,<br>620-364-1311 - O |                 | WELL CEME             | ENTING                   |                            | CE TICKET     |    |
|---|-----------------|-----------------------|--------------------------|----------------------------|---------------|----|
| CHARGE TO   | Sirk Petro      | leum                  | COUNTYS  NTRACTORS  CTWP | DATE: CITY  TO ZIP  RG OLD | IU/JI/ICI<br> |    |
| QUANTITY  |                 | 7.5                   |                          |                            |               |    |
| 11100   | Postla          | MATERIAI              | L USED                   |                            | SERV. C       | НG |
| 190 5   | PORTICI         | ri Ceme               | 9 <del>†</del>           |                            |               |    |
|   |                 |                       |                          |                            |               |    |
|   |                 |                       |                          |                            |               |    |
|   |                 |                       |                          |                            |               |    |
|   |                 |                       |                          |                            |               |    |
|   | BULK CHARGE     |                       |                          |                            |               |    |
|   | BULK TRK. MILES |                       |                          |                            |               |    |
|   | PUMP TRK. MILES |                       |                          |                            |               |    |
|   |                 |                       |                          |                            |               |    |
|   | PLUGS           |                       |                          |                            |               |    |
|   |                 |                       |                          |                            |               |    |
| 1.  | TOTAL           |                       |                          |                            |               |    |
| T.D. 1/22   | 1               | CSG. SET AT_          | ///7'                    | VOLUME                     |               |    |
| SIZE HOLE 6   | 1/4"            | TBG SET AT            |                          |                            |               | -  |
| MAX. PRESS  | • "<br>         | SIZE PIPE             | 7/8"                     | VOLUME                     |               | -  |
| PLUG DEPTH  |                 | PKER DEPTH            |                          |                            |               |    |
| TIME FINISHED:  |                 | TRENDEPTH             |                          | PLUG USED_                 |               | -  |
|   | (a a a / la a   | $\sim$                |                          |                            |               |    |
| REMARKS: (ON)   | urface: Job     | pe, Turr<br>Complete: | pCement                  | into we                    | ell Good      |    |
| NAME  |                 |                       |                          |                            |               |    |
|   |                 |                       | Allrol                   | BUL                        |               |    |
| CEMENTER OR T   | REATER          |                       | OWNER'S REP.             | 1 4040                     |               |    |

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assumer responsibility for strength test when water is added at customer's request.

Contractor must provide place for truck to wash out. A \$30 charge will be added per truck if contractor does not supply a place to wash truck out. Tow charges are buyers responsibility.

LEASE NAME; SUTHERLAND

56 W OF LERDY 4 MI TO OXEN RD N TO 4TH LN E 1/4MI SSD AT TANKS

300001

B & B COOPERATIVE VENTURES 1044 HWY 75

BURLINGTON

KS 66839

| RMULA LOAD SIZ | YARDS ORDERED    |                           |                                   |  |  |
|----------------|------------------|---------------------------|-----------------------------------|--|--|
|                | - I MINO OUDEVED | 1                         | DRIVERITAUCK                      |  | PLANT/TRANSACTION #                                  |
| 1              | )V (4.09         |                           | 25                                |  | corce  |
| NUMBER         |                  |                           |                                   | ĺ  |  |
|                | YARDS DEL.       | BATCH#                    | WATER TRIM                        | SLUMP                                      | TICKET NUMBER  |
| .#41 1         | 14,00            | 1 (1)                     | <b>3.00</b>                       |  | 38107  |
|                | NLIMBER          | NUMBER  LOAD # YARDS DEL. | NLIDICE : LOAD# YARDS DEL. BATCH# | NUMBER  LOAD # YARDS DEL BATCH# WATER TRIM | NLIDICE :  LOAD # YARDS DEL. BATCH# WATER TRIM SLUMP |

**WARNING** 

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURRIS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Flush Thoroughly With Water, if Intitation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable atterneys' tees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$30 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$60/HR.

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY TO BE MADE MISIDE CURB LINE)
Dear Customer-The driver of this truck in presenting this RELEASE to
you for your signature is of the opinion that the size and weight of his
truck may possibly cause damage to the premises and/or adjacent
property if please the material in this load where you desire it, it is
our with to help you in every way that we can, but in order to do this
the driver is requesting that you sign this RELEASE relieving him and
this supplier from any responsibility from any damage that may occur
the premises and/or adjacent property, buildings, sidewalks,
driveways, curbs, etc., by the delivery of this material, and that you
also agree to help him nemove must from the wheels of his vehicle so
that he will not filter the pubic sense. Further, as additional corrolidartion, the undensigned agrees to indemsify and hold harmless the driver
of this truck and this supplier for any and all damage to the premises
and/or adjacent property which may be claimed by anyone to have
arisin out of delivery of this order.

**Excessive Water is Detrimental to Concrete Performance** H<sub>2</sub>0 Added By Request/Authorized By

GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURBLINE.

LOAD RECEIVED BY:

QUANTITY CODE DESCRIPTION **UNIT PRICE EXTENDED PRICE** t 4°° MB وير از الما I'M SHUKS VER 浮想 THUCKING CHAPED TRUCKING 2.50 MIX&HAUL. MIXING AND HALLING 14. OP

| RETURNED TO PLANT | LEFT JOB     | FINISH UNLOADING | DELAY EXPLANATION/CYLINDER TEST TAKEN   | TIME ALLOWED | 1                   |
|-------------------|--------------|------------------|---|--------------|---------------------|
| 400               | 320          | 305              | JOB NOT READY     6. TRUCK BROKE DOWN     7. ACCIDENT     TRUCK AHEAD ON JOB     6. TRUCK ALIDENT     7. ACCIDENT     7. ACCIDENT     7. ACCIDENT | žv.          | TAX 6.15 \$ SY. 18  |
| LEFT PLANT        | ARRIVED JOB  | START UNLOADING  | CONTRACTOR BROKE DOWN 9. OTHER     ADDED WATER  | TIME DUE     |                     |
| 1250              | 127          | 205              |   |              | ADDITIONAL CHARGE 1 |
| TOTAL ROUND TRIP  | TOTAL AT JOB | UNLOADING TIME   |   | DELAY TIME   | ADDITIONAL CHARGE 2 |
| \$ 33.35          |              |                  |   |              | GRAND TOTAL 1452 93 |
| Transfer Le       | Parisans     | . Lagar          | Bismallistat dine   | Micket In    | Time Haka /         |