

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1240752

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five Form KSONA-1, Certification of Compliance with the Kansas	Surface Owner Notification Act, MUST be submitted with this form.
Expected Spud Date:	Spot Description:
month day year	
	(0/0/0/0)
OPERATOR: License#	feet from N / S Line of Section feet from E / W Line of Section
Name:	Is SECTION: Regular Irregular?
Address 1:	is Section. Regular Integular?
Address 2: State: Zip: +	(Note: Locate well on the Section Plat on reverse side)
Contact Person:	County:
Phone:	Lease Name: Well #:
THORIC.	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic : # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
1 3 2 2 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
AEG	IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual plu	
	gging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	
 Notify the appropriate district office <i>prior</i> to spudding of well; 	
2. A copy of the approved notice of intent to drill shall be posted on each	
3. The minimum amount of surface pipe as specified below shall be set	by circulating cement to the top; in all cases surface pipe shall be set
The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the	by circulating cement to the top; in all cases surface pipe shall be set underlying formation.
 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 	by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging ;
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg 	by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging ; ed or production casing is cemented in;
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented 	by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging ; ed or production casing is cemented in;
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented 	by circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; If from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 	by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging ; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 	by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging ; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 	by circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; If from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 	by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging ; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 	by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging ; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be completed Electronically For KCC Use ONLY	by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be completed Electronically For KCC Use ONLY API # 15 -	by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging ; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	oy circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be completed Electronically For KCC Use ONLY API # 15 -	oy circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	oy circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be shall be completed. Submitted Electronically For KCC Use ONLY API # 15	py circulating cement to the top; in all cases surface pipe shall be set underlying formation. pict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; afrom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be s	py circulating cement to the top; in all cases surface pipe shall be set underlying formation. pict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; afrom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be shall be completed. Submitted Electronically For KCC Use ONLY API # 15	py circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

For KCC Use ONLY	
API # 15	-

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwpS. R 🔲 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

915 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 240752

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:		
			Licondo Hambon		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R		
Settling Pit Drilling Pit	If Existing, date co	nstructed:	Feet from North / South Line of Section		
Workover Pit Haul-Off Pit			Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbla)	County		
		(bbls)			
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
Yes No	Yes N	No			
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to dee	epest point:	(feet) No Pit		
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining cluding any special monitoring.		
Distance to nearest water well within one-mile	of pit:		Depth to shallowest fresh water feet. Source of information:		
feet Depth of water well	feet	measured	measured well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment p	procedure:		
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
	KCC	OFFICE USE OI	NLY Liner Steel Pit RFAC RFAS		
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No		

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form KSONA-1 January 2014 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-	1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)			
OPERATOR: License #				
Name:	·			
Address 1:				
Address 2: City: State: Zip:+				
Contact Person:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:			
Phone: () Fax: ()				
Email Address:				
Surface Owner Information:				
Name:				
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.			
Address 2:				
City: State: Zip:+	-			
the KCC with a plat showing the predicted locations of lease roads, ta	hodic Protection Borehole Intent), you must supply the surface owners and ank batteries, pipelines, and electrical lines. The locations shown on the plat I on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.			
owner(s) of the land upon which the subject well is or will be	e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.			
KCC will be required to send this information to the surface	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ss of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form.			
If choosing the second option, submit payment of the \$30.00 handlir form and the associated Form C-1, Form CB-1, Form T-1, or Form C	ng fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.			
Submitted Electronically				
1				

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	owning Ne	ison Oil Cor	mpany Inc					cation of W	<i>l</i> ell: Cou		
Lease: Fiala Living Trust				915		feet from N / S Line of Section					
Well Number											
Field: Reich	nel						_ Se	.c. <u>33</u>	Twp	<u>16</u> S. R. <u>17</u> ☐ E 🔀 W	
Number of A				- NW	SE	<u>S</u> E	- ls:	Section:	X Regi	ular or 🔲 Irregular	
				Section is ection corne	_	r, locate well from nearest corner boundary. NE NW SE SW					
					d electrica	the neare: I lines, as	required b		as Surfa	Show the predicted locations of ce Owner Notice Act (House Bill 2032).	
	[:	•	:		!	•	:			
		į		:		:		:		LEGEND	
		:	:	:		:	:	•		LEGEND	
				:	********	:		•		O Well Location	
		•	:	:		:	:	:		Tank Battery Location	
		:	:	:		:	:	:		—— Pipeline Location	
	***********				•••••					•	
				:		:	:	:		Electric Line Location	
			:	:			:	:		Lease Road Location	
	******	•		·		•	· 	·			
		:	:	:		:	:	:			
			:	:				:			
		:	:	: .	3 ——	:	:	:		EXAMPLE	
	:	:	:	:	ر ان	:	:	1			
			:	:	ı	:					
	,	:	:	:		:	:	•			
	********	· · · · · · · · · · · · · · · · · · ·		:	********	• • • • • • • • • • • • • • • • • • •		:			
				:		:		:		· · · · · · · · · · · · · · · · · · ·	
		:	:	i		:	:	:		: ; ;	
	*******		•••••		********		•••••			1980' FSL	
		:	:	:			:	:			
		:	:				Ö		1300		
	• • • • • • • • • • • • • • • • • • • •		• •••••	•		· (·	.556		
			:	:		: (! ()	:			
			:			. 1				SEWARD CO. 3390' FEL	

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Summary of Changes

Lease Name and Number: Fiala Living Trust 1-33

API/Permit #: 15-165-22100-00-00

Doc ID: 1240752

Correction Number: 1

Approved By: Rick Hestermann 01/27/2015

Field Name	Previous Value	New Value
ElevationPDF	2033 Estimated	2044 Estimated
Feet to Nearest Water Well Within One-Mile of Pit	1866	640
Ground Surface Elevation	2033	2044
KCC Only - Approved By	Rick Hestermann 10/29/2014	Rick Hestermann 01/27/2015
KCC Only - Approved Date	10/29/2014	01/27/2015
KCC Only - Date Received	10/29/2014	01/27/2015
KCC Only - Regular Section Quarter Calls	SW NE NW SE	SW NW SE SE
LocationInfoLink	https://kolar.kgs.ku.edu/kcc/detail/locationInform	https://kolar.kgs.ku.edu/kcc/detail/locationInform
Nearest Lease Or Unit Boundary	ation.cfm?section=33&t 470	ation.cfm?section=33&t 915
Number of Feet East or West From Section Line	1790	1300

Summary of changes for correction 1 continued

Field Name	Previous Value	New Value	
Number of Feet East or West From Section Line	1790	1300	
Number of Feet North or South From Section	2170	915	
Line Number of Feet North or South From Section	2170	915	
Line Quarter Call 2	NW	SE	
Quarter Call 2	NW	SE	
Quarter Call 3	NE	NW	
Quarter Call 3	NE	NW	
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=12	//kcc/detail/operatorE ditDetail.cfm?docID=12	
Water Well Within One- Quarter Mile	27974 No	40752 Yes	

Summary of Attachments

Lease Name and Number: Fiala Living Trust 1-33

API: 15-165-22100-00-00

Doc ID: 1240752

Correction Number: 1

Approved By: Rick Hestermann 01/27/2015

Attachment Name

Plat